

*

DISTRIBUTED BY

230 PARK AVE., NEW YORK, N. Y. 10017

Our recommendations for use are based on tests believed reliable. Since the use is beyond our control, neither we nor the manufacturer can guarantee the results if such use is not in accordance with directions. We disclaim any responsibility for damages resulting from careless or improper handling or use.

CAUTION: This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

FORM 1

* R. MARCA REGISTRADA


MADE IN U.S.A.



Vancide P75

MULTI-BROAD SPECTRUM
ANTHRAKINOLINIC

ANTHRAKINOLINIC



TECHNICAL DATA SHEET

VANCIDE P 75

Moldproofing Agent for Pulp and Paper Industry

PAPER DEPARTMENT

May 1971

Rep. Lot 2

3-2-71
165-32



Vancide* P75

MOLDPROOFING AGENT FOR PULP AND PAPER INDUSTRY

ACTIVE INGREDIENTS:

CAPTAN (N-TRICHLOROMETHYLTHIO-4-CYCLOHEXENE 1,2-DICARBOXIMIDE) 75%

INERT INGREDIENTS:

25%
100%

U.S. PAT. NOS. 2,553,770, 2,553,771, 2,553,776

DIRECTIONS FOR USE

Mold-Resistant Paper and Paperboard - To impart mold-resistant properties to paper or paperboard, apply VANCIDE P 75 as a surface treatment formulated as required to retain 0.2 to 0.3% VANCIDE P 75 based on the weight of the sheet.

CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

Avoid contact with skin and eyes. Avoid inhalation of dust. Avoid contact with water.

NET WEIGHT 50 POUNDS

U.S.A. REG. NO. 1954-32

Appearance	VANCIDE P 75 is an off-white to cream colored powder designed to provide effective mold resistance to pulp and paper products.
Application and Treatment Levels	It is applied as a surface treatment to pulp and paper required to retain 0.2 to 0.3% VANCIDE P 75 based on the weight of the sheet.
Chemical Composition	ACTIVE INGREDIENTS: CAPTAN (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide) 75% INERT INGREDIENTS 25%
Molecular Formula	C ₁₂ H ₁₈ O ₂ N ₂ SCl ₃
Molecular Weight	300.6
Physical Form	Powder
Color	Light Tan
Density	VANCIDE P 75 is a free flowing powder with a bulk density of approximately 100 lbs/cu ft. It is not hygroscopic and does not absorb moisture. It is stable under normal conditions of storage and handling.
Stability	It is a stable material under normal conditions of storage and handling. It is not flammable and does not react with water. It is stable for a period of more than 24 months.
Toxicity	VANCIDE P 75 is a mild irritant to the eyes, nose, and throat. It is not considered to be a health hazard when used as directed.
First Aid	In case of contact with eyes, flush with water for at least 15 minutes. In case of contact with skin, wash with soap and water. In case of contact with clothing, remove the clothing immediately.
Storage	VANCIDE P 75 should be stored in a cool, dry place, protected from moisture and direct sunlight. It should be kept in its original container until used.

3-2-71
165-32



100-200-2

Section 171.102 - Components of paper and paperboard in contact with aqueous and fatty foods

Section 171.102 of the Code of Federal Regulations (CFR) is amended to read as follows:

Section 171.102 - Components of paper and paperboard in contact with aqueous and fatty foods of the Food Additives Regulations allows the use of Vysol DDE P 75 as a mold and mildew proofing agent in coatings intended for use in contact with food only of the type identified in paragraph (C) of this section, table I under types I, II, III, E, and VII.