

FORMULA NO. 645

Our Formula No. 645 Fungicidal Clear is the result of our chemists years of experience in the paint industry and is recognized as the finest clear fungicidal under-coating obtainable.

USES

This clear coating is formulated for application to dry or comparatively damp surfaces. It is an excellent undercoating for Formula No. 655 Fungicidal Enamel. It can be used over previously painted, white washed, or unfinished surfaces, such as brick, masonry, plaster, wood, composition board and properly primed metal.

Its penetrating and preservative qualities make it a superior product on wood to control fungi and dry rot infection.

DIRECTIONS

This product is ready to use. No other materials should be added to it. Surfaces should be free from all foreign and loose particles. Where mold infection now exists remove the mold with wire brush. When a grease like condition exists wash the infected area with a strong solution of tri-sodium phosphate. Rinse and allow surface to rid itself of free water and apply one brush coat of Formula No. 645. Allow 24 hours drying time before applying Formula No. 655.

Wood varies in absorption, therefore, when using Formula No. 645 as a preservative it may be necessary to apply succeeding coats to secure the desired finish. Allow 24 hours drying time between coats.

CAUTION! COMBUSTIBLE!

Keep away from heat and open flame. USE WITH ADEQUATE VENTILATION. Avoid breathing of vapor or spray mist and prolonged contact with skin. Harmful if swallowed. Wash thoroughly after handling and before eating or smoking. Not for painting surfaces in direct contact with food. Close can when not in use.

Do Not reuse container. Destroy when empty.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes.

KEEP OUT OF REACH OF CHILDREN

GALLON U.S. MEASURE

USDA REG. NO. 5242-2