

SERVICE

STAA-CLEAR CONC. 1-10

QUALITY

WOOD PRESERVATIVE

INGREDIENTS

ACTIVE INGREDIENTS:

*Pentachlorophenol	35.00%
*Other Chlorinated Phenols	5.05%
Aromatic Petroleum Hydrocarbons	38.30%

INERT INGREDIENTS

21.65%

100.00%

*Equivalent to 42.10% Pentachlorophenol Technical as defined by Federal Specification TT-V-570.

RECOMMENDED USE

The ready-to-use 5% solution of this concentrate is an effective wood preservative. It is recommended for the protection of wood from termites. The concentrated solution complies with all requirements of Commercial Standard CS 194-53 developed under the procedure of the Commodity Standards Division and issued by the U.S. Department of Commerce. Do not use the ready-to-use solution if it is desired to paint the treated wood, as paintability will be adversely affected. **STAA-CLEAR WR** should be used when it is desired to paint the wood.

NON-WARRANTY

Seller warns that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions for use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to the label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller and Buyer assumes the risk of any such use.

DIRECTIONS FOR USE

Mix one part of this concentrate with ten parts by volume of a suitable petroleum solvent, such as mineral spirits or kerosene to make a 5% ready-to-use solution. Do not use the concentrate undiluted.

After dilution, the ready-to-use solution can be applied to lumber, posts, poles, fencing, and other wood products by any of several processes such as soaking, spraying, or brushing. Treatment is most effective when there is deep penetration of the ready-to-use solution. Boards should be removed from posts and they should be air seasoned until dry before soaking. For effective treatment it is recommended that posts be free of bark and soaked for 24 to 48 hours. Soak lumber for steps, sills, joists, toe-plates, etc., for at least 12 hours. Brushing, spraying or swabbing should be used only when wood is not in ground contact. Joints should be thoroughly treated in any application. For protection against termites treat wood prior to use in construction. Lumber intended to be in contact with the soil should be dipped for a minimum of 3 minutes, or if treated by the brush or spray method, receive two or more flowing coats of the product.

WARNING

KEEP OUT OF REACH OF CHILDREN!

KEEP OUT OF REACH OF CHILDREN!
 DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAMES
 Wear rubber gloves when handling freshly treated lumber
 Harmful if swallowed!
 Harmful if absorbed through skin!
 Do not breathe spray mist!
 Do not get in eyes! Do not get on clothing!
 Avoid contamination of feed and food stuffs!
 Do not reuse containers! Destroy when empty!

33560-3
ACCEPTED
 7/17/72
 11590-5
 SUBJECT TO ATTACHMENTS

This product is toxic to fish and wildlife. ~~Keep out of~~ lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

EPA Reg. No. 11590-5

REVICO, INC. MEMPHIS, TENNESSEE