NIPACIDE® X INDUSTRIAL MICROBIOSTAT

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling Ninacide® X is an effective preservative in most aqueous compositions. Typical applications and the suggested range of concentrations on which trials can be based, are

% Nipacide® X (based on total wt_of_oroduct)

Latices Polymer latices based on acrylate, butadiene, PVA,

styrene for various applications, e.g., wax, floor polishes. Synthetic/rubber latices.

0.04-0.09

Oil-in water emulsions: "Spin finish" solutions for use in the textile industry. Cutting/relling oils. Soluble oils. (metal and engineering industries)

0.04.0.18

"We suggest formulator limit the addition of Nipacide® X to 0.9% maximum in metal-working fluid concentrates. This will give a maximum recommended use level of 0.09% Nipacide® X in a 10.1. dilution of the concentrate and reduce the possibility of skin sensitization.

Emulsion paint. For preservation in the can

0.04-0.25

Adhesives - Carbony methyl cellulose (CMC) and derivatives, animal glues. adhesives based on gelatin and later

0 02 0 09

**Paper coating compositions Rosin dispersions. Starch and casein based products.

0.02-0.09

The concentration required to give protection depends on several factors. These include the susceptibility of the system to microbiological degradation, the extent to which microorganisms can gain access, the species involved, pH, temperature, and length of time for which protection is required.

**For use as a component of paper and paperboard in contact with aqueous and fatty foods. The active ingredient 1,2 Benzisothiazolin-3-one may be used in paper coating compositions at a level not to exceed 0.01 mg/m² (0.00016 mg/cm²) of finished paper and paperboard. For use as a component of paper and paperboard in contact with dry foods, the level of active ingredient in the paper coating must not exceed 0.02 mg/in² (0.0031 mg/cm:) of finished paper and paperboard.

For protection against bacterial attack, a concentration within the range 0.02-0.35 Nipacide® X is almost invariably sufficient

The control of mold growth, particularly on paste product of high solids content, may occasionally demand dosages above 0.35%

In driute fluid systems, sporlage is usually controlled with dosages not greater than 0.09%

A simple method of determining the effective dosage rate is to prepare samples of the product containing varying concentrations of Nipacide® X, eq. 0.02, 0.04, 0.06, and 0.15%. These can then be stored at approx. 25 C for a period of time and compared with a control sample of product containing no preservative stored under similar conditions.

SLIME CONTROL

There are two methods of adding slimicides to paper mill systems - shock dosing and

The preferred method of addition is by shock dosing since this ensures that a high concentration of Nipacide® X is present in the system for several hours. When a slime control agent is added by continuous methods over periods of several hours, its concentration in the system at any time is low. This can lead to the development of resistant organisms, an effect that is less likely to occur when the shock dosing method is

It is not possible to give precise recommendations as to the quantity of Nipacide® X to add to control slime formation, since the magnitude of the problem varies greatly from mill to mill, depending on the furnish employed, the cleanliness of the mill system, and the additional nutrients (for example, starch) that may be added to the stock

Directions for the Continued on Side Panel

For industrial use only as a microbiostat preservative for aqueous compositions such as oil in water emulsions, latices, emulsion paints, water based adhesives, detergents and cleaning solutions, caseinfrosin dispersions, and textile spin-finish solutions and for control of slime producing bacteria in paper making processes

Active Ingredient 1.2 benzisolhiazolin-3-one 1894 Inert Ingredients 82% 10094

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove confact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice.
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swaffow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	Take off contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN

Probable indicosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

DANGER

CORROSIVE CAUSES EYE AND SKIN DAMAGE HARMFUL OR FATAL IF SWALLOWED Prolonged or frequently repeated skin contact may cause aflergic reactions in some individuals. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (IPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA

CEA Reg. No. 49403.14 LPA Est No. 49403-NC-01 The following quantities of Nipacide® X are suggested for trial.

(a) Shock dosing. Between 80 and 300 g (2.8 - 11 oz. av.) of Nipacide® X for each ton of paper produced per day should be added as a single daily shock dose, the actual quantity used depending on the severity of the slime problem

This addition may be made to any part of the stock preparation or backwater system. Alternatively, the addition may be made to those parts of the system where it is known that slime deposits accumulate.

(b) Continuous Addition. If this method is adopted, Nipacide® X should be added continuously for either the single period of 8 hours during every 24 hours or for two separate periods of 4 hours during every 24 hours.

Nipacide® X should be metered at the rate of 125-150g (4.5 - 5.3 oz. av.) for each ton of paper produced during the dosing period preferably, this addition should be made to the recirculated backwater

STORAGE AND DISPOSAL

STORAGE Protect from frost if frozen, allow to thaw and stir well before

PESTICIDE DISPOSAL. Do not contaminate water, food, or feed b. storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or insate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited.

CONTAINER DISPOSAL: Triple rinse for equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

REGULATORY CLEARANCES

All components of Nipacide® X are cleared for use under the following U.S. Environmental Protection Agency and U.S. Food and Drug Administration registrations and clearances:

US EPA Registration Number: 49403-14 US FDA:

21 CFR 175 105 Components of adhesives 21 CFR 176 170 Components of paper and paperboard in contact with aqueous and fatty foods 21 CFR 176 180 Components of paper and paperboard in contact with dry food 21 CFR 176.300 Slimicides (in the manufacture of paper and

21 CFR 177.2600 Rubber Articles Intended for Repeated Use

paperboard that contact food)

FOR YOUR PROTECTION

The information and recommendations in this publication are, to the best of our knowledge, reliable. Suggestions made concerning uses or applications are only the opinion of Clariant Corporation and users should make their own tests to determine the suitability of these products for their own particular purposes. However, because of numerous factors affecting results, Clariant Corporation MAKES NO WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, other than that the material conforms to its applicable current Standard Specifications. Statements herein, therefore, should not be construed as representations or warranties. The responsibility of Clariant Corporation. for claims arising out of breech of warranty, negligence, strict liability, or otherwise is limited to the purchase price of the material

Statements concerning the use of the products or formulations described ACCEPTED retent and not to be construed as recommending the infringement of retent and no liability for infringement arising out of any such use is assumed. erein are not to be construed as recommending the infringement of any

DEC 0 6 2001

he Federal/Insecticide, Fungicide, and cide Act as minended, for the le, registered under

Manufactured by:

Clariant Corporation

4000 Monroe Road Charlotte, NC 28205 (704) 822-2259