PR-6106



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

006106

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

JUN 23 1986

MEMORANDUM

SUBJECT: EPA Registration Number 2217-566

Trimec DMB# Herbicide

FROM:

Deloris F. Graham ASA 7/1/86 Cg 7/7
Technical Support Section
Europeicide-Herbicide Branch

Fungicide-Herbicide Branch Registration Division (TS-767C)

TO:

Richard F. Mountfort, PM 23 Fungicide-Herbicide Branch Registration Division (TS-767C)

APPLICANT: PBI/Gordon

1217 West 12th Street

P.O. Box 4090

Kansas City, MO 64101

ACTIVE INGREDIENTS:

7				
2.4-Dichlorophenoxyacetic acid				45.59%
55; 2,4-Dichlorophenoxyacetic acid 2-(2-methyl-4-chlorophenoxy)propionic	acıd	 •	• •	20.40%
5.35 Dicamba (3,6-dichloro-o-anisic acid)		 		4.30%
INERT INGREDIENTS:				29.71%

BACKGROUND:

Submitted Acute Oral, Acute Dermal, and Primary Skin Irritation Studies under Agency code "400" (miscellaneous data). Study conducted by Midwest Research Institute. Data under Accession Number 252564. Method of support not indicated.

RECOMMENDATIONS:

- FHB/TSS finds these data acceptable to support conditional registration of this product.
- The appropriate toxicity category for Acute Oral is III - CAUTION; Acute Dermal is III - CAUTION; Primary Skin is IV - CAUTION.

100

LABEL: No additional labeling required.

REVIEW:

(1) Acute Oral Toxicity Study: Midwest Research Institute; MRI Project No. 7819-E(2); December 12, 1983.

PROCEDURE:

Five groups consisting of five male and five female rats each received one of the following: 0.0 (vehicle control); 315, 500, 793.8 or 1260 mg/kg. Observations made for 14 days postdosing. Necropsy performed on all animals.

RESULTS:

At 793.8 mg/kg, 3/5 M and 5/5 F died, at 1260 mg/kg, 5/5 M and 5/5 F died. Toxic signs reported included lethargy, decreased activity, moribundity, rough hair coat. Necropsy report indicated reddened intestines in four animals and reddened stomach in one. LD50 reported to be 720.4 mg/kg with 95 percent confidence limits between 582.3 and 891.3 mg/kg.

STUDY CLASSIFICATION: Core Guideline Data.

TOXICITY CATEGORY: III - CAUTION.

(2) Acute Dermal Toxicity Study: Midwest Research Institute; MRI Project No. 7819-E(3); December 12, 1983.

PROCEDURE:

Five male and five female rabbits with abraded skin sites each received a single 2.0 g/kg dose dermally under occlusive wrap for 24-hour exposure period. Observations made for 14 days posttreatment. Necropsy performed on all animals.

RESULTS:

No mortalities or toxic signs reported. Pale lumps covering lungs indicated in necropsy report. However, it was also reported that these lumps were not considered compound-related. LD $_{50}$ reported to be greater than 2 g/kg.

STUDY CLASSIFICATION: Core Guideline Data.

TOXICITY CATEGORY: III - CAUTION.

(3) Primary Skin Irritation Study: Midwest Research Institute; MRL Project No. 7819-E(3); December 12, 1983.

PROCEDURE:

Six rabbits with two abraded and two intact skin sites each were treated with 0.5 g of the test material per site under occlusive wrap for 24-hour exposure period. Observations made for 72 hours posttreatment.

RESULTS:

No irritation reported. Primary Irritation Score reported to be zero.

STUDY CLASSIFICATION: Core Guideline Data.

TOXICITY CATEGORY: IV - CAUTION.