



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

7-17-86

006162

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

JUL 17 1986

MEMORANDUM

SUBJECT: EPA Registration No. 264-29
Rootone

FROM: Deloris F. Graham *DFG 7/24/86*
Technical Support Section
Fungicide-Herbicide Branch
Registration Division (TS-767C)

E 7/24/86

TO: Henry Jacoby, PM 21
Fungicide-Herbicide Branch
Registration Division (TS-767C)

APPLICANT: Union Carbide Agricultural Products Company, Inc.
T.W. Alexander Drive
P.O. Box 12014
Research Triangle Park, NC 27709

ACTIVE INGREDIENTS:		
588 1-Naphthaleneacetamide		0.20%
479 Indole-3-butyric acid		0.10%
556 Thiram		4.04%
INERT INGREDIENTS:		95.66%

BACKGROUND:

A new dermal sensitization study is being submitted for review by the company due to fact that the dermal sensitization study reviewed June 2, 1986 was conducted on Rootone at the same time as four other products. Since one of these products indicate a positive reading that was not consistent with the previous data base, a new sensitization study on Rootone was conducted to confirm initial results. Study conducted by Union Carbide's Bushy Run Research Center. Data under Accession Number 263308. Method of support not indicated.

like

RECOMMENDATION:

1. FHB/TSS finds these data acceptable to support conditional registration of this product.
2. Based on data submitted this product is not a skin sensitizer.

LABEL:

No labeling comments in regard to dermal sensitization necessary.

REVIEW:

- (1) Dermal Sensitization Study: Bushy Run Research Center; Project Report 49-19; February 27, 1986.

PROCEDURE:

Three groups consisting of five male and five female guinea pigs each were treated with one of the following substances: 10 percent w/v solution of test material, [REDACTED] (negative control), or 0.3 percent w/v dinitrochlorobenzene (DNCB) solution (positive control) during induction and at challenge dose except a 0.1 percent w/v dinitrochlorobenzene was used at challenge for positive control.

During induction phase, animals received 0.3 ml doses once a week for 3 weeks. Two weeks after third induction phase application a challenge dose was administered. Observations made frequently during induction phase, and 24 and 48 hours after challenge dose. The study was reported to be conducted in two phases due to scheduling restrictions. One-half of each group was treated then the second half received initial treatment a week later.

RESULTS:

No irritation reported in test material group or [REDACTED] (negative control) during induction phase or at challenge dose. Tape irritation and depilatory irritation was reported in negative control and tape irritation in test material group.

Moderate eye iritis reported in DNCB (positive control) group after second and third induction phase applications and well-defined skin reaction produced at challenge using a non-irritating concentration, thereby indicating a sensitizing reaction. A yellow chemical stain reported at dose site.

7

006162

3

It is concluded that since no irritation was produced by the test material during induction phase or at challenge dose this product is not a skin sensitizer.

STUDY CLASSIFICATION: Core Guideline Data.

TOXICITY CATEGORY: Nonsensitizing.

3

006162

ROOTONE® brand

Rooting Hormone With Fungicide For Rooting Cuttings

ACTIVE INGREDIENTS:

1-Naphthaleneacetamide	0.20%
InJole-3-butyric acid.....	0.10%
Thiram (tetramethyl thiuramdisulfide).....	4.04%

INERT INGREDIENTS:..... 95.66%

EPA Reg. No. 264-29AA

EPA Est. No. 477-MD-01

KEEP OUT OF REACH OF CHILDREN

CAUTION

Precautionary Statements: See Side Panel.

IN CASE OF EMERGENCY TELEPHONE COLLECT (24 HOURS A DAY) IN U.S.A.
 (304) 744-3487.
 FOR GENERAL PRODUCT INFORMATION CALL 800-334-9745.

UNION CARBIDE AGRICULTURAL PRODUCTS COMPANY, INC.
 Post Office Box 12014, T.W. Alexander Drive
 Research Triangle Park, NC 27709

NET WEIGHT:

APC-2467-137-55

ACCEPTED
JUL 31 1985
 Under the Federal Insecticide, Fungicide, and Herbicide Act as amended, the pesticide registered under EPA Reg. No. 264-29

H80075

0331G/Pending/06-27-85

4

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid inhalation of dust. Do not use or store near food or feeds.

Consumption of alcoholic beverages increase the toxic effects of Thiram.

STATEMENT OF PRACTICAL TREATMENT

If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

If in eyes, flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

STORAGE AND DISPOSAL

STORAGE

Do not store near fertilizers, seed, insecticides, or fungicides.

PESTICIDE DISPOSAL

Wastes resulting from the use of the product may be disposed on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

For 1 pound canister: Completely empty canister into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For 50 pound drum: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment, then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be used, dispose of in the same manner.

DIRECTIONS FOR USE

006162

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Select cuttings (slips) from vigorous healthy plants. For most house plants, use tips 2" to 6" long from stems that break easily. For most shrubs, summer cuttings of half-ripened wood root best.

Remove any leaves or flowers at the base of the cutting. Dip the base into ROOTONE® about 1/4 inch deeper than it will be set in the rooting medium. Tap off any excess powder and insert cutting in a hole in the rooting medium with at least one node covered. Make holes wide enough so that no ROOTONE® is scraped off during planting. Firm medium around cutting to avoid air pockets.

Shade to keep the cuttings and medium moderately moist until they are rooted. This is 3 to 5 weeks or longer, depending on plant species.

Among the many plants that can be rooted are azalea, barberry, begonia, boxwood, chrysanthemum, crape myrtle, euonymus, forsythia, fuchsia, geranium, holly, ivy, juniper, lilac, pachysandra, privet, pyracantha, rhododendron, rose, spiraea, taxus (yew), and viburnum.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and upon reports of field experiences. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.