

## RTF Review - Environmental Safety

Sulfotepp

This paper is applicable only to Sulfotepp as the sole active ingredients.

A. Fish and Wildlife Toxicity Data and References

Appropriate fish (96-hr LC<sub>50</sub>'s for rainbow trout and bluegill sunfish) and avian (acute oral and/or dietary LC<sub>50</sub>'s for bobwhite quail and mallard duck) toxicity data are lacking. This data will be necessary for Registration Renewal. Therefore, a Fish and Wildlife waiver is needed.

B. Fish and Wildlife Cautions

Although Fish and Wildlife data are lacking on Sulfotepp, the Fish and Wildlife section feels that Sulfotepp should be labeled the same way Tepp is labeled since: (1) the majority of Sulfotepp formulations are in Toxicity Category I; (2) the acute oral toxicity data for Sulfotepp and Tepp are similar for mammals; and (3) the use patterns are indoor. Therefore, the appropriate Fish and Wildlife cautions are:

"This pesticide is toxic to wildlife and Fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes."

[NOTE: These cautions are appropriate for those formulations with Sulfotepp as the sole <sup>active</sup> ingredient.]

The above cautions should appear in the Environmental Hazards paragraph. Cautions are not required for the Directions for Use.

C. Classification

For greenhouse uses and manufacturing uses a General Classification is appropriate.

D. A BEE CAUTION does not seem necessary: see Jim Stewart, however, to be certain.

*Norman Cook*  
Norman Cook  
November 10, 1975