







UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

April 12, 1999

MEMORANDUM:

SUBJECT: Triphenyltin Hydroxide: Product and Residue Chemistry Chapters of the RED

PC Code No. 083601. Case No. 0099. DP Barcode D255158.

FROM:

Catherine Eiden, Chemist

Risk Characterization & Analysis Branch

Health Effects Division (7509C)

THRU:

Steve Knizner, Branch Senior Scientist

Risk Characterization & Analysis Branch

Health Effects Division (7509C)

TO:

Angel Chiri, Chemical Review Manager

Special Review Branch

Special Review and Reregistration Division (7508C)

Attached please find the updated product and residue chemistry chapter of the triphenyltin RED. This chapter has been prepared by Dynamac Corp. under contract to the Agency and has undergone secondary review to reflect HED policies. The chapter was updated from the March 29, 1999 version to reflect new percent crop treated data received from BEAD.

TRIPHENYLTIN HYDROXIDE PC Code 083601; Case 0099

Reregistration Eligibility Decision

December 9, 1998

Contract No. 68-D4-0010

Submitted to:
U.S. Environmental Protection Agency
Arlington, VA

Submitted by: Dynamac Corporation 1910 Sedwick Road Building 100, Suite B Durham, NC 27713

TRIPHENYLTIN HYDROXIDE (TPTH)

REREGISTRATION ELIGIBILITY DECISION:

PRODUCT CHEMISTRY CONSIDERATIONS

PC Code 083601: Case No. 0099

DESCRIPTION OF CHEMICAL

Triphenyltin hydroxide (TPTH) is a fungicide registered for use on pecans, potatoes, and sugar beets.

Empirical Formula:

C₁₈H₁₆OSn

Molecular Weight:

366.7

CAS Registry No.:

76-87-9

PC Code:

083601

IDENTIFICATION OF ACTIVE INGREDIENT

TPTH is a fine white powder with a melting point of 118-120 C, bulk density of 0.2758 g/mL at 25 C, octanol/water partition coefficient (log K_{ow}) of 3.268, and vapor pressure of <1 x 10⁻⁷ torr at 25 C. TPTH is practically insoluble in water (8 ppm), and is moderately soluble in most organic solvents (acetone 70 g/L; benzene 41 g/L; 1,2-dichloromethane 74 g/L; ether 28 g/L; ethanol 10 g/L; and methylene chloride 171 g/L).

MANUFACTURING-USE PRODUCTS

A search of the Reference Files System (REFS) conducted 10/19/98 identified four TPTH manufacturing-use products (MPs) registered under PC Code 083601. A list of the registered MPs subject to a reregistration eligibility decision is presented below.

Formulation	* EPA Reg. No.	Registrant
96% T	1812-279 1	Griffin L.L.C.
96% T	5204-86 ²	Elf Atochem N.A. Incorporated
96% T	45639-171 ³	AgrEvo USA Company
96% T	55146-71	Agtrol International

¹ Transferred 2/26/85 from Uniroyal Chemical Company Incorporated, EPA Reg. No. 400-391.

REGULATORY BACKGROUND

The TPTH Guidance Document dated 9/84 required that updated generic and product-specific product chemistry data be submitted for TPTH. The TPTH Reregistration Standard Update dated 3/18/92 summarized and reviewed product chemistry data submitted in support of reregistration of TPTH. We note that the Agtrol International 96% T was registered subsequent to issuance of the TPTH Update.

The current status of the product chemistry data requirements for TPTH technical products is presented in the attached data summary tables. Refer to these tables for a listing of the outstanding product chemistry data requirements.

CONCLUSIONS

Pertinent product chemistry data requirements remain unfulfilled for all of the registered 96% T/TGAIs. The following additional data are required: (i) OPPTS 830.7050 for the Griffin 96% T; (ii) OPPTS 830.1550, 1700, 1750, 1800, 6314, 6316, 7050, and 7370 for the Elf Atochem 96% T; (iii) OPPTS 830.1550 and 7050 for the AgrEvo 96% T; and (iv) OPPTS 830.1550, 1750, 6314, 6316, 6317, 6320, and 7050 for the Agtrol 96% T. Provided that the registrants submit the data required in the attached data summary tables for the 96% Ts, and either certify that the suppliers of beginning materials and the manufacturing processes for the TPTH technical products have not changed since the last comprehensive product chemistry review or submit complete updated product chemistry data packages, HED has no objections to the reregistration of TPTH with respect to product chemistry data requirements.

² Transferred 12/18/86 from Hoechst Celanese (Clariant Corporation per REFS), EPA Reg. No. 8340-19, which was transferred 8/14/85 from Solvay Duphar B.V., EPA Reg. No. 37100-13.

³ Transferred 9/17/94 from Hoechst Celanese (Clariant Corporation per REFS), EPA Reg. No. 8340-17.

AGENCY MEMORANDA CITED IN THIS DOCUMENT

CBRS No(s):

1151

Subject:

EPA Reg. No. 352-279. Griffin TPTH. Product Chemistry Data for

Registration Standard.

From:

A. Reiter

To:

H. Jacoby 7/15/85

Dated: MRID(s):

00142930

CBRS No(s):

1135

Subject:

#8340-15. Evaluation of TPTH Analytical Methods.

From:

A. Reiter

To:

H. Jacoby

Dated:

9/24/85

MRID(s):

00142876

CBRS No(s):

1136

Subject:

EPA No. 8340-15, TPTH (Hoechst). Product Chemistry Data for Registration

Standard.

From:

A. Reiter

To:

H. Jacoby

Dated:

8/30/85

MRID(s):

00147329

CBRS No(s):

1278

Subject:

Triphenyl Tin Hydroxide (TPTH; Fentin Hydroxide). Response to Registration

Standard: Hoechst Triphenyltin Hydroxide Technical, EPA Reg. No. 8340-17

and 8340-15.

From:

S. Hummel

To:

L. Rossi

Dated:

2/3/87

MRID(s):

00161669 and 00161670

CBRS No(s):

9790

DP Barcode(s):

D176344

Subject:

Reregistration of TPTH. Case No. 0099. Chemical No. 083601. Hoechst

Celanese Corporation. 96% T (EPA Reg. No. 8340-17).

From:

P. Deschamp

To:

L. Rossi/E. Ferris

Dated:

8/26/92

MRID(s):

11133

DP Barcode(s):

D186296

Subject:

Triphenyltin hydroxide (TPTH) Reregistration: List A Chemical. Hoechst Celanese Corp. Response to TPTH Reregistration Update (3/18/92) Product Chemistry Data Requirements Regarding Certified Limits and Enforcement

Analytical Methods (Guideline Nos. 62-2 and 62-3). (Case No. 0099.

Chemical No. 083601).

From:

F. Toghrol

To:

L. Rossi/W. Waldrop

Dated:

3/26/93

MRID(s):

42585401

CBRS No(s):

11131 and 11381

DP Barcode(s):

D186293 and D188185

Subject:

Triphenyltin hydroxide (TPTH). Case No. 0099. Griffin's Response to

Reregistration Standard Update of 3/92.

From:

L. Cheng

To:

W. Waldrop

Dated:

4/30/93

MRID(s):

42578901-42578905 and 42640901

CBRS No(s):

11740

DP Barcode(s):

D190288

Subject:

Triphenyltin Hydroxide (TPTH). Case No. 0099. Product Chemistry 62-1 and

63.

From:

L. Cheng

To:

E. Ferris/W. Waldrop

Dated:

5/5/93

MRID(s):

42725201

CBRS No(s):

11918

DP Barcode(s):

D191624

Subject:

Triphenyltin Hydroxide (TPTH)/Fentin Hydroxide. Case No. 0099. Hoechst

Product Chemistry Data.

From:

L. Cheng

To:

W. Waldrop

Dated:

6/7/93

MRID(s):

42756601

11380

DP Barcode(s):

D188184

Subject:

Fentin Hydroxide/TPTH. Case No. 0099. Elf Atochem's Response to Product

Chemistry Data Requirements.

From:

L. Cheng

To:

W. Waldrop

Dated:

6/15/93

MRID(s):

42642201

CBRS No(s):

12338

DP Barcode(s):

D193850

Subject:

Triphenyltin Hydroxide (TPTH). Case No. 0099. Griffin's Response to CBRS

4/30/93 Review (No. 11131 and 11381).

From:

L. Cheng

To:

E. Ferris

Dated:

10/28/93

MRID(s):

42365503 (reassessed) and 42852201

CBRS No(s):

12746

DP Barcode(s):

D196286

Subject:

Triphenyltin Hydroxide (TPTH). Case No. 0099. Response to Product and

Residue Chemistry Reviews.

From:

L. Cheng

To:

E. Ferris

Dated:

7/12/94

MRID(s):

42965601

CBRS No(s):

13442

DP Barcode(s):

D200790

Subject:

Triphenyltin Hydroxide (TPTH) Reregistration: List A Chemical No. 083601;

Case No. 0099. Griffin Response to Product Chemistry Data Requirements

(GLN No. 6201, 63-17, and 63-20).

From:

F. Toghrol

To:

J. Ellenberger/K. Davis

Dated:

7/14/94

MRID(s):

43125201

13686

DP Barcode(s):

D203201

Subject:

Triphenyltin hydroxide (TPTH) Reregistration: List A Chemical No. 083601;

Case No. 0099. Elf Atochem Response to Product Chemistry Data

Requirements (GLN No. 63-17 and 63-20).

From:

F. Toghrol

To:

W. Waldrop

Dated:

9/26/94

MRID(s):

43187801

CBRS No(s):

13732

DP Barcode(s):

D203509

Subject:

Triphenyltin hydroxide (TPTH) Reregistration: List A Chemical No. 083601;

Case No. 0099. Hoechst Celanese Response to Product Chemistry Data

Requirements (GLN Nos. 63-17 and 63-20).

From:

F. Toghrol

To:

W. Waldrop

Dated:

9/27/94

MRID(s):

43218701

CBRS No(s):

15100

DP Barcode(s):

D211116

Subject:

Triphenyltin Hydroxide (TPTH.) Case No. 0099. Registrant's Response to

7/14/94 CBRS Review (GLN 63-20).

From:

L. Cheng

To:

J. Andreasen

Dated:

4/18/95

MRID(s):

None

CBRS No(s):

15097

DP Barcode(s):

D211111

Subject:

Triphenyltin Hydroxide (TPTH). Case No. 0099. Additional Information on

GLN 62-1 for Elf Atochem and 171-4(e).

From:

L. Cheng

To:

J. Andreasen

Dated:

4/18/95

MRID(s):

None

88.59

None; RD Memorandum

DP Barcode(s): D241037

Subject:

Product Chemistry Review of a Technical Grade of Active Ingredient; EPA Reg./File Symbol No. 55146-TR; Product Name: Agtrol TPTH Technical 96%

AI; Action Code 165; Company Name: Agtrol Chemical Products.

From:

S. Malak

To:

C. Giles-Parker/M. Rodriguez

Dated:

1/29/98

MRID(s):

44413201 and 44413202

CBRS No(s):

None; RD Memorandum

DP Barcode(s):

D242876

Subject:

Product Chemistry Review of a Technical Grade of Active Ingredient: EPA

Reg./File Symbol No. 55146-TR; Product Name: Agtrol TPTH Technical 96%

AI; Action Code 166; Company Name: Agtrol Chemical Products.

From:

S. Malak

To:

C. Giles-Parker/M. Rodriguez

Dated:

2/7/98

MRID(s):

None

PRODUCT CHEMISTRY CITATIONS

Bibliographic citations include only MRIDs containing data which fulfill data requirements.

References (cited):

00083551 Thompson-Hayward Chemical Company (1979) General Chemistry: [Du-ter Fungicide]. (Unpublished study received Oct 18, 1979 under 148-689; CDL:099046-A)

00093704 Corbin, H.B. (1976) The Partitioning of bis(Tributyltin) Oxide (TBTO), Tributyltin Fluoride (TBTF), Triphenyltin Hydroxide (TPTH), Triphenyltin Fluoride (TPTF), and Tricyclohexyltin Hydroxide (TCTH) between n-Octanol and Water: R-1150-M. (Unpublished study received Jan 15, 1982 under 46197-1; prepared by M & T Chemicals, Inc., submitted by Kansai Paint Co., Ltd., Rahway, N.J.; CDL:246589-A)

00142876 Hommel, K.; Puschmann, H. (1976) Determination of Triphenyltin Compounds in Formulations and in the Technical Grade Active Principle. Unpublished study prepared by Hoechst. 5 p.

00142930 Griffin Corp. (1985) Product Chemistry: Griffin Triphenyltin Hydroxide Technical. Unpublished study. 18 p.

00147329 American Hoechst Corp. (19??) Product Chemistry Data for Triphenyltin Hydroxide. Unpublished compilation. 32 p.

00161669 Hoechst AG (1986) Product Chemistry Data: Triphenyltinhydroxide. Unpublished compilation. 16 p.

40802501 Goerlitz, G. (1988) Response to TPTH Product Chemistry Data Review (RCB No. 1278) dated May 29, 1987. Unpublished compilation prepared by Analytisches Laboratorium. 50 p.

42049501 Schollmeier, M. (1991) Hoe 029664, Substance Pure Determination of Solubility in Water with the Column Elution Method According to OECD-Guideline #105 (...): Lab Project Number: A 45991: CP91/018. Unpublished study prepared by Hoechst Celanese Corp. 20 p.

42365503 Harris, M. (1992) Griffin Analytical Method TM1045: Determination of Triphenyltin Hydroxide in Super Tin 80 WSP: Lab Project Number: 92-003. Unpublished study prepared by Griffin Corp. 37 p.

42578901 Hand, O. (1992) Griffin Corporation Test Methods: Physical and Chemical Characteristics of Pesticide Products: TPTH. Unpublished study prepared by Griffin Corp. 47 p.

42578902 Hand, O. (1992) Griffin Analytical Method TM-1054: Triphenyltin Hydroxide Impurities Assay Method: Lab Project Number: 92-007. Unpublished study prepared by Griffin Corp. 44 p.

42578903 Hand, O. (1992) Griffin Analytical Method TM-1055: Triphenyltin Hydroxide UV Spectrophotometric Method: Lab Project Number:92-007. Unpublished study prepared by Griffin Corp. 25 p.

42578904 Hand, O. (1992) Griffin Analytical Method TM-1059: Determination of Triphenyltin Hydroxide by Titration: Lab Project Number: 92-007. Unpublished study prepared by Griffin Corp. 12 p.

42578905 Hand, O. (1992) Griffin Analytical Method TM-1060: Trace Triphenyltin Hydroxide ICP Method: Lab Project Number: 92-007. Unpublished study prepared by Griffin Corp. 13 p.

42585401 Gorlitz, G. (1992) Registrant's Response to EPA's TPTH Product Chemistry Review Regarding Data Requirement Ref. No. 62-3 (Enforcement Analytical Methods): Lab Project Number: OE92/204. Unpublished study prepared by Hoechst AG. 28 p.

42640901 Hand, O. (1992) General Chemistry Data Development for Triphenyltin Hydroxide Technical: Lab Project Number: 92-007. Unpublished study prepared by Griffin Corp. 27 p.

42642201 Gitlitz, M. (1992) Triphenyltin Hydroxide Technical Product Chemistry: Lab Project Number: PC-TPTH. Unpublished study prepared by Elf Atochem North America Inc. 125 p.

42725201 Anthony, C. (1993) Triphenyltin Hydroxide (TPTH) Physical and Chemical Properties: Lab Project Number: 00415-001. Unpublished study prepared by Case Consulting Labs, Inc. 36 p.

42756601 Wells, D. (1993) TPTH--Product Chemistry Physical and Chemical Tests for a Manufacturing Use Product: Lab Project Number: 10934-0792-6136-880: 93-2-4648. Unpublished study prepared by Springborn Laboratories, Inc. 44 p.

42852201 Hand, O. (1993) Response to Review of TPTH General Chemistry Data: DP Barcodes D186293 and D188185: Lab Project Number: 92-007: 92-008. Unpublished study prepared by Griffin Corp. 17 p.

42965601 Anthony, C. (1993) Registrant Response for Additional TPTH Product Chemistry Data: Addendum to MRID 42725201: Lab Project Number: 00415-001-AD1. Unpublished study prepared by Case Consulting Labs, Inc. 12 p.

43125101 Hand, O. (1993) General Chemistry Data Development for Triphenyltin Hydroxide Technical: One Year Storage Stability: Lab Project Number: P92-008. Unpublished study prepared by Griffin Corp. 25 p.

43125201 Hand, O. (1994) Addendum to Griffin Analytical Method TM-1045: Response to Review of TPTH General Chemistry Data: DP Barcode D193850: Lab Project Number: 92-007: 92-008. Unpublished study prepared by Griffin Corp. 14 p.

43187801 Ellison, F. (1994) Triphenyltin Hydroxide (TPTH): Storage Stability and Corrosion Characteristics: 1 Year at Room Temperature: Final Report: Lab Project Number: 00415-001. Unpublished study prepared by Case Consulting Laboratories, Inc. 25 p.

43218701 Wells, D. (1994) Storage Stability of TPTH: Lab Project Number: 10934.0792.6137.840: 94-2-5174. Unpublished study prepared by Springborn Laboratories, Inc. 48 p.

44413201 Jacobson, S. (1997) Agtrol TPTH Technical--Product Chemistry Volume I: Product Identity and Composition, Description of the Production Process, Description of the Formulation Process and Discussion of Formation of Impurities: Lab Project Number: 97722. Unpublished study prepared by Compliance Services International. 45 p.

44413202 Jacobson, S. (1997) Agtrol TPTH Technical--Product Chemistry Volume II: Preliminary Analysis, Certified Limits and Enforcement Analytical Method: Lab Project Number: 97723: 01-8359-162: 01-8359. Unpublished study prepared by Compliance Services

International. 78 p.

44641101 Richardson, W. (1998) Final Report: Preliminary Analysis of Triphenyltin Hydroxide Technical Grade Active Ingredient (TGAI): Lab Project Number: CHB-EX-004: CHB-EX-004-011-P-1. Unpublished study prepared by Phibro-Tech, Inc. 88 p.

Case No. 0099

Chemical No. 083601

Case Name: TPTH ... Registrant: Griffin L.L.C.

Product(s): 96% T (EPA Reg. No. 1812-279)

PRODUCT CHEMISTRY DATA SUMMARY

Guideline Number	Requirement	Are Data Requirements Fulfilled? ¹	MRID Number ²
830.1550	Product identity and composition	Y	CSF 7/6/93 3
830.1600	Description of materials used to produce the product	Y	00142930 4
830.1620	Description of production process	Y	00142930 4
830.1670	Discussion of formation of impurities	Ý	00142930 4
830.1700	Preliminary analysis	Y	00142930 ⁴ , 42640901 ⁵ , 42365503 ⁶ , 42852201 ⁶ , 43125201 ⁷
830.1750	Certified limits	Y	CSF 7/6/93 3, 43125201 7
830.1800	Enforcement analytical method	Y	00142930 ⁴ , 425 78902 ⁵ , 42365503 ⁶ , 425 78904 ⁵
830.6302	Color ,	, Y	00083551, 42640901 5
830.6303	Physical state	Y	00083551, 42640901 5
830.6304	Odor .	Y	00083551, 42640901 5
830.6313	Stability to normal and elevated temperatures, metals, and metal ions	Y	00083551, 42640901 ⁵
830.6314	Oxidation/reduction: chemical incompatability	Y	42640901 5
830.6315	Flammability	N/A *	00083551
830.6316	Explodability	Y	42640901 5
830.6317	Storage stability	Y	42640901 ⁵ , 43125101 ⁷
830.6319	Miscibility	N/A *	
830.6320	Corrosion characteristics	. Y	42640901 ⁵ , 43125101 ⁷ , Letter 12/21/94 ⁹
830.7000	pH	Y	00083551, 42640901 5
830.7050	UV/Visible absorption	N 10	
830.7100	Viscosity	N/A [®]	
830.7200	Melting point/melting range	Y	00083551 , 42578901 ⁵ , 42640901 ⁵
830.7220	Boiling point/boiling range	N/A *	
830.7300	Density/relative density/bulk density	Y	00142930 4, 42640901 5
830.7370	Dissociation constants in water	Y	42578901 ⁵ , 42578904 ⁵ 42640901 ⁵ , 42852201 ⁶
830.7550	Partition coefficient (n-octanol/water), shake flask method	Y	00093704, 42578901 ⁵ , 42578903 ⁵ , 42640901 ⁵
830.7840	Water solubility: column elution method; shake flask method	Y .	00083551, 42578901 ⁵ , 42578903 ⁵ , 42640901 ³
830.7950	Vapor pressure	Y	00142930 ⁴ , 42578901 ⁵ 42640901 ⁵

 $^{^{1}}$ Y = Yes; N = No; N/A = Not Applicable.

- ² Bolded references were reviewed in the Product Chemistry Chapter of the TPTH Reregistration Standard dated 4/11/84, and the remaining references were reviewed as noted.
- ³ CSF dated 7/6/93 was originally evaluated under CBRS No. 12338, D193850, 10/28/93, L. Cheng, and accepted upon submission of chromatograms for OPPTS 830.1700 under CBRS No. 13442, D200790, 7/14/94, F. Toghrol.
- ⁴ CBRS No. 1151, 7/15/85, A. Reiter.
- ⁵ CBRS Nos. 11131 and 11381, D186293 and D188185, 4/30/93, L. Cheng.
- 6 CBRS No. 12338, D193850, 10/28/93, L. Cheng.
- ⁷ CBRS No. 13442, D200790, 7/14/94, F. Toghrol.
- ⁸ Data are not required because the T/TGAI is a solid at room temperature.
- ⁹ CBRS No. 15100, D211116, 4/18/95, L. Cheng.
- ¹⁰ The OPPTS Series 830, Product Properties Test Guidelines require data pertaining to UV/visible absorption for the PAI.

Case No. 0099 Chemical No. 083601

Case Name: TPTH

Registrant: Elf Atochem N.A. Incorporated Product(s): 96% T (EPA Reg. No. 5204-86)

PRODUCT CHEMISTRY DATA SUMMARY

Guideline Number	Requirement	Are Data Requirements Fulfilled? 1	MRID Number ²
830.1550	Product identity and composition	N	
830.1600	Description of materials used to produce the product	Y	42642201 3
830.1620	Description of production process	Y	42642201 3
830.1670	Discussion of formation of impurities	Y	42642201 ³
830.1700	Preliminary analysis	N ⁴	42725201 ⁵ , 42965601 ⁶ , Letter 3/30/95 ⁷
830.1750	Certified limits	N	
830.1800		N*	42725201 5
830.6302		Y	00083551
830.6303		Y	00083551
830.6304	· · · · · · · · · · · · · · · · · · ·	Y	00083551
830.6313	Stability to normal and elevated temperatures, metals, and metal ions	Y	00083551
830.6314	Oxidation/reduction: chemical incompatability	N	
830.6315		N/A °	
830.6316	Explodability	Ň	
830.6317		Y	43187801 ¹⁰
830.6319		'N/A °	
830.6320		Y	43187801 10
830.7000		Y	00083551
830.7050		N ^{II}	•
830.7100		N/A 9	
830.7200		Y	00083551
830.7220	Boiling point/boiling range	N/A 9	**************************************
830.7300		Y	42725201 5
830.7370		N	
830.7550		Y	00093704
830.7840	Water solubility: column elution method; shake flask method	Y	00083551, 42725201 ⁵
830.7950	Vapor pressure	Y	42725201 5

 $^{^{1}}$ Y = Yes; N = No; N/A = Not Applicable.

² Bolded references were reviewed in the Product Chemistry Chapter of the TPTH Reregistration Standard dated 4/11/84, and the remaining references were reviewed as noted.

- ³CBRS No. 11380, D188184, 6/15/93, L. Cheng.
- ⁴ Preliminary analysis data submitted by Griffin will satisfy data requirements for this product, provided both products are produced by the same manufacturer; otherwise, preliminary analysis data are required for the impurities of the Elf Atochem TGAI.
- ⁵ CBRS No. 11740, D190288, 5/5/93, L. Cheng.
- 6 CBRS No. 12746, D196286, 7/12/94, L. Cheng.
- ⁷ CBRS No. 15097, D211111, 4/18/95, L. Cheng.
- Enforcement analytical methods are required for the impurities related to the active ingredient and present at ≥0.1% in the technical product.
- ⁹ Data are not required because the T/TGAI is a solid at room temperature.
- ¹⁰ CBRS No. 13686, D203201, 9/26/94, F. Toghrol.
- ¹¹ The OPPTS Series 830, Product Properties Test Guidelines require data pertaining to UV/visible absorption for the PAI.

Case No. 0099 Chemical No. 083601

Case Name: TPTH

Registrant: AgrEvo USA Company
Product(s): 96% T (EPA Reg. No. 45639-171)

Guideline Number	Requirement	Are Data Requirements Fulfilled?	MRID Number ²
830.1550	Product identity and composition	N	
830.1600	Description of materials used to produce the product	Y	00147329 ³
830.1620	Description of production process	Y	00147329 3
830.1670	Discussion of formation of impurities	Y	00147329 ³
830.1700	Preliminary analysis	Y	00147329 ³ , 00161669 ⁴ , 40802501
830.1750	Certified limits	Y	00147329 ³ , 00161669 ⁴ 42585401 ⁵
830.1800	Enforcement analytical method	Y	00142876 °, 00147329
630.1600	Lindidente miles y	and the second	00161669 4, 40802501
			42595401 5
830.6302	Color	Y	00083551
830.6303	Physical state	Y	00083551
830.6304	Odor	Y	00083551
830.6313	Stability to normal and elevated temperatures, metals,	Y	00083551
0.00.0010	and metal ions		
830.6314	Oxidation/reduction: chemical incompatability	Y	42756601 ⁷
830.6315	Flammability	N/A *	_
830.6316	Explodability	Y	42756601 7
830.6317	Storage stability	Y	4321 87 01 °
830.6319	Miscibility	N/A *	
830.6320	Corrosion characteristics	Y •	42756601 ⁷ , 43218701
830.7000	pH	Ý .	00083551
830.7050	UV/Visible absorption	N 10	
830.7000	Viscosity	N/A *	
830.7100	Melting point/melting range	Y	00083551
830.7220	Boiling point/boiling range	N/A	
	Density/relative density/bulk density	Υ .	001473293
830.7300	Dissociation constants in water	Y	00147329 ³
830.7370	Partition coefficient (n-octanol/water), shake flask	Y	00093704
830.7550		- .	
830.7840	method Water solubility: column elution method; shake flask	Y	00083551 , 42049501
	method .	Υ .	00147329 3

 $^{^{1}}$ Y = Yes; N = No; N/A = Not Applicable.

- ² Bolded references were reviewed in the Product Chemistry Chapter of the TPTH Reregistration Standard dated 4/11/84; <u>underlined</u> references were reviewed in the TPTH Reregistration Standard Update dated 3/18/92; and the remaining references were reviewed as noted.
- ³CBRS No. 1136, 8/30/85, A. Reiter.
- ⁴ CBRS No. 1278, 2/3/87, S. Hummel.
- ⁵ CBRS No. 11133, D186296, 3/26/93, F. Toghrol.
- ⁶ CBRS No. 1135, 9/24/85, A. Reiter.
- ⁷ CBRS No. 11918, D191624, 6/7/93, L. Cheng.
- ⁸ Data are not required because the T/TGAI is a solid at room temperature.
- ⁹ CBRS No. 13732, D203509, 9/27/94, F. Toghrol.
- ¹⁰ The OPPTS Series 830, Product Properties Test Guidelines require data pertaining to UV/visible absorption for the PAI.
- ¹¹ CBRS No. 9790, D176344, 8/26/92, P. Deschamp.

Case No. 0099

Chemical No. 083601

Case Name; TPTH

Registrant: Agtrol International
Product(s): 96% T (EPA Reg. No. 55146-71)

Guideline Number	Requirement	Are Data Requirements Fulfilled? ¹	MRID Number ²
830.1550	Product identity and composition	N³	44413201
830.1600	Description of materials used to produce the product	Y 3	44413201
830.1620	Description of production process	Y	44413201
830.1670	Discussion of formation of impurities	Y	44413201
830.1700	Preliminary analysis	Y	44413202, 44641101 4
830.1750	Certified limits	N 3	44413202
830.1800	Enforcement analytical method	Y	44413202
830.6302	Color	Y	00083551, 42640901, 44413201
830.6303	Physical state	Y	00083551, 42640901, 44413201
830.6304	Odor	Y	00083551, 42640901, 44413201
830.6313	Stability to normal and elevated temperatures, metals, and metal ions	Y	00083551, 42640901
830.6314	Oxidation/reduction: chemical incompatability	N 5	
830.6315	Flammability	N/A 6	•
830.6316	Explodability	N 5	
830.6317	Storage stability	N 5	
830.6319	Miscibility	N/A 6	
830.6320	Corrosion characteristics	N 5	
830.7000	рН	Y	42640901
830.7050	▲ "	N [†]	
830.7100	Viscosity	N/A 6	
830.7200	Melting point/melting range	Y	00083551, 42640901; 44413201
830.7220	Boiling point/boiling range	N/A 6	
830.7300	Density/relative density/bulk density	Y	42640901, <u>44413201</u>
830.7370	Dissociation constants in water	Y	42578904
830.7550		Y	42640901
830.7840	Water solubility: column elution method; shake flask method	Y	42640901
830.7950	Vapor pressure	Y	42640901

 $^{^{1}}$ Y = Yes; N = No; N/A = Not Applicable.

² Bolded references are reviewed under the TPTH Reregistration Standard dated 4/11/84 or under CBRS Nos. 11131 and 11381, D186293 and D188185, 4/29/93, L. Cheng (for Griffin L.L.C.) and have been determined to be applicable to the Agtrol TGAI (RD Memorandum, D242876, 2/7/98, S. Malak); underlined references were reviewed by the Registration Division (D241037, 1/29/98, S. Malak); remaining references were reviewed as noted.

³ A revised CSF must be submitted including modified nominal concentrations and certified limits reflecting the results of the current preliminary analysis (D252337, S. Law, 1/25/99.).

⁴D252337, S. Law, 1/25/99...

⁵ The registrant has stated that data are not required for technical product registration; however, because the technical product is also a manufacturing-use product, these data are required.

⁶ Data are not required because the T/TGAI is a solid at room temperature.

⁷ The OPPTS Series 830, Product Properties Test Guidelines require data pertaining to UV/visible absorption for the PAI.

TRIPHENYLTIN HYDROXIDE

REREGISTRATION ELIGIBILITY DECISION

RESIDUE CHEMISTRY CONSIDERATIONS

PC Code 083601: Case 0099

TABLE OF CONTENTS	page
INTRODUCTION	
REGULATORY BACKGROUND SUMMARY OF SCIENCE FINDINGS OPPTS GLN 860.1200: Directions for Use OPPTS GLN 860.1300: Nature of the Residue in Plants and Livestock OPPTS GLN 860.1340: Residue Analytical Methods OPPTS GLN 860.1360: Multiresidue Method Testing OPPTS GLN 860.1380: Storage Stability Data OPPTS GLN 860.1500: Magnitude of the Residue in Crop Plants OPPTS GLN 860.1520: Magnitude of the Residue in Processed Food/Feed OPPTS GLN 860.1480: Magnitude of the Residue in Meat, Milk, Poultry, and Eggs OPPTS GLN 860.1400: Magnitude of the Residue in Water, Fish, Irrigated Crops OPPTS GLN 860.1460: Magnitude of the Residue in Food-Handling Establishments OPPTS GLN 860.1850: Confined Accumulation in Rotational Crops OPPTS GLN 860.1900: Field Accumulation in Rotational Crops TOLERANCE REASSESSMENT SUMMARY Tolerances Listed Under 40 CFR §180.236: Tolerances Needed Under 40 CFR §180.236	
REGULATORY BACKGROUND	1
SUMMARY OF SCIENCE FINDINGS	3
OPPTS GLN 860.1340: Residue Analytical Methods	4
OPPTS GLN 860.1360: Multiresidue Method Testing	5
OPPTS GLN 860.1380: Storage Stability Data	5
OPPTS GLN 860.1500: Magnitude of the Residue in Crop Plants	6
OPPTS GLN 860.1520: Magnitude of the Residue in Processed Food/Feed	6
OPPTS GLN 860.1480: Magnitude of the Residue in Meat, Milk, Poultry, and Eggs	7
OPPTS GLN 860.1850: Confined Accumulation in Rotational Crops	9
OPPTS GLN 860.1900: Field Accumulation in Rotational Crops	9
TOLERANCE REASSESSMENT SUMMARY	16
Tolerances Listed Under 40 CFR §180.236:	16
Tolerances Needed Under 40 CFR §180.236	16
DIETARY EXPOSURE ASSESSMENT SUMMARY	18
CODEX HARMONIZATION	18
AGENCY MEMORANDA	
	•
RESIDUE CHEMISTRY CITATIONS	22

TRIPHENYLTIN HYDROXIDE

REREGISTRATION ELIGIBILITY DOCUMENT

RESIDUE CHEMISTRY CONSIDERATIONS

PC Code 083601; Case 0099

INTRODUCTION

Triphenyltin hydroxide (TPTH) is a fungicide registered for use on pecans, potatoes, and sugar beets. TPTH is manufactured by members of the TPTH Task-Force (AgrEvo, Elf Atochem and Griffin) under the trade names Super Tin[®], Pro-Tex[®], Brestan[®], and Photon[®]. TPTH formulations registered for use on food/feed crops include two wettable powders (WPs), two flowable liquid concentrates (FlCs), and one emulsifiable concentrate (EC) formulation. These products may be applied as broadcast foliar applications using ground or aerial equipment and by chemigation (potatoes only).

REGULATORY BACKGROUND

TPTH is a List A reregistration chemical and was the subject of a Registration Standard dated 4/11/84, its associated Guidance Document dated 9/84, and a Reregistration Standard Update dated 3/18/92. These documents summarized regulatory conclusions on the available residue chemistry data and specified that additional data were required for reregistration purposes. Several submissions of data have been received since the Update was issued. The information contained in this document outlines the current Residue Chemistry Science Assessments with respect to the reregistration of TPTH.

Tolerances have been established at 0.05 ppm for residues of TPTH per se in/on pecans, potatoes, sugar beet roots, and kidney and liver of cattle, goats, hogs, horses, and sheep [40 CFR §180.236]. No tolerances for residues of TPTH have been established for processed food/feed commodities.

The qualitative nature of the residue of TPTH in plants and animals is adequately understood. Based on the results of plant and animal metabolism studies and a TOX Branch memorandum (J. Doherty, PP#3F2823/FAB#3H5384, 10/28/83), the Residue Chemistry Chapter of the TPTH Update concluded that the residues to be regulated in plants and animals include TPTH and the di- and monophenyltin hydroxide (DPTH and MPTH) or oxide metabolites. The chemical names and structures of TPTH and its metabolites of concern are depicted in Figure A.

Figure A. Chemical name and structure of triphenyltin hydroxide and its residues of concern in plant and animal commodities (X = oxides or hydroxides).

Common Name/Chemical Name	Chemical Structure
Triphenyltin hydroxide (TPTH)	Sn—OH
Monophenyltin hydroxide (MPTH)	X
Diphenyltin hydroxide (DPTH)	Sn—OH

SUMMARY OF SCIENCE FINDINGS

OPPTS GLN 860.1200: Directions for Use

A search of the Agency's Reference Files System (REFS) on 10/14/98 indicates that there are five TPTH end-use products (EPs) with uses on food/feed crops registered to the TPTH Task Force members. These EPs are presented below in Tbale 1.

Table 1. Triphenyltin Hydroxide End-Use Products with Food/Feed Uses Registered to Griffin and AgrEvo.

EPA Reg No.	Label Acceptance Date	Formulation Class	Product Name
1812-244	10/93	4 lb/gal FIC	SUPER TIN® 4L
1812-350	2/96	80% WP	SUPER TIN® 80WP
1812-351 b	9/94	0.5 lb/gal EC	PRO-TEX®
45639-170	10/92	47.5% WP	BRESTAN® H 47.5WP FUNGICIDE
45639-186	2/93	4 lb/gal FIC	PHOTON® FUNGICIDE

Includes SLN Nos. ME970001, MI970001, MN970003, ND970004, OR970021, WA970035, and WI970005.

The REFS product data report for EPA Reg. No. 45639-170 should be updated to delete cucumbers, summer squash, tomatoes, and tobacco from the list of sites on which this product can be used; the registrants are not supporting uses on these commodities. For EPA Reg No. 1812-351, sugar beets should be added to the list of acceptable use sites.

A review of the labels cited above and supporting residue data indicate that the following label amendments are required:

Use directions for potatoes on the 4 lb/gal FIC labels (EPA Reg No. 1812-244 and 45639-186) do not indicate a minimum retreatment interval (RTI). The labels should be amended to specify a RTI of 7 days.

Use directions for potatoes on all labels except the 47.5% WP currently specify a 21-day PHI. The registrants have recently submitted adequate residue data supporting a 7-day PHI together with amended labels for three of the five EPs registered for use on potatoes. The registrants may amend use directions on potatoes to specify a 7-day PHI.

Use directions for sugar beets on all labels should be amended to remove grazing/feeding restrictions. The labels should also be amended to prohibit use of TPTH on sugar beets grown in CA.

This product is a MAI that also includes maneb (3.5 lb/gal EC) in addition to the 0.5 lb/gal of TPTH.

Use directions for sugar beets on the 47.5% WP (EPA Reg No. 45639-170) label should be amended to specify a 21-day PHI; the label currently specifies a 14-day PHI. In addition, the label states that the product "contains 15.2 ounces per bag." This statement should be amended to clarify that the product contains 15.2 ounces of active ingredient per 32.0 ounce bag.

The registrants should amend all labels to include a 30-day rotational crop restriction.

A comprehensive summary of the registered food/feed use patterns of TPTH, based on the product labels registered to the TPTH Task Force, is presented in Table A. A tabular summary of the residue chemistry science assessments for reregistration of TPTH is presented in Table B. The conclusions listed in Table B regarding the reregistration eligibility of TPTH food/feed uses are based on the use patterns registered by the basic producers, AgrEvo and Griffin. When enduse product DCIs are developed (e.g., at issuance of the RED), RD should require that all end-use product labels (e.g., MAI labels, SLNs, and products subject to the generic data exemption) be amended such that they are consistent with the basic producer's labels.

OPPTS GLN 860,1300: Nature of the Residue in Plants and Livestock

The qualitative nature of the residue in plants and animals is adequately understood based on potato, soybean, and rice metabolism studies, and acceptable ruminant and poultry metabolism studies. The residues of concern in plant and animal commodities include TPTH and its metabolites DPTH and MPTH (See Figure A).

OPPTS GLN 860.1340: Residue Analytical Methods

The available methods for tolerance enforcement, listed in the Pesticide Analytical Manual (PAM), Vol. II, as Methods I-IV, are colorimetric methods that measure TPTH per se. A new tolerance enforcement method was required for TPTH residues as the Agency no longer considers colorimetric methods to be adequate for enforcing tolerances and because the tolerance expression for TPTH is being revised to include DPTH and MPTH.

A proposed GC/flame photometric detection (FPD) enforcement method (Method AL007/91-0), which determines TPTH and its metabolites, DPTH and MPTH, has undergone successful independent laboratory validation using sugarbeet and potato matrices, and has been submitted for an Agency method tryout.

Briefly, residues are extracted from crop matrices with acidified methanol, partitioned into toluene, and evaporated to dryness. The residues are redissolved in tetrahydrofuran, and derivatized using butyl magnesium chloride. The residues are partitioned into hexane, dried over sodium sulfate, and concentrated. Residues in the hexane concentrate are cleaned-up on a silica gel column, and analyzed by GC/FPD with a tin filter (610 nm). Residues of the butyl derivative

25/59

of each analyte are reported as TPTH equivalents. The limit of quantitation (LOQ) for residues of each analyte in sugar beet and potato matrices is 0.01 ppm.

Residue data on crop plants and processed commodities have been collected using methods which sequentially screen for total extractable organotin using graphite furnace atomic absorption spectroscopy and analyze for individual phenyltin analytes by GC/FPD or HPLC. These methods are similar to the method described above with minor modifications involving changes in solvents and cleanup procedures.

In conjunction with the ruminant feeding study (DP Barcode D239451, J. Punzi, 4/2/98), the registrants provided data validating a GC/FPD method for determining residues of TPTH and its metabolites DPTH and MPTH in animal commodities. The method is similar to the proposed enforcement for plant commodities described above. The LOQ for each analyte is 0.02 ppm in milk, cream, and muscle, and 0.1 ppm in kidney, liver, and fat.

An independent laboratory validation (ILV) of this method has also been conducted and the method is currently undergoing an Agency Tolerance Method Validation (TMV) by the Biological and Economic Analysis Division (BEAD) Laboratory.

The Agency's review of the registrant's response to the Reregistrations Standard Update (L. Cheng, 11/23/93) required that, "... representative samples from the plant and animal metabolism studies be analyzed using the proposed enforcement method in order to ascertain that these methods are capable of recovering all residues of concern. If analysis of samples from previously accepted metabolism studies is impractical, the registrant must provide data from other sources to demonstrate the adequate recovery of the total toxic residue." These data remain outstanding, but are considered confirmatory.

OPPTS GLN 860.1360: Multiresidue Method Testing

The registrants have not provided recovery data for TPTH and its metabolites using FDA multiresidue methods. This represents a data-gap. The registrants are referred to OPPTS GLN 860.1360 for details concerning multiresidue method testing.

OPPTS GLN 860.1380: Storage Stability Data

The requirements for supporting storage stability data are satisfied for the purposes of reregistration. To support the residue field trial data for pecans, data depicting the storage stability of TPTH and its metabolites in pecans held in frozen storage for up to 261 days (~9 months). Currently available data indicate regulable residues of TPTH are stable in sugar beet leaf tops from zero to 7 months and from 2 to 4 years. The registrants have advised the Agency that the required 2-year storage stability study on sugar beets is continuing. The Agency considers these data confirmatory.

The available storage stability data indicate that residues of TPTH, MPTH and DPTH are stable at -20 C for 14-16 weeks in potatoes, sugar beet roots, refined sugar and sugar beet molasses.

Samples of cow tissue and milk were analyzed within 30 days of collection in the ruminant feeding study. Therefore, storage stability data on regulable residues of TPTH in animal commodities are not required.

OPPTS GLN 860.1500: Magnitude of the Residue in Crop Plants

For purposes of reregistration, the requirements for magnitude of the residue data in/on plants are fulfilled for the following crops pending adequate resolution of storage stability issues: pecans, potatoes, and sugar beets. Adequate field trial data depicting TPTH residues of concern in/on these crops following applications made according to the maximum or proposed use patterns have been submitted. Geographical representation is adequate and a sufficient number of trials reflecting representative formulation classes were conducted.

Existing tolerances for pecans (0.05 ppm), potatoes (0.05 ppm), and sugar beets (0.05 ppm) are adequate. These tolerances are based on non-detectable residues in field trial samples and limits of quantitation (LOQ) of 0.01 ppm for each metabolite: MPTH, DPTH, and TPTH.

A tolerance for residues of TPTH and its regulable metabolites in/on sugar beet tops at 10 ppm is required. Residue field trial data are available indicating that the combined residues of TPTH and its metabolites in/on sugar beet tops were 2.5-9.7 ppm harvested 21 days following treatment at 1x. These data are supported by the available storage stability data. Additional storage stability data are being collected and considered confirmatory.

OPPTS GLN 860.1520: Magnitude of the Residue in Processed Food/Feed

Tolerance Reassessment

The reregistration requirements for magnitude of the residue in processed food/feed commodities are fulfilled for potatoes and sugarbeets.

The available potato processing studies indicate that TPTH residues do not concentrate in chips or granules, but concentrate by 3x in wet peel. Based upon this concentration factor and the current residue data (reviewed in memo dated 1/14/98, S. Law, MRID 44667001, D250912-17), showing 28 potato samples with non-detectable residues and a LOQ of 0.01 ppm for TPTH residues, an appropriate tolerance for TPTH residues in wet peel is 0.1 ppm. This tolerance is based on the addition of the LOQ (0.01 ppm) for each compound of toxicological concern (MPTH DPTH and TPTH) multiplied by the concentration factor (3x).

Data from a cooking study are available (MRID 41785204) pertaining to TPTH regulable residues of TPTH in/on fortified potato commodities prepared by domestic and commercial

processes. Results for fried potatoes and chips were not reported. For boiled potatoes, a reduction facor of 0.04 X was calculated, and for baked potatoes a reduction factor of 0.03 X was calculated

Data from sugar beet processing studies (MRID 41785203) indicate that TPTH regulable residues do not concentrate in refined sugar, but concentrate by 22x in dehydrated pulp and approximately 3x in molasses. Based upon these concentration factors and the HAFT residues of 0.016 ppm in/on sugar beet roots, a tolerance of 0.5 ppm for TPTH regulable residues in dehydrated pulp should be established; the established tolerance for regulable residues of TPTH in/on sugar beet root (0.05 ppm) will cover residues in molasses derived from processing sugar beets treated with TPTH. A residue reduction factor of 0.02 X was calculated for refined sugar in the processing study.

Anticipated Residues for Dietary Risk Assessment

For the purposes of dietary risk assessment, anticipated residues (ARs) for TPTH regulable residues have been calculated for pecans, sugar beet roots and potatoes. They are provided below in Table 2. Note that these ARs have not incorporated percent of crop treated data or processing factors. These refinements should be incorporated into the DEEM analysis.

Table 2. Anticipated Residues (AR) for Dietary Risk Assessment (Does not Include % CT *).				
Commodity	Acute AR (ppm) ¹	Chronic AR (ppm) ²		
Sugar beets	0.015	0.0043		
Sugar beet, refined sugar ³	0.015	0.004		
Molasses ³	0.015	0.012		
Pecan	distribtuion of field trial results	0.005		
Potato	0.015	0.015		
Potato, chips	0.015	0.015		
Potato, baked	0.015	0.015		
Potato, boiled	0.015	0.015		
Potato, granules	0.015	0.015		

¹ AR calculated based on the addition of ½ the sum of LOQs (0.01 ppm) for each metabolite (TPTH, DPTH, and MPTH) for samples with non-detectable residues or based on the highest measured field trial result (value for pecans is based on total tin method - i.e., TPTH and its regulable metabolites plus any other form(s) of tin) multiplied by a processing factor, where applicable. For pecans the rate of treatment was 4.125 lbs ai/A or approximately 1x; the maximum labeled rate is 3.8 lbs ai/A (See Table A). Field trial data obtained from MRID #41267101 (reviewed by R. Perfetti, 1/10/90)

² AR calculated based on the addition of ½ the LOQ of 0.01 ppm for each metabolite or average of field trial results If field trials were conducted at an exaggerated rate, the residue values were corrected for a 1x rate of application. For sugar beets, the rate of treatment was 2.9 lbs ai/A or 3.86x of the maximum labeled rate (0.75 lbs ai/A). For potatoes the treatment rate was the maximum labeled rate of 0.75 lbs ai/A (1x).

%CT information: Acute Estimated Maximum: 44% for sugar beets, 23% for potatoes and 56% for pecans. Chronic Weighted Average: 35% for sugar beets, 13% for potatoes and 35% for pecans.

OPPTS GLN 860.1480: Magnitude of the Residue in Meat. Milk. Poultry, and Eggs

Tolerance Reassessment

Reregistration requirements for magnitude of the residue in meat, milk, poultry, and eggs are fulfilled. A tolerance of 0.05 ppm has been established for residues of TPTH per se in liver and kidney of cattle, goats, sheep, hogs and horses. Currently, there are no TPTH uses on poultry feed items. For the purposes of tolerance reassessment only, a tolerance-based dietary burden for livestock has been calculated below.

Based upon the established or reassessed tolerances for TPTH residues in/on animal feed items, the calculated tolerance-based theoretical dietary burdens for livestock are as follows in Table 3. Note that this is a worst case livestock dietary butden and is therfore used to reassess tolerances. Refined livestock diets used to calculate meat/milk anticipated residues are found later in this document.

Table 3. Calculation of tolerance-based dietary burdens of livestock animals for TPTH (this "worst-case" diet is used

for reassesng livestock tolerances).

Feed Commodity	% Dry Matter *	% Diet *	Tolerance (ppm) b	Dietary Contribution (ppm) c
Beef Cattle				
Beet, sugar, tops	23	20	10 ^d	8.7
Beet, sugar, pulp, dried	88	5	0.5	0.03
Processed potato waste	15	75	0.1	0.5
TOTAL BURDEN		100		9.23
Dairy Cattle				
Beet, sugar, tops	23	10 .	10 ⁴	4.3
Beet, sugar, pulp, dried	88	20	0.5	0.11
Beet, sugar, molasses	75	10	0.05	0.007
Processed potato waste	15	40	0.1	0.26
Potato culls	20	20	0.05	0.05
TOTAL BURDEN	×.	100		4.7
Swine		-		
Potato culls	20	50	0.05	0.03
TOTAL BURDEN		50		0.03

Table 1, OPPTS 860 Guidelines (August 1996).

b Reassessed tolerance from Table C.

c Contribution = [tolerance / % DM (if cattle)] X % diet).

The reassessed tolerance pending receipt of additional confirmatory storage stability data.

An adequate ruminant feeding study has been submitted in which cows were dosed orally for 28-30 days with TPTH at levels equivalent to 7, 21, and 70 ppm in the diet (approximately 0.76x, 2.3x, and 7.6x the tolerance-based dietary burden for beef cattle). The results are summarized below in Table 4.

Table 4. Results of Ruminant Feeding study.

		Feeding Levels				
Matrix	7 ppm	21 ppm	70 ppm			
Milk	<0.02 (all samples all sampling times)	0.04 (all samples at 21-day plateau)	0.13(2), 0.15(2), 0.18 (at 14- day plateau)			
Skimmed milk	<0.02 (all samples all sampling times)	<0.02 (all samples all sampling times)				
Cream	0.07(2),0.09 (at 28- day plateau)	0.19, 0.27, 0.37 (at 14-day plateau)				
Muscle	0.23, 0.24,0.31	0.63, 0.70, 0.75	Sampling discontinued due to			
Kidney	0.68, 0.81,1.15	2.10, 2.79, 2.94	toxicity problems			
Liver	2.52, 2.64, 3.20	7.13, 7.24, 7.93				
Subcutaneous fat	<0.10, <0.10, 0.11	0.22, 0.29, 0.31				
Peritoneal fat	<0.10, 0.11, 0.16	0.24, 0.24, 0.33				

The reassessed tolerances based on the beef and dairy cattle diets using feed items with tolerance level residues and using average tissue residue levels, are given in Tables 5 and 6 below.

Table 5. Reassesed Tolerances - meat.

	Tolerances (ppm)			
Matrix	7 ppm (0.76x) ¹	21 ppm (2.3x) ¹	70 ppm (7.6x) ¹	Tolerance
Muscle	0.26 ÷ 0.76 = 0.34	0.69 + 2.3 = 0.3	Sampling discontinued due	0.50
Kidney	0.88 + 0.76 = 1.15	2.61 ÷2.3 = 1.13	to toxicity problems	2.0
Liver	2.79 + 0.76 = 3.7	7.43 ÷ 2.3 = 3.23		4.0
Peritoneal & Subcutaneous fat	0.11 ÷ 0.76 = 0.14	0.27 ÷ 2.3 = 0.11		0.2

These extrapolated feeding levels are based on the beef cattle diet.

Table 6. Reassessed tolerances - milk.

Matrix	•			
	7 ppm (1.5x) ¹	21 ppm (4.5x) ¹	70 ppm (15x) ¹	Tolerances
Milk	0.02 - 1.5 = 0.01	0.04 ÷ 4.50 = 0.0.009	$0.15 \div 15 = 0.01$	0.06
Cream	0.076 ÷ 1.5 = 0.05	0.27 ÷ 4.5 = 0.06	NA	0.06
Skim Milk	$0.02 \div 1.5 = 0.013$	0.02 ÷ 4.5 = 0.0045	NA	0.06

¹ These extrapolated feeding levels are based on the dairy cattle diet.

The available data indicate that the established tolerances for residues of TPTH in the kidney and liver of cattle, goats, horses, and sheep (0.05 ppm each) are too low. These tolerances should be reassessed, in terms of the combined regulable residues of TPTH, to 4.0 ppm in liver and 2.0 ppm in kidney of cattle, goats, horses, and sheep.

Residue data from the feeding study also indicate that tolerances for the combined regulable residues of TPTH should be established in cattle, goats, horses, and sheep as follows: 0.5 ppm in meat; 0.2 ppm in fat; and 0.06 ppm in milk based on non-detectable levels (0.02 ppm) for each metabolite.

The low-dose group from the feeding study (7 ppm) is approximately 233.3x the theoretical dietary burden for swine. Using the results of the feeding study to reassess tolerances for swine, the data indicate that tolerances for regulable residues of TPTH in hog kidney and liver should be revoked concomitant with establishing a separate tolerance of 0.3 ppm for residues in hog meat byproducts (the combined LOQ for TPTH residues in kidney, liver and fat). In addition, tolerances should also be established for regulable residues of TPTH in hog fat at 0.3 ppm and in hog meat at 0.06 ppm (the combined LOQ for TPTH residues in meat).

Anticipated Residues for Dietary Risk Assessment

Chronic

For the purposes of chronic dietary risk assessment, average theoretical dietary burdens have been calculated. The average dietary burden for livestock is based on anticipated residues calculated from field trial data, percent crop-treated information, and ½ limit of detection (1/2 LOD) for samples with non-detectable residues. Sugar beet tops and processed potato waste are the 2 feed items with the highest regulable residues of TPTH and are included in the diet. However, of all feed items, residues on sugar beet tops dominate the dietary burden of TPTH. For TPTH residues in/on animal feed items, the calculated average theoretical dietary burdens for livestock are as follows in Table 7.

Table 7. Calculation of theoretical average dietary burdens of livestock animals for TPTH.

Feed Commodity	% Dry Matter ^a	% Diet *	Anticipated Residue (ppm) b	Dietary Contribution (ppm) ^c
Beef Cattle			•	
Beet, sugar, tops	23	20	1.5	1.3
Processed potato waste	15	75	0.01	0.05
TOTAL BURDEN		95		1.35
Dairy Cattle				
Beet, sugar, tops	23	10	1.5	0.65
Processed potato waste	15	40	0.01	0.03
Potato culls	20	20	0.0032	0.003
TOTAL BURDEN		70		0.68
Swine				
Potato culls	20	50	0.0032	0.008
TOTAL BURDEN		50		0.008

Table 1, OPPTS 860 Guidelines (August 1996).

Contribution = [anticipated residue/ % DM (if cattle)] X % diet).

33/159

Anticipated residue for sugar beet tops calculated from the average of field trial data at a 21-day PHI (5.0 ppm) multipled by percent crop-treated (29%) = 1.5 ppm. (L. Cheung memo, 2/23/96, MRID 43836601, D221156). Anticipated residue for wet potato peels calculated from the average of field trial data at a 7-day PHI for potatoes. All 28 samples had non-detectable residues. One-half the limit of detection (0.005 ppm) added for all 3 compounds of toxic concern (0.015 ppm) multipled by percent crop-treated (21%) = 0.0032 ppm multiplied by a concentration factor of 3 for wet potato peels (0.0096 ppm). (S. Law memo, 1/14/98, MRID 44667001, D250912-17).

An adequate ruminant feeding study has been submitted in which cows were dosed orally for 28-30 days with TPTH at levels equivalent to 7, 21, and 70 ppm in the diet (approximately 5x, 15x, and 50x the average theoretical dietary burden for beef cattle of 1.35 ppm). The combined residues of TPTH, DPTH and MPTH, expressed as TPTH equivalents, in dairy cow matrices are summarized below in Table 8.

Table 8. Results of Dairy Feeding Study.

	Feeding Levels				
Matrix	7 ppm	21 ppm	70 ppm		
Milk	<0.02 (all samples all sampling times)	0.04 (all samples at 21-day plateau)	0.13(2), 0.15(2), 0.18 (at 14- day plateau)		
Skimmed milk	<0.02 (all samples all sampling times)	<0.02 (all samples all sampling times)			
Cream	0.07(2),0.09 (at 28- day plateau)	0.19, 0.27, 0.37 (at 14-day plateau)			
Muscle	0.23, 0.24,0.31	0.63, 0.70, 0.75	Sampling discontinued due to		
Kidney	0.68, 0.81,1.15	2.10, 2.79, 2.94	toxicity problems		
Liver	2.52, 2.64, 3.20	7.13, 7.24, 7.93			
Subcutaneous fat	<0.10, <0.10, 0.11	0.22, 0.29, 0.31			
Peritoneal fat	<0.10, 0.11, 0.16	0.24, 0.24, 0.33			

The calculated anticipated residues for use in the chronic dietary risk assessment are given in the Tables 9 and 10 below:

Table 9. Chronic Anticpated Residues - Meat.

	Chronic Anticipated Residues (AR) @ Feeding Levels (ppm)				
Matrix	7 ppm (5x) ¹	21 ppm (15x) ¹	70 ppm (50x) ¹	Average AR	
Muscle	0.26 ÷ 5 = 0.052	0.69 + 15 = 0.046	Sampling discontinued due	0.049	
Kidney	0.88 ÷ 5 = 0.17	, 2.61 + 15 = 0.17	to toxicity problems	0.17	
Liver .	2.79 ÷ 5 = 0.56	7.43 + 15 = 0.50		0.53	
Peritoneal & Subcutaneous fat	0.11 ÷ 5 = 0.023	0.27 ÷ 15 = 0.018		0.021	

These extrapolated feeding levels are based on the beef cattle diet (1.35 ppm = 1X level).

Table 10. Chronic Anticpated Residues - Milk.

Matrix	Chronic Anticipated Residues (AR) @ Feeding Levels (ppm)				
	7 ppm (10x) ¹	• 21 ppm (30x) ¹	70 ppm (100x) ¹	Average AR	
Milk	$0.02 \div 10 = 0.002$	$0.04 \div 30 = 0.0013$	0.15 ÷ 100 = 0.0015	0.0016	
Cream	0.076 ÷ 10 = 0.007	$0.27 \div 30 = 0.009$	NA	0.008	
Skim Milk	0.02 ÷ 10 = 0.002	$0.02 \div 30 = 0.0006$	NA	0.0013	

These extrapolated feeding levels are based on the dairy cattle diet (0.68 ppm = 1 X level).

Acute

For the purposes of acute dietary risk assessment, reasonable maximum theoretical dietary burdens have been calculated. The reasonable maximum dietary burden for livestock is based on the highest average field trial residue (HAFT) calculated from field trial data for sugar beet tops. Sugar beet tops contain the highest residues of any of several feed items and is included here as the only feed item because its residues will dominante any diet. For TPTH residues in/on animal feed items, the calculated reasonable maximum theoretical dietary burdens for livestock are as follows in Table 11:

Table 11. Calculation of reasonable maximum dietary burdens of livestock animals for TPTH.

Feed Commodity	% Dry Matter *	% Diet *	Anticipated Residue (ppm) b	Dietary Contribution (ppm) ^c
Beef Cattle				
Beet, sugar, tops	23	20	9.67	8.4
TOTAL BURDEN		20		8.4
Dairy Cattle				
Beet, sugar, tops	23	10	5.05	2.2
TOTAL BURDEN		10		2.2

Table 1, OPPTS 860 Guidelines (August 1996).

For beef cattle, anticipated residue for sugar beet tops calculated from the highest average field trial value of 2 samples from the field trial with the highest residues at a 21-day PHI (9.67 ppm). For dairy cattle, hte average residue was used (5.05 ppm). (L. Cheung memo, 2/23/96, MRID 43836601, D221156).

Contribution = [anticipated residue/ % DM (if cattle)] X % diet).

For the purposes of acute dietary risk assessment, the calculated anticipated residues for use in the acute dietary risk assessment are given in the Tables 12 and 13 below. For the purposes of extrapolation, 8.4 ppm is considered to be the 1x feeding level for acute dietary risk assessment for animal tissues. The feeding levels from the feeding study correspond approximately 0.83x, 2.5x, and 8.3x the reasonable maximum dietary burden for beef cattle of 8.4 ppm).

Table 12. Acute Anticpated Residues - Meat

Matrix	Acute Anticipated Residues (AR) @ Feeding Levels (ppm)				
	7 ppm (0.83x) ¹	21 ppm (2.5x) ¹	70 ppm (8.3x) ⁱ	Anticipated Residue	
Muscle	0.26 ÷ 0.83 = 0.31	$0.69 \div 2.5 = 0.28$	Sampling discontinued due	0.30	
Kidney	0.88 ÷ 0.83 = 1.06	2.61 ÷ 2.5 = 1.04	to toxicity problems	1.0	
Liver	2.79 ÷ 0.83 = 3.36	7.43 + 2.5 = 2.97		3.16	
Peritoneal & Subcutaneous fat	0.11 ÷ 0.83 = 0.13	0.27 ÷ 2.5 = 0.108		0.12	

These extrapolated feeding levels are based on the beef cattle diet (8.4 ppm = 1X)

For the purposes of extrapolation, 4.2 ppm is considered to be the 1x feeding level for acute dietary risk assessment for milk. The feeding levels from the feeding study correspond to approximately 1.66x, 5x, and 16.66x the reasonable maximum dietary burden for dairy cattle of 4.2 ppm.

Table 13. Acute Anticpated Residues - Milk

	Acute Anticipated Residues (AR) @ Feeding Levels (ppm)				
Matrix	7 ppm (3.2x) ¹	21 ppm (9.5x) ¹	70 ppm (31.8x) ¹	Anticipated Residue	
Milk	0.02 ÷ 3.2 = 0.006	$0.04 \div 9.5 = 0.004$	0.15 ÷ 31.8 = 0.005	0.006	
Cream	0.076 ÷ 3.2 = 0.024	0.27 + 9.5 = 0.028	NA	0.026	
Skim Milk	0.02 ÷ 3.2 = 0.006	$0.02 \div 9.5 = 0.002$	NA	0.004	

¹ These extrapolated feeding levels are based on the dairy cattle diet (2.2 ppm = 1X)

OPPTS GLN 860.1400: Magnitude of the Residue in Water, Fish, Irrigated Crops

TPTH is not registered for use on potable water or aquatic food and feed crops; therefore, no residue chemistry data are required under these guideline topics.

OPPTS GLN 860.1460: Magnitude of the Residue in Food-Handling Establishments

TPTH is not registered for use in food-handling establishments; therefore, no residue chemistry data are required under these guideline topics.

OPPTS GLN 860.1850: Confined Accumulation in Rotational Crops

A confined rotational crop study is available and was previously reviewed and deemed adequate by EFED (E. Regelman, 2/22/91). Total radioactive residues (TRR) were 0.011-0.096 ppm in/on RACs of spinach, radish, carrots, and wheat planted 30 days following the last of six soil applications of ¹⁴C-TPTH at 0.25 lb ai/A/application (totaling 1.5 lb ai/A/season; 2x). TRRs in rotational crop RACs were 0.024-0.066 ppm from the 120-day plant-back interval (PBI) and <0.008-0.017 ppm from the 365-day PBI. Analyses of spinach leaves, radish and carrot roots, and wheat grain from the 30- and 120-day PBIs indicated that total organotin compounds accounted for <0.005 ppm in each commodity and were comprised mainly of TPTH. These data indicate that accumulation of TPTH residues in rotational crops is limited. As TPTH residues of concern were <0.01 ppm at the 30-day PBI, limited field rotational crops studies are not required, and the registrants should amended all labels to include a 30-day rotational crop restriction.

OPPTS GLN 860.1900: Field Accumulation in Rotational Crops

Based on the results from the confined rotational study, limited field studies on TPTH residues in rotational crops are not required.



Table A. Food/Feed Use Patterns Si	bject To Reregistrati	Subject To Reregistration for Triphenyltin Hydroxide (Case 0099).	roxide (Case 009	99).	
Site				-	
Application Type	•	Max. Single		Minimum	
Application Timing	Formulation	Application Rate	Max.#	Retreatment	
Application Equipment	FEDA Reg No 1	(Thai/A)	Anns /season	Anns /season Interval (Davs)	Use Limitations

3 10 4 7°	Formulation Applica [EPA Reg. No.] (lb	Application Rate Ma: (Ib ai/A) Apps:/	Max. # Apps./season	Retreatment Interval (Days)	Use Limitations ^b
The labels specify a maximum rate of 0.75 lb ai/A/season. The minimum voluque for aerial and ground applications is 5 and 15 gal/A, respectively. The label prohibits the grazing or feeding of sugar beet tops to livestock. A 21-day PHI is specified except on the 47.5% WP label which specifies a 14-day PHI. The label specifies a maximum rate of 0.75 lb ai/A/season. The minimum volume for aerial applications is 3 gal/A. A 21-day PHI is specified. The label allows a maximum rate of 0.71 lb ai/A/season. The minimum volume for aerial applications is 3 gal/A. A 7-day PHI is specified.		,			
3 7	4 lb/gal FIC	0.25	m	2	The labels specify a maximum rate of 0.75 lb
3 7	[1812-244]		**************************************		and ground applications is 5 and 15 gal/A,
3 7	80% WP	-			respectively. The label prohibits the grazing
3 7	[1812-350]	-			or feeding of sugar beet tops to livestock. A
3 7	1.3 lovgar EC				WP label which specifies a 14-day PHI.
3 7	47.5% WP	. 1		•	•
3 7	[45639-170]				
3 7					
3 7	4 lb/gal FIC [1812-244]	0.19	4	7.	The label specifies a maximum rate of 0.75 lb ai/A/season. The minimum volume for aerial
3	[45639-186]				applications is 3 gal/A. A 21-day PHI is
3	80% WP	,	•		specified.
3	[1812-350]			•	
3 7	0.5 lb/gal EC			:	
3	[1812-351]				
ai/A/season. The minimum volume for aerial applications is 3 gal/A. A 7-day PHI is specified.	47.5% WP	0.24	е	7	The label allows a maximum rate of 0.71 lb
applications is 3 gal/A. A 1-day PHI is specified.	[45639-170]				ai/A/season. The minimum volume for aerial
specified.					applications is 3 gal/A. A /-day l'fil is
	•	- 			specified.

Table A. Continued.

Site Application Type Application Timing Application Equipment	Formulation [EPA Reg. No.]	Max. Single Application Rate (lb ai/A)	Max. # Apps./season	Minimum Retreatment Interval (Days)	Use Limitations ^b
Pecans	•				
Broadcast foliar applications	4 lb/gal FIC	0.38	10	14	The label allows a maximum of 3.8 lb
Aerial or ground equipment	[1812-244]				ai/A/season. The minimum volume for aerial
•	80% WP		,		applications is 20 gal/A. The label prohibits
	[1812-350]				applications after shucks have started to open;
	47.5% WP				a PHI is not specified.
	[45639-170]				

following is prohibited: sprinkler including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move irrigation systems. The labels specify a 48-hour restricted entry interval (REI) for all crops with the exception of labels for the 47.5% WP (EPA Reg. No. 45639-170) and a 4 lb/gal The labels prohibit application through any type of irrigation system except on potatoes. Chemigation of potatoes through any irrigation system other than the FIC (EPA Reg. No. 45639-186) which specify a 24-hour REI.

Use directions for potatoes on the 4 lb/gal FIC labels (EPA Reg Nos. 1812-244 and 45639-186) do not indicate a RTI. These labels state that applications to potatoes "should begin with the appearance of blight weather conditions and continue as needed."

Table B. Residue Chemistry Science Assessments for Reregistration of Triphenyltin Hydroxide.

GLN: Data Requirements •	Current Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References 1
860.1200: Directions for Use	N/A	Yes ²	See Table A.
360.1300: Plant Metabolism	N/A	No	00030252 00030253 00030254 00030309 00030310 00030311 00086459 00086493 00086494 00124220
60.1300: Animal Metabolism	N/A (No	00030250 00030251 00030313 00030315 00030316 00080381 00086552 00086553 00086554 00124220
60.1340: Residue Analytical Methods			
- Plant commodities	N/A	Yes³	00029834 00029835 00030259 00030272 00036021 00036027 00036029 00080387 00086450 00086452 00086472 00086473 00086534 00086545 00086561 00086569 00086571 00086601 00086603 00124220 00156382 00160465 00160466 00160467 00160468 00160469 00165010 00165025
		•	40149301 40149302 40149303 40149304 40149305 40149401
	★↓↓↓	•	40149402 41556601 41556602 41785201 41785202 41785203 41785204 428061014
			43617901 ⁵ 43635501 ⁶ 43838801 ⁷ 43838802 ⁷ 43855301 ⁸ 43855302 ⁸ 43855303 ⁸ 43874701 ⁹ 43874702 ⁹ 44066301 ¹⁰ 44066302 ¹⁰
- Animal commodities	N/A	Yes 11	43808101 ¹² 43808102 ¹² 44334401 ¹³ 44334402 ¹³
860.1360: Multiresidue Methods	· N/A	Yes 14	•

GLN: Data Requirements	Current Tolerances, ppm [40 CFR]	Must Additional Data Be Submitted?	References ¹
860.1380: Storage Stability Data ——	N/A	Yes 15	41556601 41556602 41785201 41785202 42564801 ¹⁶ 42806101 ⁴ 42965101 ¹⁷
860.1500: Crop Field Trials			
Root and Tuber Vegetables Group		er en	Y
- Potatoes	0.05 [§180.236]	No	00086492 00086494 00160466 40149401 40149304 41556602 44667001 ¹⁸
- Sugar beets, roots	0.05 [§1 8 0.236]	No	00086560 00160468 40149302 40149401 41556601
Leaves of Root and Tuber Vegetables Group	1	•	
- Sugar beets, tops	0.05 [§180.236]	No	4383660119
Tree Nuts Group	an .		
- Pecans	0.05 [§1 8 0.236]	No	00086600 00165025 40149303 41267101 ²⁰
860.1520: Processed Food/Feed	•		
- Sugar beet	None	No	41785201 41785203
- Potatoes	None	No	41785202 41785204
860.1480: Meat, Milk, Poultry, and Eggs		,	
Liver and kidney of cattle, goats, hogs, horses, and sheep	0.05 [§180.236]	No	00053415 00080381 44334401 ¹³ 44334402 ¹³
860.1400: Water Fish and Irrigated Crops	None	N/A	
860.1460: Food Handling	None	N/A	
860.1850: Confined Rotational Crops	None	No .	4151270121
860.1900: Field Rotational Crops	None	No	•

- 1. Bolded references were reviewed in the Residue Chemistry Chapter of the Triphenyltin Hydroxide Reregistration Standard dated 4/11/84, and *italicized* references were reviewed in the Residue Chemistry Chapter of the Triphenyltin Hydroxide Reregistration Standard Update dated 3/18/92. All other references were reviewed as noted.
- 2. Based upon the available residue data and/or changes in data requirements, the Agency is recommending changes to use directions. The recommended label amendments are listed in the SUMMARY OF SCIENCE FINDINGS, under <u>Directions for Use</u>.
- 3. The proposed enforcement method for plants must be validated by the Agency prior to publication in the Pesticide Analytical Manual, Volume II. The method has been submitted for an Agency method tryout.
- 4. DP Barcode D192579, L Cheng, 11/23/93.
- 5. DP Barcode D215273, L. Cheng, 6/27/95.
- 6. DP Barcode D216970, L. Cheng, 7/25/95.
- 7. DP Barcode D221155, L Cheng, 2/23/96.
- 8. DP Barcode D222076, L Cheng, 1/24/97.
- 9. DP Barcode D222078, L Cheng, 2/23/96.
- 10. DP Barcode D228535, L Cheng, 1/24/97.
- 11. The GC/FPD method used to determine TPTH residues in the ruminant feeding study is adequate for data collection. However, HED has previously concluded that the method must be modified to include a base hydrolysis step to release conjugated residues. Alternatively, the registrants must provide data indicating that base hydrolysis is unnecessary for adequate reovery of the total toxic residue, i.e. radiovalidation of htemethod. An ILV of the method has been conducted in accordance with PR Notice 96-1, TMV is currently underway.
- 12. DP Barcode D220557, L. Cheng, 2/23/96.
- 13. DP Barcode D239451, J. Punzi, 4/2/98.
- 14. The registrants need to provide recovery data for TPTH and its metabolites using FDA multiresidue methods. The registrants are referred to OPPTS GLN 860.1360 for details concerning multiresidue method testing.
- 15. Data are required depicting the storage stability of TPTH and its metabolites in pecans held in frozen storage for up to 9 months. Data are also required depicting the storage stability of TPTH residues in sugar beet tops stored frozen for up to 2 years. The registrants have informed the Agency that the required 2-year study on sugar beets is underway.
- 16. DP Barcode D185360, L. Cheng, 3/10/93.
- 17. DP Barcode D196286 and D211111, L. Cheng, 7/12/94 and 4/18/95.
- 18. DP Barcodes D250912 and D250917, S.Law

- 19. DP Barcode D221156, D226002, and D234680, L. Cheng, 2/23/96, 1/24/97 and 7/28/97.
- 20. No DP Barcode, R. Perfetti, 5/6/94.
- 21. EFGWB, E. Regelman, 2/22/91.

TOLERANCE REASSESSMENT SUMMARY

Tolerances for residues of TPTH are currently expressed in terms of TPTH per se (40 CFR §180.236). For purposes of tolerance enforcement, TPTH residues of concern in plant and animal commodities have been determined to include TPTH and its metabolites, MPTH and DPTH. Accordingly, the tolerance definition for TPTH residues should also be changed to read as follows:

Tolerances are established for the combined residues of the fungicide triphenyltin hydroxide and its monophenyltin (MPTH) and diphenyltin (DPTH) hydroxide and oxide metabolites, expressed in terms of parent TPTH, in/on the following raw agricultural commodities:

A summary of the TPTH tolerance reassessment for the animal and crop commodities and recommended modifications in commodity definitions are presented in Table C.

Tolerances Listed Under 40 CFR §180.236:

Sufficient data are available to reassess tolerances for the residues of TPTH, DPTH, and MPTH in/on pecans, potatoes, sugar beets, and livestock commodities.

The available residue data indicate that the established tolerances for TPTH regulable residues in/on pecans, potatoes and sugar beet roots are adequate provided that use directions are amended as required, and storage stability data are provided for residues in pecans.

The available data indicate that the established tolerances for regulable residues of TPTH in the kidney and liver of cattle, goats, horses, and sheep (0.05 ppm each) are too low. These tolerances should be reassessed, in terms of the combined regulable residues of TPTH, to 4.0 ppm in liver and 2.0 ppm in kidney of cattle, goats, horses, and sheep.

Residue data indicate that tolerances for residues of TPTH in hog kidney and liver should be revoked concomitant with establishing a separate tolerance of 0.3 ppm for residues in hog meat byproducts.

Tolerances Needed Under 40 CFR §180.236:

Based on the available residue data, a tolerance of 10.0 ppm should be established for regulable TPTH residues in/on sugar beet tops.

Separate tolerances are also required for regulable residues of TPTH in the following processed commodities: potato, wet peel (0.2 ppm), and in sugar beet, dried pulp (0.5 ppm).

For livestock commodities, new tolerances for the combined residues of TPTH in cattle, goat, horse, and sheep commodities should be established at 0.5 ppm in meat, 0.2 ppm in fat, and 0.06 ppm in milk. New tolerances are needed for residues in hog meat and fat (at 0.06 and 0.3 ppm, respectively). In addition, the separate tolerances for residues in hog kidney and liver should be revoked concomitant to establishing a separate tolerance for residues in hog meat byproducts at 0.3 ppm.

Table C. Tolerance Reassessment Summary for Triphenyltin Hydroxide.

	Current Tolerance	Tolerance Reassessment	
Commodity	(ppm)*	(ppm)b	Comment/Correct Commodity Definition
		ted under 40 CFI	R §180.236:
Pecans	0.05	0.05	Pecan
Potatoes	0.05	0.05	Potato
Sugar beet, roots	0.05	0.05	Beets, sugar, roots
Liver and kidney of cattle, goats, horses, and sheep	0.05	4.0	The available data from the ruminant feeding study support increasing the tolerance on liver.
		2.0	The available data from the ruminant feeding study support increasing the tolerance on kidney.
Liver and kidney of hogs		Revoke	The tolerance should be revoked concomitant with establishing a separate 0.3 ppm tolerance for residues in meat byproducts of hogs.
	Tolerances ne	eded under 40 CF	FR §180.236:
Beets, sugar, tops (leaves)	None	10.0	Based on the available field trial data on sugar beet tops.
Beet, sugar, pulp, dried	None	0.5	Based on a concentration factor of 22x and HAFT residues of 0.016 ppm
Potato, peel, wet	None	0.1	Calculated with a concentration factor of 3x and HAFT residues of 0.03 ppm based on non-detectable residues and a LOQ of 0.01 ppm for each metabolite.
Meat of cattle, goats, horses, and sheep	None	0.5	Based on data from the ruminant feeding study.
Fat of cattle, goats, horses, and sheep	None	0.2	
Hog, fat	None	0.3	
Hog, meat	None	0.06	
Hog, meat byproducts	None	0.3	A tolerance of 0.3 ppm for residues in mbyp should be established to replace separate tolerances for residues in kidney and liver
Milk	None	0.06	Based on non-detectable residues and a LOQ of 0.02 ppm for each metabolite.

Expressed in terms of TPTH per se.

Expressed in terms of the combined residues of TPTH, and its metabolites MPTH and DPTH.

CODEX HARMONIZATION

There are currently no Codex Maximum Residue Limits (MRLs) established for residues of TPTH in/on plant or animal commodities (electronic correspondence from S. Funk, 10/15/98).

AGENCY MEMORANDA CITED IN THIS DOCUMENT

DP Barcode: D185360

Subject: Triphenyltin Hydroxide. Case # 0099. Storage Stability in Potato, Sugar Beet,

Sugar and Molasses.

From: L. Cheng, HED

To: E. Feris, SRRD

Dated: 3/10/93 MRID(s): 42564801

DP Barcode: D192579

Subject: Triphenyltin Hydroxide (TPTH). Case No. 0099. Registrants' Response to

Reregistration Standard Update of 3/92.

From: L. Cheng, HED

To: W. Waldrop, SRRD

Dated: 11/22/93 MRID(s): 42806101

DP Barcode: None

Subject: Response to the TPTH Reregistration Standard: Residue Chemistry

From: R.B. Perfetti, HED
To: L. Rossi, SRRD

Dated: 5/6/94 MRID(s): None

DP Barcode: D196286

Subject: Triphenyltin Hydroxide (TPTH). Case No. 0099. Response to Product and

Residue Chemistry Reviews.

From: L. Cheng, HED
To: E. Ferris, SRRD

Dated: 7/12/94

MRID(s): 42065601 & 42965101

DP Barcode: D211111

Subject: Triphenyltin Hydroxide (TPTH). Case No. 0099. Additional Information on

GLN 62-1 for Elf Atochem & 171-4(e).

From: L. Cheng, HED
To: J. Andreasen, SRRD

10: J. Andreasen, SRRD Dated: 4/18/95

Dated: 4/18/95 MRID(s): None

DP Barcode: D215273

Subject:

TPTH. Case No. 0099. Data to Satisfy GLN 171-4(c) and 4(d)/

From: To:

J. Andreasen, SRRD

L. Cheng, HED

Dated: MRID(s): 6/27/95 43617901

DP Barcode: D216970

Subject:

TPTH. Case 0099. Validation of Analytical Method. GLN 171-4(c).

From:

L. Cheng, HED

To:

J. Andreasen, SRRD

Dated:

7/25/95

MRID(s):

43635501

DP Barcode: D222078

Subject:

TPTH/Fentin Hydroxide. Case 0099. Additional Data for Analytical Method

(171-4c).

From:

L. Cheng, HED

To:

J. Andreasen, SRRD

Dated:

2/23/96

MRID(s):

43874701 & 43874702

DP Barcode:

D221155

Subject:

TPTH/Fentin Hydroxide. Case 0099. Method Validation in Sugarbeet and

Potato.

From:

L. Cheng, HED

To:

J. Andreasen, SRRD

Dated:

2/23/96

MRID(s):

43838801 & 43838802

DP Barcode: D220557

Subject:

TPTH/Fentin Hydroxide. Case 0099. Residue Method In Meat and Milk.

From:

L. Cheng, HED

To:

J. Andreasen, SRRD

Dated:

2/23/96

MRID(s):

43808101 & 43808102

DP Barcode: D221156

Subject:

TPTH/Fentin Hydroxide. Case 0099. Magnitude of Residue in Sugarbeet Leaves.

From:

L. Cheng, HED

To:

J. Andreasen, SRRD

Dated:

2/23/96

MRID(s): .

DP Barcode: D226002

Subject: Triphenyltin Hydroxide (TPTH). Case 0099. Calculation of Maximum Residue

in Sugar Beet.

From: L. Cheng, HED

To: C. Scheltema, HED

Dated: 1/24/97 MRID(s): None

DP Barcode: D222076

Subject: TPTH/Fentin Hydroxide. Case 0099. Method Validation in Sugarbeet and Potato

Processed Commodities.

From: L. Cheng, HED
To: C. Scheltema, HED

Dated: 1/24/97

MRID(s): 43855301, 43855302 & 43855303

DP Barcode: D228535

Subject: TPTH/Fentin Hydroxide. Case 0099. Method Validation in Potato Processed

Commodity - Chips.

From: L. Cheng, HED
To: C. Scheltema, HED

Dated: 1/24/97

MRID(s): 44066301 & 44066302

DP Barcode: D234680

Subject: TPTH/Fentin Hydroxide. Case 0099. Landis Letter Dated 3/24/97.

From: L. Cheng, HED
To: K. Boyle, HED

Dated: 7/28/97 MRID(s): None

DP Barcode: D239451

Subject: Triphenyltin Hydroxide Reregistraton. Dairy Cattle Feeding Study and Analytical

Method Validation.

From: J.S. Punzi, HED To: R. McNally, SRRD

Dated: 4/2/98

MRID(s): 44334401 & 44334402

DP Barcode: D250912 and D250917

Subject: TPTH/Fentin Hydroxide. Case 0099. Magnitude of Residue in Potatoes.

From: S. Law
To: A. Chiri

Dated:

1/14/99

MRID(s):

44667001

RESIDUE CHEMISTRY CITATIONS

00029834 Cannizzaro, R.D. (1979) Determination of Triphenyltin hydroxide Residues in Rough Rice by Gas Chromatography/Mass Spectrometry Promim. Method no. 28 datorp. 11 p. Promim. Method no. 28 dated Feb 26, 1979. (Unpublished study received Mar 28, 1980 under 0F2340; submitted by Thompson-Hay-ward Chemical Co., Kansas City, Kans.; CDL:099345-B)

00029835 Cannizzaro, R.D. (1979) Determination of Triphenyltin hydroxide Residues in Rice Process Fractions (Brown Rice, White Rice, Hulls, Bran, Polishings, and Straw) by Gas Chromatography/Mass Spectrometry Promim. Method no. 31 dated Feb 28, 1979. (Unpub-lished study received Mar 28, 1980 under 0F2340; submitted by Thompson-Hayward Chemical Co., Kansas City, Kans.; CDL:099345-C)

00030250 Ackerman, M.E.; Granata, S.V.; Tapprich, B. (1976) The Determination of Carbon-14 Labeled Residues Due to TPTH following Oral Administration of Rice Foliage Containing Residues from the labeled Fungicide to Lactating Goats: ADC Project # 270. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City, Kans.; CDL:099343-A)

00030251 Moring, S.; Nye, D. (1978) Identification of 14C-TPTH Residues in Weathered Rice Folage and Their Bioavailability to Rats via Single Oral Dose: Project 780316. Final rept. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Stoner Laboratories, Inc., submitted by Thompson-Hayward Chemical Co., Kansas City, Kans., CDL:099343-B)

00030252 Granata, S.V.; Mulkey, N.S. (1976) Metabolism and Residue Method Development for TPTH in Rice and Soybeans: ADC Project # 221. (Unpublished study receiveed Feb 26, 1979. (Unpublished study (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City, Kans.; CDL:099343-C)

00030253 Wargo, J.P., Jr.; Wilkes, L.C.; Mulkey, N.S. (1977) Fate of 14C-Triphenyltin hydroxide (Du-ter) following Application to Rice: ADC Project # 221. Includes methods dated Jun 27, 1977. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City, Kans.; CDL:099343-D)

00030254 Danhaus, R.G. (1976) Field Metabolism and Environmental Study-1976 (Rice Treated with 14C-TPTH): ADC Project # 278. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City, Kans.; CDL:099343-E)

00030259 Thompson-Hayward Chemical Company (1970) Fentin acetate; Fentin chloride; Fentin hydroxide. (Unpublished study received Mar 28,1980 under 0F234 1980 under 0F2340; prepared in cooperation with Farbwerke Hoechst, A.G., N.V. Philips-Duphar and National Institute of Public Health, Plant Protection Service; CDL:099342-A)

00030272 Cannizzaro, R.D. (1979) Determination of Triphenyltin hydroxide Residues in Irrigational Crops (Wheat, Barley, Kidney Beans, Radish Tops, Beet Tops, Swiss Chard, Radishes) by Gas Chromatography/Mass Spectrometry Promim. Method no. 30 dated Feb 28, 1979. (Unpublished study received Mar 28, 1980 under 0F2340; submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099345-E)

00030309 Danhaus, R.G. (1976) Field Metabolism and Environmental Study-1976 (Soybeans Treated with 14C-TPTH): ADC Project # 278. (Unpublished study received Mar (Unpublished study received Mar 28, lished study received Mar 28, 1980 under 0F2340; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099344-D)

00030310 Danhaus, R.G. (1976) Field Metabolism and Environmental Study-1976 (Soybeans Treated with 113 Sn-TPTH): ADC Project # 290. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099344-E)

00030311 Danhaus, R.G. (1977) Field Metabolism and Residual Behavior of Radiolabeled Triphenyltin hydroxide in Soybeans: ADC Project # 278/290. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099344-F)

00030313 Smith, K.S.; Merricks, D.L. (1976) Triphenyltin hydroxide Tissue Residue and Metabolism Study in Poultry. (Unpublished study received Mar 28, 1980 under 28, 1980 under 0F2340; prepared by ceived Mar 28, 1980 under 0F2340; prepared by Cannon Laboratories, Inc., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099344-H)

00030315 Smith, K.S.; Merricks, D.L. (1977) Triphenyl tin hydroxide Metabolism in Dairy Cows. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Cannon Laboratories, Inc., submitted by Thompson Hayward Chemical Co., Kansas City; CDL: 099344-J)

00030316 Moring, S.; Nye, D.E. (1978) Structure Elucidation of 14C-Labeled Residues in Tissues of a Cow Exposed to 14C-TPTH for Nine Days: Project # 771672. Fina340; prepared by Cannon Laborato- Days: Project # 771672. Final rept. (Unpublished study received Mar 28, 1980 under 0F2340; prepared by Stoner Laboratories, Inc., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099344-K)

5/959

00036021 Thompson-Hayward Chemical Company (1972) Clean-Up Procedure for the Colorimetric Residue Determination of Triphenyltin Compounds in Rice. Method no. A-128-A dated Mar 24, 1972. (Unpublished study received May 3, 1973 under 3G1393; CDL:095436-J)

00036026 Thompson-Hayward Chemical Company (1969) Clean-Up Procedure for the Colorimetric Residue Determination of Triphenyltin Compounds in Sugar Beets and Sugar Process Samples. Method A-74 dated Feb 14, 1969. (Unpublished study received May 3, 1973 under 3G1393; CDL:095436-O)

00036027 Thompson-Hayward Chemical Company (1973) Clean-Up for the Colorimetric Residue Determination of Triphenyltin Compounds in Milk, Method no. A-331 dated Mart 15, 1970. (Unpublished study reMethod no. A-331 dated Mar 19, 1973. (Unpublished study received May 3, 1973 under 3G1393; CDL:095436-P)

00036029 Thompson-Hayward Chemical Company (1973) Confirmation of Triphenyltin hydroxide in Milk by Thin Layer Chromatography. Method no. A-332 dated Mar 29, 1973. (Unpublished study received May 3, 1973 under 3G1393; CDL:095436-R)

00053415 Bruggemann, J.; Barth, K.; Niesar, K.H. (19??) Communication II: Experimental Studies of the Occurrence of Triphenyltinacetate Residues in Beet Residues in Beet Leaves, Beet Leaf Silage, Animals Fed There with and Their Excretion Products. (Unpublished study received Nov8, 1965 under unknown admin. no.; submitted by Thompson-Hayward Chemical Co., Kansas City, Kans.; CDL:105279-B)

00080381 Herok, J.; Gotte, H. (19??) Communication III: Radiometric Metabolic Balance Studies with Triphenyltin Acetate (TPTA) in the Milk Sheep. (Unpublished study received Feb 7, 1968 under 8F0700; prepared by Farbwerke Hoechst, AG, submitted by Thompson-Hayward Chemical Co., Kansas City, Kans.; CDL:091218-F)

00080387 Thompson-Hayward Chemical Company (1968) Detection of Triphenyltin Comounds in Peanuts by Thin Layer Chromatography. Method no. A-184 dated Jan 24, 1968. (Unpublished study received Feb 7, 1968 under 8F0700; CDL:091218-L)

00086450 Stewart, T. (1979) Determination of Triphenlitin Hydroxide Residues in Soybeans and Soybean Folinage by Gas Chromatography/Mass Spectrometry PROMIN. (programmable Multiple Ion Monitoring). Analytical method no. 29 dated Sep 5, 1979. (Unpublished study received Oct 18, 1979 under 148-689; submitted by Thompson Hayward Chemical Co., Kansas City, Kans.; CDL:099056-B)

00086452 Thompson-Hayward Chemical Company (1979) Determination of Triphenyltin Hydroxide Residues in Soybean Processe Fractions (Meal, Hulls, Soapstock, Oils) by Gas Chromatography/Mass Spectrometry PROMIN (Programmable Multiple Ion Monitoring).

Analytical method no. 34 dated Sep 5, 1979. (Unpublished study receivedOct 18, 1979 under 148-689; CDL:099056-D)

00086459 Wargo, J.P., Jr.; Mulkey, N.S.; Wilkes, L.C.; et al. (1977) Fate of 14 C-triphenyltin Hydroxide (Duter) following Application to Soybeans: ADC Project # 221: Phase Two. (Unpublished study received Oct 18, 1979 under 148-689; prepared by Analytical Development Corp., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099048-B)

00086472 Thompson-Hayward Chemical Company (1969) Analytical Method for Formulations Containing Triphenyltin Hydroxide. Method A-93-Adated Oct 13, 1969. (Unpublished study received Aug 25, 1972under 3F1315; CDL:094302-C)

00086473 Logan, W.K. (1970) Supplemental Triphenyltin Hydroxide (TPTH) Residue Analysis of Peanuts: Report No. R 852. Includes method nos. A 197D dated Oct 22, 1970, A 136 D dated Nov 20, 1970 and A 77 B dated Oct 15, 1970. (Unpublished study received Jan 12, 1970 under 8F0700; submitted by Thompson Hayward Chemical Co., Kansas City; CDL:096449-A)

00086492 Thompson-Hayward Chemical Company (1965) [Duter Residues in Potatoes]. Summary of studies 122620-B and 122620-C. (Compilation; unpublished study received Jan 27, 1965 under unknown admin. no.; CDL:122620-A)

00086493 Herok, J.; Gotte, H. (1963) Radiometric Investigations of the Behavior of Triphenyltin Acetate in Plants and Animals. (Unpublished study received Jan 27, 1965 under unknown admin. no.; prepared by Farbwerke Hoechst AG, West Germany, submitted by Thompson-Hayward Chemical Co., Kansas City, Kans.; CDL:122620-B)

00086494 Houtman, A.C.; De Wilde, P.C.; De Vries, C. (1964) Residue Investigation of Triphenyltin-Sn 113 in Potato Plants: Report nos. 56646/5/64; 56655/55/64; 56656/52/64. (Unpublished study received Jan 27, 1965 under unknown admin. no.; submitted by Thompson Hayward Chemical Co., Kansas City; CDL:122620-C)

00086534 Thompson-Hayward Chemical Company (1967) Detection of Triphenyltin Hydroxide in Potatoes by Thin Layer Chromatography. Method no. A-154 dated Nov 22, 1967. (Unpublished study, including method A-154 dated Jul 21, 1967 and letters dated Jul 21, 1967 from L.S. DeAtley to James B. Lamb; Oct 6, 1967 and Nov 22, 1967 from E.T. Upton to Bart Puma, received Nov 27, 1967 under 6F0496; CDL:092784-A)

00086545 Thompson-Hayward Chemical Company (1972) Detection of Triphenyltin Compound in Carrots and Onions by Thin-layer Chromatography. Method no. A-303 dated May 9, 1972. (Unpublished study received Aug 22, 1972 under 3F1315; CDL:094301-H)

00086552 Smith, K.S. (1976) Triphenyl Tin Hydroxide Tissue: Residue and Metabolism Study in Poultry: Laboratory No. 5E-5493. (Unpublished study received Oct 18, 1979 under 148-689;

prepared by Cannon Laboratories, Inc., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099052-E)

00086553 009901207S. (1976) Triphenyl Tin Hydroxide Tissue: Residue and Metabolism Study in Swine: Laboratory No. 5E-5492. (Unpublished study received Oct 18, 1979 under 148-689; prepared by Cannon Laboratories, Inc., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099052-F)

00086554 Smith, K.S. (1977) Triphenyl Tin Hydroxide Metabolism in Dairy Cows: Laboratory No. 6E-529. (Unpublished study received Oct 18, 1979 under 148-689; prepared by Cannon Laboratories, Inc., submitted by Thompson Hayward Chemical Co., Kansas City; CDL:099052-G)

00086560 Thompson-Hayward Chemical Company (1969) Results of Tests on the Amount of Residue Remaining Including a Description of the Analytical Method: [Triphenyltin Hydroxide]. (Unpublished study received on unknown date under 9F0841; CDL:091451-G)

00086561 Thompson-Hayward Chemical Company (1969) Detection of Triphenyltin Compound in Sugar Beets by Thin Layer Chromatography. Method no. A-217 dated Mar 3, 1969. (Unpublished study received on unknown date under 9F0841; CDL:091451-H)

00086569 Thompson-Hayward Chemical Company (1969) Cleanup Procedure for the Colorimetric Residue Determination of Triphenyltin Compounds in Sugar Beets and Sugar Beets and Sugar Process Samples. Method no. A-74 dated Feb 14, 1969. (Unpublished study received Jun 2, 1969 under9F0841; CDL:093544-J)

00086571 Thompson-Hayward Chemical Company (1970) Clean-up for the Colorimetric Residue Determination of the Triphenyltin Hydroxide in Meat, Fat and Meat Byproducts. Method no. A-197-C dated Jan 7, 1970. (Unpublished study received Jan 12, 1970 under 9F0841; CDL:091451-O)

00086600 Thompson-Hayward Chemical Company (1969) Results of Tests on the Amount of Residue Remaining, Including a Description of the Analytical Method: [Duter]. (Compilation; unpublished study, including report no. R-769, received May 13, 1970 under 0F0900; CDL:091554-B)

00086601 Thompson-Hayward Chemical Company (1969) Clean-up Procedure for the Colorimetric Residue Determination of Triphenyltin Compounds in Pecans. Method no. A-168 dated Sep 2, 1969. (Unpublished study received May 13, 1970 under 0F0900; CDL:091554-C)

00086603 Thompson-Hayward Chemical Company (1969) Detection of Triphenyltin Hydroxide in Pecans by Thin Layer Chromatography. Method no. A-179 dated Sep 5, 1969. (Unpublished study received May 13, 1970 under 0F0900; CDL:091554-E)

00124220 American Hoechst Corp. (1983) [TPTH Residues in Soybeans and Other Crops]. (Compilation; unpublished study received Jan 20, 1983 under 8340-15; CDL:071369-A; 071370; 071371; 071372)

00156382 M&T Chemicals, Inc. (1985) Separation and Determination of Phenyltin Species (0aSnX4-a) in Residues by Liquid Chromatography/ Atomic Absorption Spectroscopy: Method No. TA-43. Unpublished study. 29 p.

00160465 Marino, A. (1986) Validation of a Method for the Separation and Determination of Phenyltin Species (Theta aSnX4-a) in Carrots by Liquid Chromatography/Atomic Absorption Spectroscopy plus Crop Residue Analyses. Unpublished study prepared by Triphenyltin Hydroxide Task Force. 130 p.

00160466 Marino, A. (1986) Validation of a Method for the Separation and Determination of Phenyltin Species (Theta aSnX4-a) in Potatoes by Liquid Chromatography/Atomic Absorption Spectroscopy plus Crop Residue Analysis. Unpublished study prepared by Triphenyltin Hydroxide Task Force. 156 p.

00160467 Marino, A. (1986) Validation of a Method for the Separation and Determination of Phenyltin Species (Theta aSnX4-a) in Peanut Hulls by Liquid Chromatography/Atomic Absorption Spectroscopy plus Crop Residue Analyses. Unpublished study prepared by Tri-phenyltin Hydroxide Task Force. 134 p.

00160468 Marino, A. (1986) Validation of a Method for the Separation and Determination of Phenyltin Species (Theta aSnX4-a) in Sugar Beets by Liquid Chromatography/Atomic Absorption Spectroscopy plus Crop Residue Analyses. Unpublished study prepared by Triphenyltin Hydroxide Task Force. 137 p.

00160469 Marino, A. (1986) Validation of a Method for the Separation and Determination of Phenyltin Species (Theta aSnX4-a) in Soybeans Crop Residue Analyses. Unpublished study prepared by Triphenyltin Hydroxide Task Force. 271 p.

00165010 Marino, A. (1986) Validation of A Method for the Separation and Determination of Phenyltin Species (0aSnX4-a) in Peanuts by Liquid Chromatography/Atomaphy/Atomic Absorption Spectroscopy Liquid Chromatography/Atomic Absorption Spectroscopy plus Crop Residue Analyses. Unpublished study prepared by M&T Chemicals Inc. 140 p.

00165025 Marino, A. (1986) Validation of A Method for the Separation and Determination of Phenyltin Species (0aSnX4-a) in Pecans by Liquid Chromatography/Atomic Absorption

Spectroscopy plus Crop Residue Analyses. Unpublished study prepared by M&T Chemicals Inc. 146 p.

40149301 Frazee, G. (1985) Triphenyltin Hydroxide: Protocols and Field History for Residue Field Trials on Peanuts. Unpublished compilation prepared by Griffin Corp. 13 p.

40149302 Frazee, G. (1985) Triphenyltin Hydroxide: Protocols and Field History for Residue Field Trials on Sugarbeets. Unpublished compilation prepared by Griffin Corp. 13 p.

40149303 Frazee, G. (1986) Triphenyltin Hydroxide: Protocols and Field History for Residue Field Trials on Pecans. Unpublished compilation prepared by Griffin Corp. 13 p.

40149304 Frazee, G. (1985) Triphenyltin Hydroxide: Protocols and Field History for Residue Field Trials on Potatoes. Unpublished compila

40149305 Frazee, G. (1986) Triphenyltin Hydroxide: Protocols and Field History for Residue Field Trials on Carrots. Unpublished compilation prepared by Griffin Corp. 11 p.

40149401 Sheldon, A. (1986) Triphenyltin Hydroxide--Responses to questions in the EPA Letter dated September 24, 1986 (Jacoby to Sheldon). Unpublished study prepared by M&T Chemicals Inc. 15 p.

40149402 Simmons, I. (1986) (Triphenyltin Hydroxide)—Separation and Determination of Phenyltin Species...in Beef, Milk, Eggs and Poultryby Liquid Chroma by Liquid Chromatography/Atomic Absorption Spectroscopy: Lab Project ID: TA-50. Unpublished study prepared by M&T Chemicals Inc. 25 p.

41267101 Orius Associates Inc. (1989) Triphenyltin Hydroxide: Magnitude of the Residue in or on Pecans Treated by Ground and Aerial Equipment in Georgia, 1988: File/Issue No. - 40-TPT/89142. Unpublished study prepared in cooperation with M&T Chemicals and Henry AgriScientific. 160 p.

41512701 Burkle, W. (1990) HOE 029664 (TPTH, Fentin-hydroxide)-[Carbon 14] Residues in Rotational Crops sown 30, 120 and 365 Days after Sixfold Application at 7-day Intervals to the Soil at a Rate of 0 g a.i./ha per Treatment: Lab Project I.D.Number: CM064/87; Hoechst Ag No. A 42846. Unpublished study prepared by Hoechst Aktiengesellschaft. 61 p.

41556601 Silvoy, J.; Guy, S. (1990) LX1169-01 (Triphenyltin Hydroxide): Raw Agricultural Commodity: Field Residue Study on Sugarbeet in North Dakota, Minnesota, Idaho, Nebraska, Colorado, and Michigan Lab Project Number: N-0535-0101: N-0535-0102: 1714-89-01-08B-01. Unpublished study prepared by Battelle Laboratories, Inc. 585 p.

41556602 Guy, S.; Silvoy, J. (1990) LX1169-01 (Triphenyltin Hydroxide): Raw Agricultural Commodity: Field Residue Study on Potato in Maine, North Dakota, Washington, Idaho, and Minnesota: Lab Project Number: N-0535-0101: N-0535-0102: 1714-89-169-01-08D-0. Unpublished study prepared by Battelle Laboratories, Inc. 605 p.

41785201 Silvoy, J. (1990) LX1169-01 (Triphenyltin Hydroxide): Processed Commodity Field Residue Study on Sugarbeets in Idaho: Final Report: Lab Project No: N-daho, Nebraska, Colorado, and Michigan Report: Lab Project No: N-0535-0101: N-0535-0103: 1714-89-16901-08B-05. Unpublished study prepared by Battelle. 234 p.

41785202 Silvoy, J. (1990) LX1169-01 (Triphenyltin Hydroxide): Processed Commodity Field Residue Study on Potatoes in Washington: Final Report: Lab Project No: N-0535-0101: N-0535-0103: 1714-89-169- 01-08D-14. Unpublished study prepared by Battelle. 332 p.

41785203 Silvoy, J. (1991) LX127-01 (Super-Tin 4L): Reduction of TPTH in or on Sugarbeet Processed Commodities Treated with 100X the Current Minimum Detection Limit: Final Report: Lab Project No: SD900051: 90-27-01-08B-02. Unpublished study prepared by Battelle. 228 p.

41785204 Silvoy, J. (1991) LX127-01 (Super-Tin 4L): Reduction of TPTH in or on Potato Processed Commodities Treated with 100X the Current Mi nimum Detection Limit: Fin0535-0101: N-0535-0103: 1714-89-169- nimum Detection Limit: Final Report: Lab Project No: SD900050: 90-27-01-08D-01. Unpublished study prepared by Battelle. 302 p.

42564801 Uhler, A.; Spellacy, A. (1992) Storage Stability Study of Triphenyltin in Potato and Sugar Beet Raw Agricultural Commodities and Sugar Beet Processed Commodities Sugar and Molasses: Final Report: Lab Project Number: SD910032. Unpublished study prepared by Battelle Ocean Sciences. 39 p.

42806101 Silvoy, J. (1990) Triphenyltin Hydroxide (TPTH): Residue Chemistry: Lab Project Number: TPTH REREGISTRATION STANDARD UPDATE. Unpublished study prepared by Battelle Lab. 93 p.

42965101 Uhler, A.; Spellacy, A. (1993) Supplemental Data for the TPTH Storage Stability Study on Potato and Sugar Beet: Addenda to MRID 42564801: Lab Project Number: SD910032-AD01. Unpublished study prepared by Battelle Ocean Sciences. 21 p.

43617901 Buestell, H.; Hoefer, L.; Junker, H.; et al. (1991) Hoe 002782 (Fentin-acetate) and Hoe 029664 (Fentin-hydroxide): Determination of Residues in Plant: Lab Project No: SD900050: Determination of Residues in Plant and Animal Materials by Gas Chromatography: Lab Project Number: AL007/91-0. Unpublished study prepared by Hoechst Aktiengesellschaft. 27 p.

43635501 Buerstell, H.; Werner, H. (1993) Validation of the Analytical Method AL 007/91-0 for the Determination of Hoe 002782 (Fentin-acetate) and Hoe 029664 (Fentin-hydroxide) in

Sugar Beets (Leaves and Roots): Lab Project Number: A 50547:CR91/003. Unpublished study prepared by HoechstAktiengesellschaft. 37 p.

43808101 Buerstell, H.; Werner, H.; Ullenberger, S. (1995) Validation of Analytical Method AL 007/91-0 for the Determination of HOE 002782 (Fentin-Acetate) and HOE 029664 (Fentin-Hydroxide) in Milk: Lab Project Number: CR95/011: A54548. Unpublished studyprepared by Hoechst Schering AgrEvo GmbH. 31 p.

43808102 Buerstell, H.; Werner, H.; Conradi, I. (1995) Validation of the Analytical Method AL 007/91-0 for the Determination of HOE 002782 (Fentin-acetate) and HOE 029664 (Fentin-hydroxide) in Meat: Lab Project Number: A54549: CR95/010. Unpublished study prepared by Hoechst Schering AgrEvo GmbH. 31 p.

43836601 Hattermann, D. (1995) Magnitude of the Residue of TPTH and its Metabolites in Sugarbeet Leaves Following Application of Super TIN 80 WP: Lab Project Number: SARS-93-35: PWT 119: N-0535-0103. Unpublished study prepared by Landis International, Inc. and Huntingdon Research Centre, Ltd. 400 p.

43838801 Gillis, N. (1995) Triphenyltin Hydroxide and Its Metabolites: Validation of a Method of Analysis for Determination of Residual Concentrations in Sugar t and Animal Materials by Gas Residual Concentrations in Sugar Beet Raw Agricultural Commodities (Leaf and Root): Lab Project Number: PWT 115: PWT 115/951871. Unpublished study prepared by Huntingdon Research Centre Ltd. 100 p.

43838802 Gillis, N. (1995) Triphenyltin Hydroxide and Its Metabolites: Validation of a Method of Analysis for Determination of Residual Concentrations in Potato Raw Agricultural Commodities (Tuber): Lab Project Number: PWT 117: PWT 117/951733. Unpublished study prepared by Huntingdon Research Centre Ltd. 75 p.

43855301 Gillis, N. (1995) Triphenyltin Hydroxide and its Metabolites: Validation of a Method of Analysis for Deterimination of Residual Concentration in Sugar Beet Processed Commodities (Molasses, Refined Sugar, Wet Pulp and Dry Pulp): Lab Project Number: PWT 116: PWT 116/952303. Unpublished study prepared by Huntingdon Research Centre, Ltd. 103 p.

43855302 Gillis, N. (1995) Triphenyltin Hydroxide and its Metabolites: Residual Concentrations in Potato Processed Commodities (Flakes, Chips and Wet Peel): Lab Project Number: PWT 118: PWT 118/952833. Unpublished study prepared by Huntingdon Research Centre, Ltd. 91 p.

43855303 Nishioka, L.; Rose, J.; Ruzo, L. (1995) Independent Laboratory Method Validation of AgrEvo Residue Method AL007/91-0 (TPTH Task Force Modification Number 1, Sugar Beet Leaves and Roots and Potato Tubers): Determination of Fentin-Hydroxide (Triphenyl Tin

58.859

Hydroxide, HOE 029664) and its Metabolites in Sugar Beet Leaves and Potato Tubers: Lab Project Number: 567W-1: 567W. Unpublished study prepared by PTRL West, Inc.

44066301 Gillis, N. (1995) Triphenyltin Hydroxide and Its Metabolites: Validation of a Method of Analysis for Determination of Residual Concentrations in Potato Processed Commodities (Flakes, Chips, and Wet Peel): Amendment No. 1 to MRID

44066302 Gillis, N. (1996) Triphenyltin Hydroxide and Its Metabolites: (Flakes, Chips, and Wet Peel): Supplementary Report to PWT 118/952833 (MRID 43855302): La prepared by Huntingdon Research 118/952833 (MRID 43855302): Lab Project Number: PWT 118/960148: PWT 118: AZ 04856. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 56 p.

43874701 Buerkle, W. (1985) HOE 002782 (Triphenyltin-acetate) (carbon 14): Determination of the Rate of Hydrolysis: (Translation of Report #31534): Lab Report #31534): Lab Project Number: CM 009/85: A 32003. Unpublished study prepared by Hoechst AG. 14 p.

43874702 Herok, J. (1965) Determination of the Adsorption, Translocation and Storage of Triphenyltin-Acetate and Triphenyltin Chloridein Potatoes: Lab in Potatoes: Lab Project Number: HK/T-4565: A 29235: A 42784. Unpublished study prepared by Hoechst AG. 16 p.

44334401 Redgrave, V. (1997) Fentin Hydroxide: Residues in Milk and Tissues of Dairy Cows: Lab Project Number: PWT 123/970864: PWT 123. Unpublished study prepared by Huntingdon Life Sciences Ltd. 359 p.

44334402 Cordon, C. (1997) Validation of a Method of Analysis for Determination of Residual Concentrations of Triphenyltin Hydroxide and Its Metabolites in Meat and Milk: Lab Project Number: PWT 121: PWT 121/971509. Unpublished study prepared by Huntingdon Life Sciences Ltd. 153 p. 40149401 Sheldon, A. (1986) Triphenyltin Hydroxide--Responses to Questions in the EPA Letter September 24, 1986 (Jacoby to Sheldon). Unpublished study prepared by M&T Chemicals Inc. 15 p.

44667001 Waggoner, T. (1998) Raw Agricultural Commodity (RAC) Residue Evaluation of Triphenylin Hydroxide Applied to Potatoes: Lab Project Number: 02708A003:1714-96-027-0108D-12:1714-96-027-0108D-09. Unpublished study prepared by Huntingdon Life Sciences, Ltd. 225 p.