

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 15, 2011.

DP BARCODE:

D386125

MRID:

483415-00, 483415-01, 483415-02, 483415-03.

SUBJECT:

Proxel® CMC Industrial Preservative.

REG. NO. OR FILE SYMBOL:

1258-RGGO

DOCUMENT TYPE:


Product Chemistry Review

Manufacturing-use [X]

OR

End - Use Product []

INGREDIENTS (PC Codes)



H<sub>3</sub>C N C

2-Methyl-4-isothiazolin-3-one (107104) 5-Chloro-2-methyl-4-isothiazolin-3-one (107103)

CAS Number:

(2682-20-4)(26172-55-4)

TEST LAB:

Leesha Square, Arch Chemicals, Inc.

SUBMITTER:

Arch Chemicals, Inc.

GUIDELINE:

OPPTS 830 Series (Group A & B) guidelines

COMMODITIES:

Formulation

REVIEWER:

Salvador Rodríguez

ORGANIZATION: AD

APPROVER:

Karen P. Hicks

APPROVED DATE: 03/17/11.



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 15, 2011.

Subject:	Product Che	emistry Review for EPA Reg # 1258-RGGO	\	
From:	Salvador Rodríguez, Chemist			
	Product Science Branch, CT Team			
	Antimicrobi	als Division (7510P)	//	
Thru:	Karen P. Hid	cks, CT Team Leader		
<del></del>	Product Science Branch			
	Antimicrobi	als Division (7510P)		
To:	Jacqueline CampbelMcFarlane / Jaclyn Carl			
	Team 34			
	Antimicrobi	als Division (7510P)		
APPLICANT:	Arch Chemi	cals, Inc.		
Action code:	4540			
Action code:	A540	en en S≱erreiter († 1905) 1908 – Stanford († 1905)	•	
Due date:	05/20/11.			
Product Formulation		• •		
Active Ingredient(s)				
		% by wt		

\*Product ingredient source information may be entitled to confidential treatment\*

#### **BACKGROUND:**

Arch Chemicals, Inc. has submitted an application for registration of a new end-use product, Proxel CMC Industrial Preservative. This product is for use in the formulation of end-use industrial microbiocides. The following registered products are sources of the active ingredients:

CMIT/MIT (EPA Reg. No. 62190-32).

The data package included a letter from the applicant to EPA, dated December 30, 2010; EPA Form 8570-1 (Application for Pesticide), dated December 30, 2010; a Confidential Statement of Formula (CSF) for the basic formulation, dated December 30, 2010; a CSF for one alternate formulation, dated December 30, 2010; EPA Form 8570-27 (Formulator's Exemption Statement), dated December 30, 2010; EPA Form 8570-34 (Certification with Respect to Citation of Data), dated December 30, 2010; EPA Form 8570-35 (Data Matrix), dated December 30, 2010; a draft label (pin-punched 12·30·10); and three studies (MRID 483415-01 through 483415-03).

#### FINDINGS:

- 1. Group A product chemistry data requirements applicable to end-use products have been met. (MRID 483415-01)
- Group B product chemistry data requirements applicable to end-use products have been met, with the exception of OPPTS 830.6317 (Storage Stability), and OPPTS 830.6320 (Corrosion Characteristics). See the "Recommendations" section of this report. (MRID #s: 483415-02 and 483415-03)
  - 3. The CSFs, dated 12/30/10, for the basic and for the alternate formulations are revised.
  - 4. All certified limits meet the EPA Certified Standards Limits.
  - 5. The CSF and the label have the same nominal.
  - 6. The active ingredient (AI) meets the EPA standard certified limits.
  - 7. Certain information on the product label could be improved, as noted in the "Recommendations" section of this report.
  - 8. A statement of Good Laboratory Practice (GLP) compliance was provided for the study assigned MRID No. 483415-03. The study was conducted in compliance with current GLP standards as given in 40 CFR Part 160.
  - 9. Certificate of Analysis, dated 06/08/09.

#### **CONCLUSIONS:**

The 830 Guidelines group "A" and "B" product chemistry requirements for the non-integrated end-use products are acceptable, with the exception of the OPPTS Guidelines: 830.6317 "Storage Stability" and 830.6320 "Corrosion Characteristics". The registrant must submit these two one year studies upon completion. The CSF dated 08/06/10, for the basic formulation is acceptable.

#### **RECOMMENDATIONS:**

- To satisfy OPPTS 830.6314 (Oxidation/Reduction: Chemical Incompatibility)
  requirements, a discussion of the product's potential incompatibility with common
  oxidizing and reducing agents, common fire extinguishing agents, and common solvents
  must be provided. An example set of test methods to quantify chemical incompatibility
  is presented in OPPTS 830.6314(b).
- To satisfy OPPTS 830.6317 (Storage Stability) and OPPTS 830.6320 (Corrosion Characteristics) requirements, results for a minimum of 1 year from a GLP-compliant storage stability and corrosion characteristics study must be provided
- The following revisions to the product label are recommended:
  - Place the "Storage and Disposal" section of the product label in a text box for prominence.
  - Under the "Pesticide Storage" section of the product label, add instructions that specify what to do if the product leaks or spills from the product container.

## PRODUCT CHEMISTRY REVIEW

### I. CONFIDENTIAL STATEMENT OF FORMULA

a. Type of formulation and source	e registrati	on:		
Non-integrated formulation	n system		[X]	
Are all TGAIs used register	ered?		Yes [ ]	No [ ]
Integrated formulation sys	tem		[]	
• If "ME-TOO," specify EP.	A Reg. No	. of existing pr	oduct:	
b. Clearance of inerts for non-foo The product is cleared for a Note: This product is not it	food use u	nder 40 CFR §	§180.940 and Yes [ ]	
c. Physical state of product:	-		Liquid	
d. The chemical IDs and analytica pH, and flammability are consister	ıl informat nt with tha	ion (including t given in 830 S	Series, Group	GAIs), density, B. No[]
e. The NCs and CLs are acceptabl	le.		Yes [X]	No [ ]
f. Active ingredients	· W., • .	<u>NC</u> (%)	<u>LCL</u> (%)	<u>UCL</u> (%)
5-Chloro-2-methyl-4-isothiazolin-3-one	3-one	1.11 0.39	1.06 0.35	1.17 0.43
g. For products produced by an int	tegrated fo	rmulation syst	em:	
Do all impurities of toxicol- Yes [ ] No [ ]	ogical sigr Not app	nificance have a blicable [X]	a UCL?	
<ul> <li>Have all impurities of ≥ 0.1</li> <li>Yes [ ] No [ ]</li> </ul>		roduct been idelicable [X]	entified?	

II	<b>PRODUCT</b>	Г	LABEL
11	INODUCE	Ļ	LADEL

a. The active ingredients st			c) is consistent	with the
CONFIDENTIAL STATE	MENT OF FOI	RMULA.	Yes [X]	No [ ]
b. The formula contains on	e of the follow	ring:		
• 10% or more of a pe		ate:	Yes [ ]	No [X]
• 1.0% or more of me	•		Yes[]	No [X]
<ul> <li>sodium nitrite at any</li> </ul>			Yes [ ]	No [X]
<ul> <li>a toxic List I inert a</li> </ul>			Yes[]	No [X]
<ul> <li>arsenic in any form:</li> </ul>			Yes[]	No [X]
<ul><li>c. If "yes" to any of the aboundating this?</li><li>d. Appropriate warning star of the product are listed on</li></ul>	Yes [ ] tement(s) regar	No[]	Not applicat	ole [X]
	Yes [ ]	No [ ]	Not applicab	ole [X]
e. The storage and disposal with PR Notice 84-1 for hor	instructions for usehold use pro Yes [X]	oducts or PR No	ontainer are in tice 83-3 for a	compliance
f. The product requires an e (based on the 1-year storage	expiration date e stability data Yes [ ]	or other informa	ae NC falls bel tion).	ow the LCL
Note: Storage stabil	lity studies are	ongoing and ha	ve not been co	mpleted.

Table A: Product Chemistry (Series 830, Group A)

Data Requirements	Acceptance of Information	MRID No.
830.1550 Product Identity <sup>1</sup>	A	483415-01
830.1600 Description of Materials	A	483415-01
830.1620 Production Process <sup>2</sup>	NA	
830.1650 Formulation Process <sup>3</sup>	A	483415-01
830.1670 Formation of Impurities <sup>4</sup>	A	483415-01
830.1700 Preliminary Analysis <sup>5</sup>	[Not required for products produced by a non-integrated system.]	
830.1750 Certified Limits <sup>6</sup>	A	483415-01
830.1800 Enforcement Analytical Method <sup>7</sup>	A .	483415-03
830.1900 Submittal of Samples	[Samples are to be provided on a case-by-case basis for end-use products.]	

Explanation: A=acceptable; N=not acceptable (i.e., item was submitted but is not acceptable); NA=technically not applicable (i.e., not required); G=data gap (i.e., item was not submitted but is required); U=requires upgrading (i.e., item is unacceptable but upgradeable); W=waived; E=EPA estimate.

<sup>3</sup>For products from a TGAI or MP.

See Confidential Appendix A for additional information.

<sup>&</sup>lt;sup>2</sup>For MP/EP products produced by an integrated formulation system.

<sup>&</sup>lt;sup>4</sup>May be waived unless actual/possible impurities are of toxicological concern.

<sup>&</sup>lt;sup>5</sup>Five batch analysis required for products produced by an integrated formulation system.

<sup>&</sup>lt;sup>6</sup>If different from standard CLs recommended in 40 CFR 158,175, this should be discussed in Confidential Appendix A.

<sup>&</sup>lt;sup>7</sup>Abbreviate method used as follows: gas chromatography (GC), infrared (IR), ultraviolet absorption (UV), nuclear magnetic resonance (NMR), etc.

Table B: Physical and Chemical Characteristics (Series 830, Group B)

Physical/Chemical Properties*	Acceptance of Data	Value or Qualitative Description	MRID No.
830.6302 Color	A	The color of the product is pale green at ambient laboratory temperature, based on visual inspection.	483415-03
830.6303 Physical State	A	The product is a clear mobile liquid, free of any extraneous matter, at ambient laboratory temperature.	483415-03
830.6304 Odor	A	The product has no discernable odor at ambient laboratory temperature.	483415-03
830.6313 Stability to Normal and Elevated Temperatures, Metals, and Metal Ions	NA	[Not required for end-use products.]	
830.6314 Oxidation/ Reduction; Chemical Incompatibility	A .	The product contains acids, reducing agents and organic materials.	,
830.6315 Flammability/ Flame Extension	Α	The product does not contain combustible liquids.	483415-02
830.6316 Explodability	А	The product is not potentially explosive.	483415-02
830.6317 Storage Stability	G	A 12-month storage stability study is currently underway.	
830.6319 Miscibility <sup>1</sup>	A	The product, when mixed with light mineral oil at 25°C, was not homogeneous and separated into layers after 30 minutes. Solutions of 0.3% and 0.5% were evaluated.	483415-03
830.6320 Corrosion Characteristics	G	A 12-month corrosion characteristics study is currently underway.	
830.6321 Dielectric Breakdown Voltage	NA	The product is not a liquid to be used around electrical equipment.	483415-02
830.7000 pH <sup>2</sup>	A	Two determinations were made. The pH of the product (neat) was reported to be 3.2. Testing was conducted in compliance with GLP.	483415-03
830.7050 UV/Visible Absorption	NA	[Not required for end-use products.]	
830.7100 Viscosity	A	The mean viscosity of the product was reported to be 1.2 mPa·s at 20°C and 0.7 mPa·s at 40°C.	483415-03

Physical/Chemical Properties*	Acceptance of Data	Value or Qualitative Description	MRID No.
830.7200 Melting	NA	[Not required for end-use products.]	
Point/Melting Range			
830.7220 Boiling	NA	[Not required for end-use products.]	
Point/Boiling Range			
830.7300 Density/Relative	A	The mean relative density of the	483415-03
Density/Bulk Density		product was reported to be 1.02	
	1	g/mL at 20°C (using a pycnometer).	
830.7370 Dissociation	NA	[Not required for end-use products.]	
Constants in Water			
830.7550/830.7560/830.7570	NA	[Not required for end-use products.]	
Partition Coefficient		L 7 J	
830.7840/830.7860 Water	NA	[Not required for end-use products.]	
Solubility		z i j www.stop.ouw.stog	
830.7950 Vapor Pressure	NA	[Not required for end-use products.]	

Explanation: A=acceptable; N=not acceptable (i.e., item was submitted but is not acceptable); NA=technically not applicable (i.e., not required); G=data gap (i.e., item was not submitted but is required); U=requires upgrading (i.e., item is unacceptable but upgradeable); W=waived; E=EPA estimate.

<sup>&</sup>lt;sup>1</sup>If product is an emulsifiable liquid <sup>2</sup>If product is dispersible with water