## **DATA EVALUATION RECORD - SUPPLEMENT**

XDE-570 (FLORASULAM)

Study Type: OPPTS 870.3200 [§82-2]; Repeated-dose Dermal Toxicity Study in Rats

Work Assignment No. 4-01-128 E (MRID 46808225)

Prepared for
Health Effects Division
Office of Pesticide Programs
U.S. Environmental Protection Agency
2777 South Crystal Drive
Arlington, VA 22202

Prepared by
Pesticides Health Effects Group
Sciences Division
Dynamac Corporation
1910 Sedwick Road, Bldg 100, Ste B.
Durham, NC 27713

Primary Reviewer		
David A. McEwen, B.S.	Signature:	
	Date:	
Secondary Reviewer		
Stephanie E. Foster, M.S.	Signature:	·····
	Date:	
Program Manager:		
Michael E. Viana, Ph.D., D.A.B.T.	Signature:	<del></del>
	Date:	
Quality Assurance:		
Mary L. Menetrez, Ph.D.	Signature:	
	Date:	·

Disclaimer

This Data Evaluation Record my have been altered by the Health Effects Division subsequent to signing by Dynamac Corporation personnel

XDE-570 (FLORASULAM)/129108	Repeated-dose (28-day) Dermai 10	,	DACO 4.3.5/ OECD 410
EPA Reviewer: Karlyn J. Bailey	Sig	nature:	
Registration Action Branch 2, Healt	th Effects Division (7509P)	Date:	
EPA Secondary Reviewer: Myron	Ottley, Ph.D. Sig	nature:	
Registration Action Branch 3, Healt	th Effects Division (7509P)	Date:	
,	` ′		Template version 02/06

## DATA EVALUATION RECORD - SUPPLEMENT

See TXR # 0054348 for previous DER

This supplement contains:

- New cover page
- New executive summary

**STUDY TYPE:** 28-Day Dermal Toxicity - Rats; OPPTS 870.3200 [ '82-2] (rodent); OECD 410.

<u>PC CODE</u>: 129108 <u>DP BARCODE</u>: D331116

**TXR#**: 0054348

TEST MATERIAL (PURITY): XDE-570 (Florasulam; 99.3% a.i.; Lot # 940714)

**SYNONYMS:** XR-570, XRD-570, DE-570, N-(2,6-diflurophenyl)-8-fluoro-5-methoxy(1,2,4)triazolo(1,5-c)pyrimidine-2-sulfonamide

CITATION: Scortichini, B.H. and R.J. Kociba (1997) XDE-570: 28-Day repeated dose dermal toxicity study in Fischer 344 rats. The Toxicology Research Laboratory, Health and Environmental Sciences, The Dow Chemical Company, Midland, MI. Laboratory Project Study ID: 971042, July 15, 1997. MRID 46808225.

Unpublished.

**SPONSOR:** Dow AgroSciences Canada, Inc., 2100-450 1 St. SW, Calgary, AB, Canada

**EXECUTIVE SUMMARY** - In a repeated-dose dermal toxicity study (MRID 46808225), XDE-570 (Florasulam; 99.3% a.i.; Lot # 940714) in aqueous 0.5% Methocel was applied to the shaved skin of 5 Fischer 344 rats/sex/dose at dose levels of 0, 100, 500, or 1000 mg/kg/day, 6 hours/day for 7 days/week during a 28-day period.

No compound related effects in mortality, clinical signs, body weight, body weight gain, food consumption, hematology, clinical chemistry, urinalysis, organ weights, and gross or microscopic pathology parameters were observed in either sex.

At 1000 mg/kg/day, very slight (grade 1) edema and erythema at the treatment site were noted in 4/5 males beginning on Day 23. Dermal irritation was resolved by Day 28.

Repeated-dose (28-day) Dermal Toxicity Study in Rats (1997) / Page 2 of 2 OPPTS 870.3200/ DACO 4.3.5/ OECD 410

XDE-570 (FLORASULAM)/129108

## The LOAEL was not observed. The NOAEL is 1000 mg/kg/day (limit dose).

This study is classified as **acceptable/guideline** and satisfies the guideline requirement for Test Guideline OPPTS 870.3200; OECD 410 for a 28-day dermal toxicity study in rats.

<u>COMPLIANCE</u> - Signed and dated Data Confidentiality, GLP Compliance, and Quality Assurance statements were provided.