DATA EVALUATION RECORD

- 1. CHEMICAL: Bronopol
- 2. TEST MATERIAL: Technical 99.7% active ingredient
- 3. STUDY TYPE: 96 hour LC50 Flow-thru study on a marine/estuarine fish

Species Tested: Sheepshead minnow (Cyprinodon variegatus)

- 4. STUDY IDENTIFICATION: Hill, R. W. November 1984. Bronopol:
 Determination of acute toxicity to sheepshead minnow
 (Cyprinodon variegatus). Study No. M167/D. Prepared by
 Imperial Chemical Industries PLC, Brixham, Devon. Submitted
 to Boots Company, PLC, Nottinghman, England, EPA Accession
 No. 255965.
- 5. REVIEW BY: Elizabeth E. Zucker Wildlife Biologist

Ecological Effects Branch/HED

6. APPROVED BY: David Coppage

Supervisory Biologist

Ecological Effects Branch/HED Date:

7. CONCLUSIONS:

This study may be used to fulfill a guidelines requirement for an acute toxicity test on a marine/estuarine fish species. With a 96-hour LC50 of 59.55 mg/l (95% CL 51.33 to 70.39 mg/l), this chemical is considered slightly toxic to sheepshead minnows.

8. RECOMMENDATIONS: N/A

9. Background

It is not clear why this study was submitted. It was not required to support registration of a manufacturing-use product.

Materials and Methods

A. Test Procedures

Minnows were obtained from Sea Plantations, Inc. in Salem, Mass., and held in the laboratory for 8 weeks prior to testing. Fish were acclimatised to the test vessels for at least 3 days before the study s initiation. Additional test specifics of note include:

Fish mean weight: 0.67 g mean length: 27.9 mm

Twenty fish per concentration. Stock solutions prepared daily. Continous flow-thru system constructed of glass.

Twenty-litre glass vessels holding a nominal 20 litre volume of diluent with a 200 ml/min. renewal rate. A 95% exchange of test solution every 4.5 hrs.

Nominal concentrations of test materials were: 0, 18, 32, 56, 75, 100 and 180 mg/l.

Samples were taken daily from test vessels and toxicant measured by HPLC.

Diluent was local seawater of approximately 34.5 ppth. pH, DO and temperature were measured daily. Symptoms of toxicity were noted twice daily. Food was withheld during the test period (from protocol).

B. Statistical Analysis

Data were analyzed according to the method described by Finney (1971).

12. Reported Results

Mortality Data

Nominal Conc.	Mean Measured	% Mortality				
(mg/1)	Conc. (mg/l)	24	48	72	96	
180	123.2	85	100	100	100	
100	67.2	0	25	35	40	
75	47.5	0	25	45	45	
56	34.0	0	0	0	10	
32	16.9	0	0	10	10	
18	8.5	0	0	0	. 0	
Control	· -	0	0	0	0	

pH values ranged from 7.8 to 8.3 in the exposure vessels. Salinity ranged from 34.80 to 34.96%. DO ranged from 5.8 to 8.6 mg/l Temperature was 21.0 to $21.9\,^{\circ}$ C in exposure chambers.

Symptoms of toxicity included loss of equilibrium, quiescence, darkening in color, rapid respiration and surfacing Surfacing was noted in at least one fish at all levels except the 18 mg/l concentration. Most of the other symptoms were noted in the 75 mg/l or greater levels.

13. Study Author's Conclusion/QA Measures

Time	LC ₅₀	95% CL
24 hrs.	101	(88-114)
48 hrs.	70.8	(34-142)
72 hrs.	61.5	(34-110)
96 hrs.	57.6	(31-164)

The study was inspected by ICI in accordance with GLP.

14. Reviewer's Discussion and Interpretation of the Study.

A. Test Procedures

This study was performed under conditions that generally complied with current testing standards with the following notable exceptions:

- 1. Temperature was not monitored continuously.
- Fish should have been acclimated to study conditions for a longer time period.
- Photoperiod was not reported.

 \overline{j}

B. Statistical Analysis

Stephan's computerized program was utilized to analyze the data. The mean measured concentrations were used in the calculations. The LC50 value differed slightly from those found by the study author (Results appended).

C. Results/Discussion

According to the label, this chemical is 25% soluble in water (w/v). However, chemical analysis of diluent showed that actual concentration of the toxicant ranged from 47.2 to 68.4% of nominal concentrations. Each tank was sampled daily with the exceptions that the 180 mg/l vessel was sampled only on Day 1 and 2 and the 32 mg/l tank was sampled daily but 3 times on Day 2 and 4. Results of the analyses indicate that residues were consistent.

D. Adequacy of Study

- 1. Classification: Core for technical product
- 2. Rationale: N/A
- 3. Repairability: N/A



ZUCKER	BRONOPOL	96 HOUR	TECHNICAL *******	SHEEPSHEAD MINNOW MEASURED	CONC
CONC.	NUMBER EXPOSED	NUMBER DE AD	PERCENT DE AD	BINOMIAL PROB. (PERCENT)	
123.2 67.2	20 20 20	20 8 9	100 40 45	9.53674E-05 25.1722 41.1901	
47.5 34 16.9 8.5	20 20 20 20	2 0 0	10 0 0	.0201225 9.53674E-05 9.53674E-05	

THE BINOMIAL TEST SHOWS THAT 34 AND 123.2 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 72.462

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS

3 .0918382 59.4376 51.8132 69.104

RESULTS CALCULATED USING THE PROBIT METHOD
ITERATIONS
7
G H GOODNESS OF FIT PROBABILITY
.153635

SLOPE = 5.17263 95 PERCENT CONFIDENCE LIMITS = 3.32408 AND 7.02117

LC50 = 59.5451 95 PERCENT CONFIDENCE LIMITS = 51.3271 AND 70.3929

Š.

Page(/) is not included in this copy. Pages through are not included.	,
The material not included contains the following type information:	of
Identity of product inert ingredients.	
Identity of product impurities.	
Description of the product manufacturing process.	
Description of quality control procedures.	
Identity of the source of product ingredients.	
Sales or other commercial/financial information.	
A draft product label.	
The product confidential statement of formula.	
Information about a pending registration action.	
FIFRA registration data.	٠,
The document is a duplicate of page(s)	
The document is not responsive to the request.	• -
	
	.:-1
The information not included is generally considered confident by product registrants. If you have any questions, please cont	act
the individual who prepared the response to your request.	

ŧ

.