

4-30

8-7-2007

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms. Nicole Russell
Registration Specialist
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

AUG 7 2007

RE: Addition of optional registered trademark logo, removal of reference to
1-800-Cleanup and revisions in accordance with EPA Comments letter dated
9/10/03
EPA Registration Number: 4-30
Date of Submission: July 3, 2007

Dear Ms. Russell:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 3, 2007, for the product Bonide Retenone-Copper Dust. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/8



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-30	2. EPA Product Manager William Jacobs, PhD	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Bonide Rotenone-Copper Dust	PM# 14	
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 Attn: Nicole Russell <input type="checkbox"/> Check if this is a new address	6. Expedited Review: In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION: Addition of optional registered trademark logo, removal of reference to 1-800-CLEANUP and revisions in accordance with EPA Comments letter dated 9/10/03.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Section - III

~~1. Material This Product Will Be Packaged In:~~

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted	If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	

~~3. Location of Net Contents Information
 Label Container~~

~~4. Size(s) Retail Container~~

~~5. Location of Label Directions~~

~~6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____~~

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Nicole Russell	Title Registration Specialist	Telephone No. (Include Area Code) 315-736-8231 ext. 230
------------------------	----------------------------------	--

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment, both under applicable law.

2. Signature <i>Nicole Russell</i>	3. Title Registration Specialist	6. Date Application Received (Stamped)
4. Typed Name Nicole Russell	5. Date 7-3-07	

TRUSTED SINCE 1926
BONIDE

Garden Dust

Polvo para jardín

Ready to Use



- Insecticide-fungicide dust
- For use on vegetables, fruit trees and flowers as listed

ACTIVE INGREDIENTS:

Copper (In Basic Copper Sulphate) (expressed as metallic)	7.00%
Rotenone	0.75%
Other Cube Resins	1.50%
OTHER INGREDIENTS	90.75%
TOTAL	100.00%


EPA Est. No. 4-NY-1 EPA Reg. No. 4-30



Keep Out Of Reach Of Children
CAUTION

(See Back Panel for Additional Precautionary Statements)
Net Weight 1 Lb. (45 kg)
Packed by weight, not volume

Registered trademark



4/8



BONIDE® ROTENONE-COPPER DUST

FOR POTATO-TOMATO-VEGETABLE GARDENS

[Additional Brand Names: Rose and Flower Dust; Garden Dust; Fruit Tree Spray; Bonide® Fruit Tree Spray or Dust]

Optional Marketing Statements:

- Insecticide-fungicide dust for use on rose and flowers as listed
- Ready-to-Use
- One-step control of insects and disease on listed vegetables
- Tinted green to blend with foliage.

ACTIVE INGREDIENTS:

Copper (in basic Copper Sulfate) expressed as metallic.....	7.00%
Rotenone	0.75%
Other Cube Resins	1.50%
OTHER INGREDIENTS:	<u>90.75%</u>
TOTAL	100.0%

Keep Out Of Reach Of Children

CAUTION

See back/side/other panel(s) for additional precautionary statements.

NET WEIGHT: _____

5/8

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.	
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing dust or spray. Wash thoroughly after handling. Wash contaminated clothing before reuse. Do not apply to food crops within 1 day of harvest. May cause skin sensitization in certain individuals.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Per EPA
comments
letter dated
9/10/03.

Use as a dust or spray any time when conditions are favorable, applied at 7 to 10 day intervals, as soon as plants are above ground, or as soon as insects appear. Keep foliage covered, especially new growth. In all cases repeat treatment as required (i.e., after rainfall, etc.) Do not apply to food crops within one day of harvest.

Use Restrictions: To control the insects and diseases on the plants listed in the table below. Do not apply to food crops within one day of harvest. If blossoms are in full bloom, protect pollinators by using a fungicide only, such as Bonide® Copper Dust. For home garden use only.

6/8

How to Apply:

As a Dust: This can is a squeeze type duster. Shake can to fluff powder. Press sides of can with fingers, using rapid motion for fog effect. Cover foliage with a thin film of dust, both top and undersides of leaves. Depending on foliage density, one pound should cover approximately 1,000 sq. ft.

As a Spray: mix 1 pound to 5 gallons of water, or 1 tablespoonful to 1 quart of water. Add powder to small quantity of water first making a paste, then add desired amount of water. Spray to cover all parts of exposed plant both top and undersides of leaves.

When to Apply:

INSECTS: Apply when insects appear on the plants.

DISEASES: Apply when plants appear above the soil.

When to Reapply:

Repeat at 7 to 10 day intervals and after rains.

CROP	DISEASES	INSECTS CONTROLLED OR REPELLED
Cabbage, Broccoli, Cauliflower, Brussels Sprouts	Downy mildew, leaf spot	Imported cabbage worm, cabbage looper, diamond back moth, aphid.
Carrots	Downy mildew, leaf spot	Flea beetle, thrips, aphids, carrot rust fly.
Celery	Early and late blights, leaf spot	Parsnip webworm, two-spotted spider mite, tarnished plant bug, carrot rust fly, aphid
Cucumber, Melons, Pumpkins, Squash	Angular leaf spot, downy mildew, powdery mildew, gummy stem blight, anthracnose, leaf spots, scab	Pickleworm, melonworm, cucumber beetle, young squash bug, aphid, two-spotted mite
Potatoes	Early and late blights	Colorado potato beetle, flea beetle,
Tomatoes, Eggplant	Early and late blights, anthracnose, bacterial spot, leaf spots, nail head rust, Septoria and Stemphylium leaf mold	leafhopper, young tomato hornworm, tomato pinworm, tarnished plant bug, stink bug, aphid, thrips, white fly, mealybugs
Strawberries	Leaf spot, downy mildew, leaf blights, leaf scorch	Leaf roller, weevil, red spider, spittlebug

7/8

CROPS	DISEASES	INSECTS CONTROLLED OR REPELLED
Apples	Bitter rot, black rot, blotch, powdery mildew	Aphid, leafhopper, tent caterpillar, European apple sawfly, Japanese beetle, red spider mite, codling moth, apple maggot.
Apricots, Cherries (sour)	Brown rot	Black cherry aphid, mealy plum aphid, cherry fruit fly, Japanese beetle, ten caterpillar, orange tortrix, tussock moth
Pears	Scab, leaf blights	Codling moth, plum curculio, aphid, leafhopper, pear psylla
Arbor Vitae, Asters	Blights, leaf spots	Red spider, flea beetle, thrips, Japanese beetle, leaf roller, birch leaf miner, lace bugs, tent caterpillar
Oaks	Leaf blister (Taphrina)	
Azaleas, Begonias, Rhododendrons	Leaf blights, leaf scorch, leaf spot	Aphids, mites, rose chafer, Japanese beetle, flea beetle, thrips, leafhopper, red spider, and repels bagworms
Chrysanthemums	Botrytis blight, downy mildew, leaf spots	
Flowering Shrubs, Maples, Hawthorne, Gardenias, Marigolds, Phlox, Stocks	Leaf spots	
Roses	Anthrachnose, black spot, downy and powdery mildew, leaf spots, stem canker	

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

Disposal: *If empty* - Do not reuse this container. Place in trash or offer for recycling if available. *If partly filled* - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the Nation Pesticide Information Center at 1-800-858-7378.

Buyer's guarantee limited to label claims

Bonide Products, Inc.
Oriskany, NY 13424

