4.242, PM-16

24 NOV 1987

310 -203,93 11

Bonide Chemical Company, Inc. 2 Wurz Avenue Yorkville, NY 13495

Gentlemen:

Subject: Boni de Slug and Snail Killer EPA Registration No. 4-242 Your Labeling Submitted April 24, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you submit five (5) copies of your final printed labeling incorporating the following correction before you release the product for shipment.

- Since it is your intention that the subject product be used for commercial uses, as is evidenced by the addition of the Restricted Use Classification statements, the following worker protection statement must be added to the label:

Do not enter treated areas for 24 hours after application unless protective clothing is worn.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours

BEST AVAILABLE COPY

William H. Miller Product Manager (16) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

94285:I:Mautz:CBI-7:KENCO:11/9/87:11/18/87:rw:vo:ek:rw:

CONCURRENCES								
SYMBOL	ORIGIONATOR							
SURNAME.								
DATE					l		· · · · · ·	· · · · ·


OFFICIAL FILE COPY

# RESTRICTED USE PESTICIDE

1

Due to Avian Toxicity and Fish and Aquatic Organism Toxicity

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.



Page 2

# BONIDE SLUG & SNAIL KILLER, EPA REG. NO. 4-242

ſ

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Wash contaminated clothing with soap and hot water before re-use. Keep out of reach of children and irresponsible individuals. If poisoning occurs, obtain prompt medical aid. ANTIDOTE: Atropine Sulfate.

Do not use on plants grown for food. Do not contaminate food or feed. Keep away from domestic pets and animals.

## ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

This pesticide is toxic to fish and very highly toxic to birds. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

<u>Storage</u>: Store in a cool, dry place in an area inaccessible to children or pets. Do not reuse container.

<u>Product Disposal</u>: Securely wrap original container in several layers of newspaper and discard in trash.

<u>Container Disposal</u>: Empty container should be wrapped in newspaper and discarded in trash, or if allowed by state and local authorities, burned. If burned, stay out of smoke. 3/ч

small to avoid attraction of pets and children.

۶r

BONIDE SLUG AND SNAIL KILLER is a bait. Molluses feed and are killed. Can be applied any time, effective both during cool and warm seasons of the year. No unsightly, poisonous mounds of bait necessary and particle size is

#### DIRECTIONS '

Please read all directions, restrictions, cautions and warranty before use. The following directions for use reflect the opinion of experts based on tests of effectiveness, toxicity to plants and laboratory animals, and of residues on or in food and feed under normal conditions of use. Because of the wide range of conditions under which this product may be used, both normal and abnormal, beyond the control of the seller, seller warrants only that the product conforms to label descriptions and buyer accepts all risks of use and storage.

APPLICATION: Scatter bait so that it is hardly visible on the ground. Bait should be applied to soil around ornamental plants, but not directly to plant foilage. Special attention should be given to treating areas around flower beds, under greenhouse benches, and around building foundations. For best results, lightly water the area to be treated before applying the bait. Do not place bait in piles; scatter 1 pound of bait, uniformly over 1,000 square feet of area to be treated. This is a light application equivalent to 1 ounce on an area 2% feet wide by 25 feet long. Repeat applications as necessary to keep areas free of slug and snail pests.

> Buyer's Guarantee Limited to Label Claims. Mig. by BONIDE CHEMICAL CO., INC., Yorkville, N.Y. 13495

> > ...