

1063  
PM 21  
4-246

# BONIDE LAWN and TURF FUNGICIDE

CONTAINS

# DYRENE 50%

WETTABLE POWDER

FOR CONTROL OF TURF DISEASES SUCH AS BROWN PATCH,  
COPPER SPOT, DOLLAR SPOT, HELMINTHOSPORIUM LEAF  
SPOT, MELTING OUT, RUST, SNOW MOLD (TYPHULA)

EPA Est. 4-NY-1    EPA Reg. No. 4-248  
ACTIVE INGREDIENT  
4,6 Dichloro-N-(2-chlorophenyl) 1,3,5-triazin-2-amine .....50%  
INERT INGREDIENTS .....50%  
DYRENE is a registered T.M. of the Mobay Chemical Corporation

KEEP OUT OF REACH OF CHILDREN  
  
DANGER  
  
See Back Panel for Additional  
Precautionary Statements

NET WEIGHT:

ACCEPTED  
SEP 3-0-1986  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 4-246

BONIDE LAWN AND TURF FUNGICIDE CONTAINS DYRENE 50%,  
EPA Reg. No. 4-246

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - DANGER

Causes irreversible eye damage. Harmful or ~~fatal~~ if swallowed. Avoid contact with skin. Do not get in eyes or on clothing. Wear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Protective clothing should be worn during periods of exposure, such as during application or when contacting treated foliage. ANILAZINE may cause a temporary allergic skin reaction in a few susceptible persons. This condition should be treated as an allergic dermatitis. There is no evidence of after effects or permanent injury.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by sticking finger in back of throat.

If in eyes  
or on skin: Flush with plenty of water. Get medical attention if irritation persists.

Note to Physician: May cause a temporary allergic skin reaction. Treat symptomatically as for allergic dermatitis.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment, or disposal of wastes. Cover or incorporate spills.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow children or pets to play on lawn for 24 hours after treatment.

STORAGE AND DISPOSAL

Store in a cool, dry place inaccessible to children or pets. Wrap container in several layers of newspaper and place in trash.

BONIDE LAWN AND TURF FUNGICIDE CONTAINS DYRENE 50%  
EPA Reg. No. 4-246

turf

BONIDE LAWN & TURF FUNGICIDE effectively protects grasses from various destructive diseases. Complete and thorough coverage of area is necessary for satisfactory control. For a preventive program begin application before diseases appear and repeat treatments as needed, usually at intervals of 10 to 14 days, except during extended periods of cool, moist conditions, when applications every 7 days may be advisable. The spray program should be continued through the spring and summer months.

Schedule applications in accordance with local conditions. Consult your State Agricultural Experiment Station or Extension Service for specific use information for state regulations which may contain additional restrictions or requirements.

RECOMMENDED APPLICATIONS

Diseases	Pounds	Remarks
Brown Patch, Copper Spot, Dollar Spot, Helminthosporium Leaf Spot, Money-nut Rust	1/2 to 1 1/2	Apply sprinkled Bosqum 5 qals. of water per 1,000 sq. ft. Repeat at 1 to 2 week intervals throughout the spring and summer months.
Snow Molds (Typhula)	1/2	Apply after last spring frost in Fall. A second application should be made when the lawn is free of snow in mid-winter and this should be followed by a third application after the final melting of snow in late winter or early spring.

Recommendations for use of this product are based upon tests believed to be reliable. The buyer must assume responsibility for use of this product when not used in strict accordance with label directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Manufactured by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495