

RESTRICTED USE PESTICIDE

FOR RETAIL SALE AND USE ONLY BY  
CERTIFIED APPLICATORS OR PERSONS  
UNDER THEIR DIRECT SUPERVISION  
AND ONLY FOR THOSE USES COVERED  
BY THE CERTIFIED APPLICATOR'S  
CERTIFICATION.

B O N I D E

CHLORDANE 10 (Nursery Stock)

FOR CONTROL OF IMPORTED FIRE ANTS, JAPANESE BEETLE LARVAE,  
AND BLACK VINE WEEVILS IN NURSEPY STOCK FOR COMPLIANCE WITH  
FEDERAL AND STATE QUARANTINE PROGRAMS.

EPA REG. NO. 4-262 EPA EST. NO. 4-NY-1

ACTIVE INGREDIENT:

|                      |      |
|----------------------|------|
| Technical Chlordane* | 10%  |
| INERT INGREDIENTS    | 90%  |
| TOTAL                | 100% |

\*Equivalent to 6% Octachloro-4, 7-methanotetrahydroindane  
and 4% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN

ANTIDOTE

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled - Remove victim to fresh air and apply respiration if indicated.
- If on skin - Wash promptly with soap and water. Rinse thoroughly.
- If in eyes - Rinse eyes for at least 15 minutes with water and call a physician immediately.

JAN 24 1979

4-262

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS - ... Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust. In case of contact with skin, wash with soap and water. Avoid contamination of feed and food stuffs. Keep out of the reach of children. Keep children or pets off treated area until material has been washed into the soil with water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Do not apply where runoff is likely to occur. Do not apply when weather favors drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity. Additional information can be obtained from your Cooperative Extension Service.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product may not be used against any pests not named on the label.

This product may be applied under the direct supervision of a certified applicator who is not physically present at the site of application, but is, nonetheless, available to the person applying the pesticide.

For use in accordance with the recommendations and instructions issued by USDA for quarantine programs. To be used only by or under the supervision of Federal/State quarantine personnel for quarantine treatments for nursery stock. Use on turf is prohibited. Restricted to use on land growing nursery stock, nursery stock itself, and potting and bench soils for nursery stock. Treated soils, themselves, may not be sold.

For black vine weevil control, treat the plants, especially the trunks closest to the ground, drench the ground and work into the top 4 inches of soil.

RESTRICTIONS: Use in compliance with state nursery certification regulations. Use on turf is prohibited. Restricted to use on land growing nursery stock or nursery stock itself.

DISPATCH AND DISPOSAL

1. Prohibitions - Do not contaminate water, food, or feed by storage or disposal. ... Pesticide disposal - Pesticide, spray mixture, or residue that cannot be used or otherwise disposed of should be stored in a secure container until it can be properly disposed of. ...

LIFE-TIME VALUE FOR 1 YEAR

| USE   | INSECT                    | LBS./5,000 Sq. Ft. | POUNDS/<br>ACRE |
|---|---------------------------|--------------------|-----------------|
| Nursery Stock in Federal<br>and State Quarantine<br>Areas | Imported Fire<br>Ants     | 5 3/4              | 50              |
|   | Japanese Beetle<br>Larvae | 5 3/4              | 50              |
|   | Black Vine<br>Weevil      | 5 3/4              | 50              |

FOR BENCH GILL USE - 2 OZ./FT.<sup>3</sup>

Buyer's Guarantee Limited to Label Claims and Refund of Purchase Price.

MFG. by FONIDE CHEMICAL CO., INC., YORKVILLE, N.Y. 13495