	PONIDE		TR
			TACC
	0.5% LIAZINON	A SPECAY	
	FOR INDOOR USE GALY		to the first of the first of the
	EPA REG. NO. 4-280	EPA EST. NO	. 4-NY-1
INERT INGRE	Distillates DIENTS t contains .03 pounds D:) - Reg istered trademar	Total Lazinon ^(R) per a	100.00%
	KEEP OUT OF READ	CH OF CHILDREN	
	CAUTIC		
		N	
	SEE BACK PANEL FOR A		ons
		DDITIONAL CAUTI	0NS
	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention	o not induce
If inhaled	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary.	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici	o not induce al respiration
If swallowe If inhaled If on skin If in eyes	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary.	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici clothing and w ap and warm wat east 15 minutes	o not induce al respiration ash skin er.
If inhaled If on skin	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary. - Remove contaminated immediately with so - Flush eyes for at 1 Call a physician im	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici clothing and w ap and warm wat east 15 minutes	o not induce al respiration ash skin er.
If inhaled If on skin If in eyes <u>NOTE TO PHY</u> If symptoms	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary. - Remove contaminated immediately with so - Flush eyes for at 1 Call a physician im	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici clothing and w ap and warm wat east 15 minutes mediately.	o not induce al respiration ash skin er. with water. ent, Atropine
If inhaled If on skin If in eyes <u>NOTE TO PHY</u> If symptoms sulfate is	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary. - Remove contaminated immediately with so - Flush eyes for at 1 Call a physician im <u>(SICIAN:</u> s of cholinesterase inhi	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici clothing and w ap and warm wat east 15 minutes mediately.	o not induce al respiration ash skin er. with water. ent, Atropine
If inhaled If on skin If in eyes <u>NOTE TO PHY</u> If symptoms sulfate is	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary. - Remove contaminated immediately with so - Flush eyes for at 1 Call a physician im <u>(SICIAN:</u> s of cholinesterase inhi antidotal and may be ad	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici clothing and w ap and warm wat east 15 minutes mediately.	o not induce al respiration ash skin er. with water. ent, Atropine
If inhaled If on skin If in eyes <u>NOTE TO PHY</u> If symptoms sulfate is	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary. - Remove contaminated immediately with so - Flush eyes for at 1 Call a physician im <u>(SICIAN:</u> s of cholinesterase inhi antidotal and may be ad	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici clothing and w ap and warm wat east 15 minutes mediately.	o not induce al respiration ash skin er. with water. ent, Atropine
If inhaled If on skin If in eyes <u>NOTE TO PHY</u> If symptoms sulfate is	SEE BACK PANEL FOR A STATEMENT OF PRAC ed - Give milk or water vomitting. Seek me - Move to fresh air. if necessary. - Remove contaminated immediately with so - Flush eyes for at 1 Call a physician im <u>(SICIAN:</u> s of cholinesterase inhi antidotal and may be ad	DDITIONAL CAUTI TICAL TREATMENT if conscious; d dical attention Apply artifici clothing and w ap and warm wat east 15 minutes mediately.	o not induce al respiration ash skin er. with water. ent, Atropine

BONIDE 0.5% DIAZINCN^(R) SPRAY PRECAUTIONARY STATEMENTS 4-280 HAZARDS TO HUMANS (& DOMESTIC ANIMALS) DAUTI N Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin, eyes, and clothing. Mash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Do not allow children in treated areas until surfaces are dried. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is prepared or processed. Do not use in serving areas while food is exposed. ENVIRONMENTAL HAZARDS This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label. PHYSICAL OR CHEMICAL HAZARDS Do not use or store near heat or open flame. DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent with its labeling. <u>STCRAGE AND DISPOSAL</u> Prohibitions - Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. 2. Pesticide <u>Disposal</u> - Pesticide, spray, mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water 3. <u>Container Disposal</u> - Triple rinse (or equivalent) supplies. and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place. 4. General - Consult Federal, state or local disposal authorities for approved alternative procedures. To Control Cockroaches and Ants: Spray until wet on surfaces tehind and beneath cabinets, refrigerators, sinks, stoves and trails. Spray window and door frames, where ants enter. Repeat

Buyer's Guarantee Elmited Strictly to Label Claims and Refund of Purchase Price.

as necessary. Do not use as a space spray.

MAG. BY POUDE TOPHING HEL, INL., YORKVILLE, NY 13495

()43