

4-352





ŕ

BONIDE

LAST SLIME

SLUG – N – SNAIL BEATER

CONCENTRATE

[Additional Brand Name: No Escape Slug & Snail Killer Concentrate]

Optional Marketing Statements: ATTRACTS AND KILLS SLUGS AND SNAILS TREATS 1,600 SQ. FT. [1 QT. PACKAGING] PROTECTS LAWN AND LISTED ORNAMENTALS, FRUIT AND VEGETABLES KILLS SLUGS AND SNAILS FOR USE ON LISTED LAWNS AND AROUND LISTED ORNAMENTALS, FRUITS AND VEGETABLES

ACTIVE INGREDIENT:

Metaldehyde (CAS # 108-62-3)	12.50%
OTHER INGRÉDIENTS:	
TOTAL	

THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN.

KEEP PETS OUT OF TREATED AREA.

SHAKE BEFORE USING

KEEP OUT OF REACH OF CHILDREN

WARNING

See back/side/other panel(s) for First Aid and additional Precautionary Statements.

NET CONTENTS:

EPA Reg. No. 4-352 6/23/03 - amendment

EPA Est. No. 4-NY-1 Page 1 of 4 Pages

	FIRST AID
going for treatm	et container or label with you when calling a poison control center or doctor, or nent. You may also contact the National Pesticide Telecommunications Network 78 for emergency medical treatment information.
If swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
lf on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	YSICIAN: ANTIDOTE – Artificial respiration. Keep chest and lower rm. Digitalis hypodermically. 10 gr. calcium glucomate intravenously.

(

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of the reach of children. May be fatal if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Do not allow the bait to contact the edible portion of any food or feed crop. Wash thoroughly after using.

This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of the reach of children and pets, poultry and livestock. Protect dogs from treated areas since they may be attracted to this product when applied. Do not allow children and pets to play on treated areas until residues have been washed off and into the soil.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from treated areas. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling:

EPA Reg. No. 4-352 6/23/03 - amendment

EPA Est. No. 4-NY-1 Page 2 of 4 Pages

STORAGE AND DISPOSAL

Í

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets. Keep from freezing.

Disposal: If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawn and grounds.

SHAKE BEFORE USING

FRUITS: Apples, Blueberries, Cantaloupe, Cherries, Grapes, Peaches, Pears, Raspberries, and Strawberries. Mix 2 fl. oz. per gal. of water and apply to 100 sq. ft. around listed fruits. Do not allow the spray to contact fruit.

VEGETABLES: Beans, Broccoli, Cabbage, Carrots, Cauliflower, Corn, Cucumber, Eggplant, Lettuce, Onions, Peas, Peppers, Potatoes, Pumpkins, Radishes, Rhubarb, Spinach, Squash, and Tomatoes. Mix 2 fl. oz. per gal. of water and apply to 100 sq. ft. around listed vegetables. Do not allow the spray to contact vegetables.

LAWNS AND ORNAMENTALS: Geraniums, Salvia, Primroses, Marigolds, Petunias, Pansies, Dahlias, Iris, Daisies, Begonias, Coleus, Ajuga, and Dichondra.

SPRINKLING CAN: Mix 2 fl. ounces (4 tablespoons) for each gallon of water. Apply to 100 sq. ft.

HOSE-END SPRAYER: Use 2 fl. ounces (4 tablespoons) for each gallon of water delivered by your sprayer. Apply one gallon of this mix to 100 sq. ft. One qt. treats 1,600 sq. ft.

For complete control, cover entire area. Bonide[®] Slug-N-Snail Beater should be applied in the evening as slugs feed mostly at night. Re-apply after two weeks or after heavy rain.

[If this product is packaged in a hose-end sprayer:]

- 1. Make sure knob control lever is in the OFF position. Shake well and attach to hose.
- 2. Turn water on at faucet, aim nozzle toward lawn and turn knob control lever to ON to begin spraying.
- 3. When finished, turn control lever to OFF position. Turn faucet to OFF position. Discharge residual water pressure by turning control lever ON and OFF again.

EPA Reg. No. 4-352 6/23/03 - amendment

STORE OUT OF REACH OF CHILDREN.

1

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Telecommunications Network at 1-800-858-7378.

ŧ

Buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Manufactured by:

Bonide Products, Inc.

Oriskany, NY 13424