

GARDEN ROTENONE DUST

Optional	Marketing	Statement:

Insecticide for Use on Vegetables, Fruit, Ornamentals, Dogs and Cats

	ACCEPTED	
	NOV 2 4 2003	
ACTIVE INGREDIENTS:	Ender the Foderal Land lette, News this rank foderalette 1.05 to terminate to the factorist 1.05 to terminate to terminate to the factorist 1.05 to terminate to	1.67%
Other Cube Resins	was a series with 11 404	2.57%
OTHER INGREDIENTS:.	THE RESERVE AND THE PROPERTY OF THE PROPERTY O	95.76%
TOTAL		100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back/side/other panel(s) for additional precautionary statements

NET	WEIG	GHT:	;	

READ ENTIRE LABEL BEFORE EACH USE.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin or inhaled. Avoid contact with skin, eyes, or clothing. Avoid inhalation of dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse.

FIRST AID			
Have label with	Have label with you when obtaining treatment advice, including 1-800-858-7378 ¹ .		
If Swallowed:	Call poison control center or doctor immediately for treatment advice.		
	• Have person sip a glass of water if able to swallow.		
	• Do not induce vomiting unless gold to do so by the poison control center or doctor.		
	• Do not give anything by mouth to an unconscious person.		
If on Skin or	Take off contaminated clothing.		
Clothing:	• Rinse skin immediately with plenty of water for 15-20 minutes.		
	Call a poison control center or doctor immediately for treatment advice.		
If Inhaled:	Move person to fresh air.		
	• If person is not breathing, call 911 or an ambulance, then give artificial		
	respiration, preferably by mouth-to-mouth, if possible.		
	• Call a poison control center or doctor immediately for treatment advice.		
If in Eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	• Call a poison control center or doctor immediately for treatment advice.		

¹Call the National Pesticide Information Center (NPIC) toll-free number for medical emergencies, health concerns, and pesticide incidents.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL RESTRICTIONS

For use on home ornamentals and vegetable gardens, on home lawns, and on pets.

HOME ORNAMENTALS AND VEGETABLE GARDENS

USE RESTRICTIONS: For control of non-woolly aphids (plant lice), flea beetles, sawfly larva and spittlebug on flowers, ornamental shrubs, trees and nonbearing fruit and nut trees. For control of non-wooly aphids (plant lice), bean leaf beetles, flea beetles, imported cabbage worm,

EPA Reg. No. 4-404 10/22/03 – amendment

•

EPA Est. No. 4-NY-1 Page 2 of 4 Pages sawfly larva, spittlebug, and asparagus beetle on cabbage, cauliflower, lettuce, beans, tomatoes, peas, radishes, beets, onions, squash, cucumber, melons and asparagus. Will not injure tender plant foliage. May be used as a ready-to-use dust or as a wet spray.

Mixing Directions:

Ready-to-Use Dust: No mixing required.

Wet Spray: Stir or mix 3 to 4 tablespoonful amounts of dust into enough water to make a paste. Then add enough water to make 1 gallon of wet spray.

Application Directions:

Begin application when plants are well established or when new growth appears.

Dust: When air is calm, sift directly from shaker top can or use a small hand duster. Dust top and bottom of foliage and insects thoroughly.

Wet Spray: Using a small hand sprayer, apply to top and bottom of foliage to point of runoff.

Retreatment Directions:

To prevent reinfestation, repeat application every 7 to 10 days, but sooner if heavy rains occur or if pests are present.

HOME LAWNS

USE RESTRICTIONS: For control of night crawlers (also known as red or fish worms) in lawns where their mounds create a rough, uneven surface. This condition usually occurs during early, moist spring weather when night crawlers are most active near the surface. For quickest results, make application just before a spring shower when night crawlers come to the surface for feeding.

Application Directions: When air is calm, sift from shaker top can or use a small hand duster to apply dust at the rate of 1 pound per 250 sq. ft. Then water material into the ground.

PETS PRE-TREATMENT DIRECTIONS

READ ENTIRE LABEL BEFORE EACH USE.

USE ONLY ON DOGS AND CATS TO KILL FLEAS, LICE, AND TICKS: Do not use on animals under 12 weeks.

Consult a veterinarian or call this Animal Poison Control number 1-800-548-2423 before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

EPA Reg. No. 4-404 10/22/03 – amendment EPA Est. No. 4-NY-1 Page 3 of 4 Pages

ADVERSE REACTION INFORMATION

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately, or call the Animal Poison Control number 1-800-548-2423.

APPLICATION DIRECTIONS

Dust pet thoroughly, including head (except eyes, mouth, and nose), back, sides, legs, ears, and tail. Avoid any sores. Rub into fur. Dust sleeping quarters and replace bedding if necessary.

REAPPLICATION DIRECTIONS

Do not reapply product for 7 days.

1

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

<u>Disposal:</u> If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Telecommunications Network at 1-800-858-7378.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OF FITNESS FOR A PATICULAR PURPOSE, express or implied, extends to the use of this product contrary to label and buyer assumes the risk of any such use.

Packed by weight, not in volume. Product may settle in shipment.

Manufactured for:

Bonide Products, Inc.

Oriskany, NY 13424