NOV - 7 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as emended, for the pesticide registered under KPA Reg. No. 4-418



# Pressurized Spray Insecticide 0.25%

- A synthetic pyrethroid insecticide for controlling the following flying and crawling insects: wasps, hornets, yellow jackets, bees, ants, cockroaches, spiders, earwigs, grain mites, sowbugs, crickets, beetles, silverfish, centipedes, millipedes, carpenter ants, carpenter bees, termites and listed wood infesting beetles
- Jet stream up to 12 foot range
- Dielectric strength non-conducting up to 26,500 volts
- Can be used indoors (attics and other places where nests are built) and outdoors
- Kills fast
- Quick kill
- Kills listed insects indoors and outdoors
- Kills wasps, hornets and yellow jackets instantly
- Gives knockdown and kill of wasps, hornets, yellow jackets and bees
- Kills pantry pests, flying and crawling insects
- Instant knockdown

### **ACTIVE INGREDIENT:**

Resmethrin (CAS No. 10453-86-8)	0.25%
OTHER INGREDIENTS:	99.75%
TOTAL:	100.00%
Contains petroleum distillates	

### KEEP OUT OF REACH OF CHILDREN

## **CAUTION**

See back/side/other panel(s) for additional precautionary statements.

NET WEIGHT \_\_\_\_\_ OZ.

EPA Est. No. 4-NY-1'
Page 1 of 5 Pages

EPA Reg. No. 4-418 8/6/03 - amendment

	FIRST AID
doctor, or goin	act container or label with you when calling a poison control center or g for treatment. You may also contact the National Pesticide ations Network at 1-800-858-7378 for emergency medical treatment
If swallowed	Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
	NOTE TO PHYSICIAN
Contains petro	leum distillate. Vomiting may cause aspiration pneumonia.

### PRECAUTIONARY STATEMENTS

### Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Remove pets and birds, and cover fish aquariums before spraying. Do not apply directly to food. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

In commercial handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in packing plants, bakeries and other tood processing plants, wash all '',' a equipment, benches, shelving, etc. where exposed food will be handled with potable ''' water.

Physical & Chemical Hazards

Contents under pressure. Do not puncture. **DO NOT USE OR STORE NEAR HEAT**OR OPEN FLAME. Exposure to temperatures above 113°F may cause bursting. Never throw container into fire or incinerator.

EPA Reg. No. 4-418 8/6/03 - amendment

)

EPA Est. No. 4-NY-1°
Page 2 of 5 Pages

# 5/5

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in and around hotels, motels, homes, greenhouses and lath houses, food handling establishments, packaging and processing plants, seed houses; commercial, industrial, office, institutional and storage buildings; milk handling areas of milk, cheese and ice cream plants; milk storage rooms, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars, and ship cargo holds. Also for use in dog kennels and horse stables – in horse stables, not for application if horses will be used for food.

In food handling areas, food should be removed or covered prior to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

### STORAGE AND DISPOSAL

**Storage:** Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

Do not puncture or incinerate!

<u>Disposal:</u> If empty – Place in trash or offer for recycling if available.

If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

For household and industrial use – indoors and around premises. Remove protective cap. Aim spray opening away from person. Push button to spray.

#### **INDOORS**

To kill WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

To kill ANTS, COCKROACHES, SPIDERS, EARWIGS, GRAIN MITES, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES, MILLIPEDES: Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harborages. Spray infested areas until thoroughly wet. Repeat as necessary.

To kill ANTS: Spray directly on insects and around window frames, doors, ant trails and hills.

To kill SPIDERS: Spray directly on these pests and repeat applications to the webbing and all cracks and crevices that harbor spiders.

EPA Reg. No. 4-418 8/6/03 - amendment

EPA Est. No. 4-NY-1'
Page 3 of 5 Pages

### **OUTDOORS**

Apply as a contact spray. Spray directly on insects. Avoid spraying plants or turf, except to spray infested areas.

To kill ANTS: Same as directed above for indoor use.

To kill WASPS, HORNETS, YELLOW JACKETS, BEES: Same as directed above for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the next openings. Contact as many insects as possible. Repeat as necessary.

To kill EARWIGS, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES, MILLIPEDES: Apply as a contact spray, as for indoor use.

WOOD INFESTING INSECTS (including Termites): For BEETLES (Furniture, Deathwatch, False Powder post, Long horned, Powder post), CARPENTER ANTS (and other wood infesting ants), CARPENTER BEES and TERMITES (including dry wood termites) treat outside of buildings, porches, wooden decks and patios, wooden fences, window frames, doorways, foundations, eaves, garages, garbage areas and other areas where you may find these pests. Spray infested surfaces until thoroughly wet, avoiding dripping and runoff.

Apply evenly on wood surfaces. Repeat treatment as needed to maintain effectiveness. Do not spray into electrical outlets or utilities.

Spray infested areas and areas likely to be infested, such as wood surfaces, voids and channels in damaged wood, spaces between wooden parts of structure, and between wood and foundations where infestation is likely to occur. Also spray around fence posts, woodpiles (do not use on firewood) and tree stumps.

Suitable protective clothing should be worn in confined or overhead areas to prevent exposure to eyes and skin. The use of eye protection, protective head covering, chemical resistant gloves and footwear, a long-sleeved shirt and long pants or coveralls are recommended. Do not permit contact with treated surfaces until spray has dried. Treated confined areas, such as detached garages, under porches and decks, should be ventilated during and immediately following application before the areas are reoccupied.

For carpenter auts, spray around doors and windows and other places where ants may, enter or crawl and hide. Also treat cracks and crevices or openings into wall voids or the other areas where these may be present.

For **carpenter bees**, spray or inject into holes and tunnels already made by the bees, and; spray areas where they are beginning to build tunnels into the wood.

For termites\* (including dry wood termites), treat as for other wood-infesting insects. This product will kill worker termites and winged reproductive forms of termites in the '',

EPA Reg. No. 4-418 8/6/03 - amendment EPA Est. No. 4-NY-1 Page 4 of 5 Pages

5/5

treated areas and provide temporary protection from infestation. Re-treat as needed to maintain effectiveness.

\*Use of this type of product to control termites should not be considered a substitute for soil treatment of subterranean termites done by a professional pest control operator.

**DISCLAIMER:** Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

### [FOR CALIFORNIA DISTRIBUTION ONLY]

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Telecommunications Network at 1-800-858-7378.

Manufactured by **Bonide Products, Inc.** Oriskany, NY 13424

EPA Reg. No. 4-418 8/6/03 - amendment EPA Est. No. 4-NY-1 Page 5 of 5 Pages