

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under



KLEENUP

GRASS & WEED KILLER READY TO USE

[Additional Brand Names: Bonide Kleenup Plus Fence & Yarden Edger; Bonide Kleenup Grass & Weed Killer]

Optional Marketing Statements

- Kills Quickly Roots and All
- Visible Results in 3 Days
- Contains 2 Weed Killing Ingredients (Contains 2 Effective Weed Killers)
- With Glyphosate and (&) Blazer®
- Before/After (under illustrations)
- Fast Acting Formula
- Contains Blazon® Spray Indicator [Marker] [Biodegradable Dye]
- With Blue (other color) Marker (dye or dye indicator) to Show Where You Have Sprayed
- 25% (x%) More Free (x) Quarts (ounces) for the 1 Gallon (24 oz., ½ Gal.) Price
- No Mixing, Just Point and Spray
- Water Based Formula
- This Product is a Non-Selective Weed Killer and Will Kill All Vegetation Contacted
- Contains the Same Active Ingredient as Roundup® Plus the Extra Ingredinet, Blazer, For Quicker (Faster) Results.
 Roundup® is a Trademark of Monsanto Co.
- No Odor.
- Contains See Spray Spray Pattern Indicator

ACTIVE INGREDIENTS:

Isopropylamine salt of *glyphosate	0.50%
Sodium salt of **acifluorfen	
OTHER INGREDIENTS:	
TOTAL:	

^{*}N-(phosphonomethyl) glycine

KEEP OUT OF REACH OF CHILDREN CAUTION

See back/side/other panel(s) for additional precautionary statements.

NET CONTENTS 24 FL OZ (709 mL) / 1 QT (946 mL) / ½ GAL (1.89 L) / 1 GAL (3.78 L)

EPA Reg. No. 4-433 11/8/01 Text in [] is optional. EPA Est. No. 4-NY-1 Page 1 of 4 Pages

^{**}Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate

	FIRST AID
Have the pro-	duct container or label with you when calling a poison control center or
doctor, or goi	ng for treatment.
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Causes eye irritation. Avoid contact with eyes.

Environmental Hazards

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONS AND DIRECTIONS. Keep children and pets away from treated area until spray has thoroughly dried. Avoid contamination of food.

This product contains a colorant that helps to assure uniform applications with minimum overlap, and no missed areas. It also helps indicate (and therefore avoid) spray drift and/or mis-application. See Spray is not a dye. It does not permanently stain and will eventually disappear upon exposure to sunlight. However, it is advisable to spot test applications that may come in contact with porous surfaces (e.g., concrete, rock, stonework, bricks, etc.).

Kills Annual Weeds and Grasses

Annual Bluegrass, Chickweed, Common Fiddleneck, Common Ragweed, Cudweed*, Evening Primrose, Florida Pusley, Garden Spurge, Goathead, Goosegras, Green Foxtail, Hairy Crabgrass, Henbit, Kikuyugrass, Lambsquarter, Large Crabgrass, London Rocket, Mayweed, Oxalis, Prickley Lettuce, Prostate Kenotweed, Prostate Pigweed, Puncture Vine, Purslane, Red Dead Nettle, Redroot Pigweed, Sandspur, Shepherdspurse, Smartweed, Smooth Crabgrass, Sowthistle, Velvetweed, Wild Geranium, Wild Violet

Kills Biennial and Perennial Weeds and Grasses

Bahiagrass, Bentgrass, Bermudagrass, Blackseed Plantain, Broadleaf Plantain, Brownseed Paspalum, Buckhorn Plantain, Bull Thistle, Centipedegrass, Clover*, Common Mullein, Common Plantain, Creeping Beggarweed, Creeping Charlie, Creeping

EPA Reg. No. 4-433 11/8/01 Text in [] is optional. EPA Est. No. 4-NY-1 Page 2 of 4 Pages Lantana, Curly Dock, Dallisgrass, Dandelion, Dogfennel, False Dandelion, Field Bindweed (Wild Morningglory), Hypericum, Johnsongrass, Kentucky Bluegrass, Nimblewill, Nutgrass (Nutsedge), Orchardgrass, Poison Ivy, Poison Oak, Quackgrass, Ragweed, Sour Dock, Spurge*, St. Augustinegrass, Tall Fescue, Tall Thistle (Field Thistle), Tansy, Torpedograss, Virginia Creeper, Wild Blackberry, Wild Carrot, Yellow Oxalis, Zoysiagrass

*Annual or Biennial

What is this product and what will it do?

Kleenup Grass & Weed Killer Ready to Use is a weed killer that will kill all vegetation contacted. It moves throughout the weed, killing roots, foliate and all. Gives complete kill of tough weeds in flower beds, around trees, shrubs, walks, driveways, mulch and in lawns as a spot spray.

What will I see?

Weeds will show browning, yellowing and wilting usually within 3 days with complete kill in 1-2 weeks.

HOW TO USE:

Apply with hand trigger sprayer. Sprayer nozzle should be adjusted to allow a coarse spray or jet stream for spot treatment as needed for applying to cover area occupied by unwanted weeds or grasses. Stand close to weed (1 or 2 feet) with spray nozzle aimed at weed and away from face. Spray to cover center of weed. Do not overspray. One application will kill most weeds listed. If certain tough weeds, i.e., Bermudagrass, Canada Thistle or Field Bindweed are not completely controlled within 2 weeks, repeat application.

IMPORTANT

KLEENUP Grass & Weed Killer Ready to Use is a contact herbicide that will kill all green plant tissue. Be careful when treating weeds to not spray surrounding desirable plants or they will also be killed. Spot treatment in lawns will create dead spots until regrowth occurs. Avoid spraying under conditions involving possible drift to desirable plants. Do not apply when rainfall is expected within 6 hours of application as weed control will be reduced. If spray accidentally contacts desirable foliage, wash off immediately with water.

Storage & Disposal

Storage: Store and transport in an upright position. Keep from freezing. To store, rotate nozzle to closed position. [If sprayer head is mounted on a flexible hose, place sprayer nozzle under handle of container so that sprayer is not below the level of the contents of container to prevent leakage and siphoning from nozzle.] Store in a cool, dry place in a locked storage area inaccessible to children and pets.

Container Disposal: If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partially filled – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER: Buyer assumes all risks of use, storage or handling not in strict accordance with directions given herewith.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents, call the National Pesticide Telecommunications Network at 1-800-858-7378.

Manufactured by Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424