RE2# 16.- 12

PM- 7

Please read Instructions on reverse before completing form. Form Approved, OMB No. 2070-0060, Approval expires 11-30-93 **United States Environmental Protection Agency** OPP Identifier Number Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 **196868 Application for Pesticide:** Other: Section I 3. Proposed Classification 2. EPA Product Manager Company/Product Number Hutton 16-112 PM# None Restricted 4. Company/Product (Name) 18 DRAGON DIPEL Wettable 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling Dragon Corporation P. O. Box 7311 Roanoke, VA 24019 EPA Reg. No. Check if this is a new address Product Name Section I I Final printed labels in response to Amendment - Explain below Agency letter dated\_ Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Compliance with PR Notice 93-3: Statement Prohibiting Application to Water Section III 1. Material This Product Will Be Packaged In: 2. Type of Container Child Resistant Packaging **Unit Packaging** Water Soluble Packaging Yes Metal Yes\* Yes Plastic Nο Glass No Pager If "Yes." If "Yes." No. per No. per Other (Specify) \* Certification must be Unit Package wgt. container Package wgt. container submitted. 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) of Retail Container On Label 4 OZ Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Other ( Paper glued Stenaled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Tekephane No.: (Include Area Code) (703)362-3657 Executive Assistant Rebecca M. Horton Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete, . . 1 acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law Kelkeca M. Horkon Executive Assistant 5 Date 6/23/93 Rebecca M. Horton

# DRAGON<sup>®</sup> DIPEL<sup>®</sup> WETTABLE

RECOMMENDED FOR ORGANIC GARDENERS.

BIOLOGICAL INSECTICIDE FOR HOME VEGETABLE GARDENS AND ORNAMENTALS.

[Note to EPA: Label front panel may include graphics illustrating product use; e.g., Tomato Hornworm, Cabbage Looper, Fruitworm, etc.]

#### **ACTIVE INGREDIENT:**

| Bacillus thuringiensis subspecies kurstaki   |               |
|--|---------------|
| Potency of 4320 International Units per mg   |               |
| of Product (1.96 Billion IU/Pound of Product)                                      | 0.86%         |
| INERT INGREDIENTS:   | <u>99.14%</u> |
| TOTAL:   | 0.00%         |
| Potency units should not be used to adjust use rates beyond those specified in the |               |
| Directions for Use section.  |               |

# Keep Out of Reach of Children CAUTION

#### **NET WEIGHT 4 OZ**

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DRAGON® Dipel® Wettable can be used anytime caterpillars (leaf-eating worms) appear in trees or vegetables.

DRAGON<sup>®</sup> Dipel<sup>®</sup> Wettable is easy to mix and apply with regular sprayers. Place half the required amount of water in tank or jar, add recommended amount of DRAGON<sup>®</sup> Dipel<sup>®</sup> Wettable, shake or stir, add balance of water and mix. Do not store diluted spray more than 12 hours.

Since DRAGON® Dipel® Wettable works only in a caterpillar's stomach, a small amount of treated leaf must be eaten to provide a lethal dose. Complete spray coverage of both sides of foliage is necessary. After biting treated portion of leaf, caterpillars stop feeding within a few hours. Death follows within a few days.

Apply when caterpillars (or their damage) first appear. Retreatment at 7 to 10 day; intervals may be required, especially as egg hatch may occur over an extended period of time. Use of higher number of recommended tablespoons per gallon of spray provides a longer period of control.

EPA Reg. No. 16-112 June 23, 1993 EPA Est. 16-VA-1

Page 1

### RECOMMENDED APPLICATION RATES

|  |         | TABLESPOONS<br>PER GALLON<br>OF SPRAY |     |         |
|--|---------|---------------------------------------|-----|---------|
| Ornamental & Shade Trees (up to 25 feet)   |         |                                       |     |         |
| Gypsy Moth larvae*, Bagworm  |         |                                       |     | . 2-4   |
| Spring & Fall Cankerworms (inchworms), Fall Webworm  |         |                                       |     |         |
| Tent Caterpillar, Red-humped Caterpillar   |         |                                       |     |         |
| (California only)  |         |                                       |     | . 1-2   |
| Elm Spanworm   |         |                                       |     | 4       |
| Flowers (Mums)   |         |                                       |     |         |
| Cabbage Looper   |         |                                       |     | . 2-4   |
| VEGETABLES**   |         |                                       |     |         |
| Lettuce, Broccoli, Cabbage, Cauliflower, Collards,   |         |                                       |     |         |
| Kale, Spinach, Mustard & Turnip Greens   |         |                                       |     |         |
| Cabbage Looper (Green Worm)  |         | • • •                                 |     | . 2-4   |
| Imported Cabbageworm   |         |                                       |     |         |
| Diamondback Moth   |         |                                       |     |         |
| Beans, Cucumbers, Melons, Potatoes   |         |                                       |     |         |
| Cabbage Looper   |         |                                       |     | . 2-4   |
| Tomatoes   |         |                                       |     |         |
| Tomato Hornworm  |         |                                       |     | . 1-2   |
| Tomato Fruitworm*** (Corn Earworm)   |         |                                       |     |         |
| Cabbage Looper   |         |                                       |     |         |
| Celery   |         |                                       |     |         |
| Cabbage Looper, Celery Looper  |         |                                       |     | . 2-4   |
| Grapes   |         |                                       |     |         |
| Grape Leaf Folder  | · • • • |                                       |     | . 2-4   |
| * For best control of Gypsy Moth, apply when caterpillars are small. Repeat tre  ** DRAGON® Dipel® Wettable may be applied up to the day of harvest.  *** For best results apply every 5-7 days. | atme    | nt if                                 | nec | essary. |
| ENVIRONMENTAL HAZARDS  For terrestrial uses, do not apply directly to water, or to areas where surface water tidal areas below the mean high water mark. Do not contaminate water when dis       |         | •                                     |     |         |

washwaters.

### **STORAGE & DISPOSAL**

STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets and away from feed and foodstuffs. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse empty container. Discard container

in trash.

NOTICE: Buyer assumes all risks of use, storage and handling of this material not in strict accordance with DIRECTIONS and CAUTIONS stated on this label.

Dipel® is a registered trademark of Abbott Laboratories, North Chicago, IL.

Distributed by DRAGON CORPORATION Roanoke, VA 24019