

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

bio-Q

ACCEPTED
 May 8, 1972
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 UNDER NO. 52-224A

BIO-Q

Recommended for use in:
 HOSPITALS • FOOD PROCESSING FACILITIES
 NURSING HOMES • SCHOOLS
 RESEARCH ANIMAL FACILITIES

**FOR CLEANING — DISINFECTING — DEODORIZING
 PSEUDOMONACIDAL — STAPHYLOCIDAL — FUNGICIDAL**

A.O.A.C. USE DILUTION TEST

S. aureus	1:256	E. coli	1:256
S. choleraesuis	1:256	S. typhosa	1:256
Ps. aeruginosa	1:256	Pr. vulgaris	1:256

ACTIVE INGREDIENTS:

n-Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%) Dimethyl Benzyl Ammonium Chlorides	13.00%
Isopropanol	4.45%
Sodium Carbonate	1.00%
Trisodium Salt of Ethylenediamine Tetraacetic Acid	0.50%
Essential Oils	0.20%

INERT INGREDIENTS: 80.85%

DANGER: Keep Out Of Reach Of Children

(See side panel for additional precautions)



EPA Reg. No. 52-224AA
 manufactured by
WEST CHEMICAL PRODUCTS, INC.
 42-16 WEST STREET, LONG ISLAND CITY, N.Y. 11101

DIRECTIONS FOR USE:

To clean and disinfect surfaces, use 1/2 ounce BIO-Q per gallon of water. For heavily soiled or porous surfaces, use 1 ounce of BIO-Q per gallon of water. Remove gross contamination, then thoroughly wet surface with solution and scrub areas to be cleaned and disinfected. May be used on conductive floors without deleterious effects.

To sanitize previously cleaned surfaces, use 1 ounce BIO-Q to 5 gallons of water. Thoroughly wet surfaces with sanitizing solution, allowing at least two minutes contact time. Drain and allow to air-dry. Food-handling equipment and utensils should be rinsed with potable water before use.

DANGER: Harmful if swallowed. Do not get in eyes or on skin. May cause skin irritation or eye damage. Protect eyes and skin when handling concentrate. In case of contact, flush with plenty of water. For eyes, get medical attention. Avoid contamination of food.

This product fulfills the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance 1965 in waters up to 200 ppm hardness, calculated as CaCO₃, when tested by the Germicidal and Detergent Sanitizer Official Method. Local health authority recommendations should be followed.

Rinse and dispose of empty container in a safe place

5010B-372 5

PRINTED IN U.S.A.