

UNDER
FUNGICIDE
FOR TOX
ES UNDE
TO ANT

DIRECTIONS

For Fleas, Lice and Flea Larvae on Dogs and Cats. Brush hair back and down to skin and direct powder on floor of kennel, cage and other hiding places.

If the animal has fleas, treatments have to be made every 7-10 days but not more frequently than once a week to avoid unnecessary application. Powder to be evenly distributed for thorough treatment. If the animal is killed by the powder, flea and treatment may be repeated if necessary, but not more than once a week.

For control of ticks, lice and flea larvae, Lacer and other insects, use powder on dog kennel and other places where animals are kept.


CAUTION

Keep out of reach of children. Avoid breathing dust from powder. Avoid contact with eyes. Wash hands after use. Avoid treatment of sick animals.

WORTHINGTON

WORTHINGTON

WORTHINGTON



FLEA POWDER

**Kills:
Fleas,
Brown
Dog Ticks,
Lice**



**For
use
on
DOGS
and
CATS**

ACTIVE INGREDIENTS
Carbaryl-(1-Naphthyl Methylcarbamate) 5.00%
INERT INGREDIENTS 95.00%
NET WEIGHT 4 OZ.

**CAUTION: Keep Out of Reach of Children
SEE BACK PANEL FOR OTHER CAUTIONS**