

WARNING

Highly toxic when inhaled or absorbed through the skin. Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. If in contact with eyes, immediately remove contaminated clothing and flush eyes with plenty of water for eyes get medical attention. Wash thoroughly with soap and water after handling and before eating. Do not eat, drink, or smoke during commercial or private use. Do not use in schools, kindergartens, and dining operations. Wear protective clothing and use a mask or respirator of type appropriate to the hazard. Make sure you have sufficient protection. Do not apply to water. Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations.

NOTE TO PHYSICIANS: Malathion may cause severe reactions in persons with known hypersensitivity to cholinesterase inhibitors. Malathion is a potent inhibitor of cholinesterase. Symptoms of poisoning with malathion include profuse sweating, salivation, lacrimation, blurred vision, headache, dizziness, weakness, and loss of consciousness. The plant or animal material sprayed with malathion is toxic to the birds and animals that feed on it.

Keep out of reach of children. Keep out of reach of water. Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations.

Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations. Do not use in or near protected human habitations.

Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations. Do not use in or near protected human habitations.

Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations. Do not use in or near protected human habitations.

Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations. Do not use in or near protected human habitations.

Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations. Do not use in or near protected human habitations.

Do not use in or near protected human habitations. Do not use in or near protected bird or animal habitations. Do not use in or near protected human habitations.



**SUPER
BRAND
BURLEY
SPRAY**

- FOR CONTROL OF**
- 1. Aphid
 - 2. Flea Beetle
 - 3. Hornworm
 - 4. Cabbage Looper (Small)
 - 5. Budworm
 - 6. Grasshopper
- ON TOBACCO**

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl phosphorodithioate diethyl mercaptosuccinate)	22.320%
Endosulfan (1,1-dichloro-2,2-bis(4-chlorophenyl) ethane-2,3-dithiolane)	14.880%
Technical piperonyl butoxide (Equivalent to 0.6% butylacetylcholine (6-propylpiperonyl ether) and 0.15% of other related compounds)	0.750%
Pyrethrin	0.075%
Heavy Aromatic Naphtha	55.600%
Petroleum Distillates	0.175%
INERT INGREDIENTS:	8.200%
TOTAL	100.000%

*Thiodan—Reg. T.M. of Canadian Hoechst Ltd.

**WARNING: Keep out of reach of children.
SEE OTHER WARNINGS ON BACK PANEL.**

EPA REG. No. 70-181
EPA Est. No. 70-KY-1

NET CONTENTS/ ONE QUART

MANUFACTURED BY
RIGO COMPANY
BUCKNER, KENTUCKY 40010

Net **DIRECTIONS FOR USE—DILUTE WITH WATER—
(Follow Directions)**

SUPER BURLEY SPRAY is an emulsifiable insecticide formulation designed for use as a preventative spray for the control of six major insect pests on tobacco. This formulation can be used in any type sprayer. If mixture is allowed to stand, reagitlate before use.

TOBACCO—(field) green peach aphid, flea beetle (small), cabbage looper, hornworm, budworm—use 2 qts. per acre. Grasshoppers—Use 3 qts. Dosage rates given should be used in sufficient water to give adequate coverage depending on the type of nozzle and equipment being used and the size of the crop. Cover the entire plant very lightly with insecticide. Do not soak plants as injury may occur. Do not apply in the heat of the day as some burning of plants could result. When using hand sprayers hold the nozzle at least 12 inches above the plants. Do not direct the spray on the bud as injury may result. Check fields every 3 to 5 days, and repeat as needed depending on the severity of the infestation and local conditions. Do not apply within 6 days of harvest.

For plants up to knee high, use approximately 15 gallons of water per acre; plants taller, use 30 gallons. For pest control of named insects use a preventative program of spraying early in the season when the plants are small. Undersides of leaves must be sprayed for best results. Check fields frequently for reinfestations.

For airplane application use the required amount of spray with 2 to 6 gallons of water per acre. Workers entering treated areas within 24 hours after application should wear protective clothing.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. DO NOT STORE BELOW 20° F.

NOTE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes a risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

1417-B-112

BEST AVAILABLE COPY

Use of this product claims to be in accordance with the EPA's Pesticide Product Guidance for Phase 2 Pesticides: Active to Inert Change in Status

Handwritten: A see over p 99

Handwritten: B

Malathion (0.0-dimethyl phosphorodithioate diethyl mercaptosuccinate)	22.320%
Endosulfan *(Hexachlorohexahydromethano-2, 4, 3- benzodioxathiepin oxide)	14.880%
Technical piperonyl butoxide (Equivalent to 0.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.15% of other related compounds)	0.750%
Pyrethrins	0.075%
Inert Ingredients:	61.975%
	<hr/>
Total	100.000%

* Thiodan - Reg. T.M. of Canadian Hoechst Ltd.

B. Rigo Company
A Division of Wilbur-Ellis Company
Buckner, Kentucky 40010