

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed! Poisonous by skin contact and inhalation. Do not get on skin, in eyes, or on clothing. Do not breathe spray mist. Wash thoroughly after using. Wash all contaminated clothing with soap and hot water before reuse. During application, keep unprotected persons away from areas being treated or where there may be drift. Do not contaminate feed or foodstuffs. Protective clothing and respirators are required for all applicators and other personnel involved in mixing, loading, transferring or otherwise handling this pesticide. Protective clothing must consist of hats, impermeable gloves, rubber or synthetic rubber boots or boot covers, long-sleeved shirts and long pants, full-face respirators are recommended; half-face respirators are required.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Use of this product may be fatal to birds and other wildlife in treated areas. Do not spray over lakes, streams, ponds, tidal marshes, and estuaries. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Driftage of the product into water at application rates recommended on this label may be fatal to shrimp and crab; do not apply where these are important resources. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Do Not Use, Pour, or Store Near Heat or Open Flame.

In case of spillage, use absorbent clay, bentonite litter, or other solids to soak up any liquid. Wash area with surface detergent and hot water.

EPA APPROVALS FOR USE Only Under Special Emergency Exemptions
Page 3

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is for use only to control armyworms, cutworms, or grasshoppers on cotton, corn, or small grains during emergency exemption conditions.

For aerial application, flagging must be by fully automated mechanical means or by humans working in totally enclosed vehicles.

Refer to the accompanying directions for use that are provided with the EPA emergency finding.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions can be disposed of according to local regulations or contact your state or local EPA office for information and assistance.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than stated on the label. The user assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

<p style="text-align: center;"> U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE PROGRAMS REGISTRATION DIVISION 707-567 WASHINGTON, D.C. 20460 </p> <p>NOTICE OF PESTICIDE</p> <p style="text-align: center;"><i>Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended.</i></p>		EPA REGISTRATION NO.	DATE OF ISSUANCE
		TERM OF ISSUANCE	
		NAME OF PESTICIDE PRODUCT	
<p>NAME AND ADDRESS OF RESTRANT (Check ZIP code)</p> <p><input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/></p> <p>L J</p>			
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the labeling in question. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above-named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>			
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>			
<p>SIGNATURE OF APPROVING OFFICIAL</p>			DATE

100

**INTERVAL (DAYS)
BETWEEN LAST
APPLICATION AND HARVEST**

CROPS	PESTS CONTROLLED	RATE/A	
Potatoes	Aphids Grasshoppers Leafhoppers False catfaced bugs Mealybugs	2 pts.	May be applied on the day of harvest.
Pumpkins	Aphids Pickleworms Spider mites Leafhoppers Cucumber beetles Squash vine borer	2 pts. 1-1/2 pts. 1-1/2 pts.	Do not apply to pumpkins unless plants are dry. Do not rain within 3 days of harvest.
Radish, Horseradish	Aphids	1-1/2 pts.	Do not apply within 7 days of harvest.
Rice	Rice leaf miner Rice stink bugs	2 pts. 1-1/2 pts.	Make first application shortly after the first rice blades appear on the surface of the water and repeat if necessary. Do not apply within 7 days of harvest.
Rutabaga	Aphids	1/2 pts.	Apply by airplane in 2 gals. of water per acre during the early milk and dough stage of growing rice. Repeat applications as necessary. Do not apply within 7 days of harvest.
Spinach	Aphids	2 pts.	Do not apply within 7 days of harvest.
Squash	Aphids Leaf miners Spider mites Pickleworms Cucumber beetles Squash vine borers	2 pts. 3 pts.	Do not apply to squash unless plants are dry. Do not apply within 1 day of harvest.

CROP	PESTS CONTROLLED	RATE/A	INTERVAL (DAYS) BETWEEN LAST APPLICATION AND HARVEST
Strawberries	Aphids Spider mites Field crickets Lygus bugs Spittlebugs Thrips Potato leafhopper Strawberry leafroller Strawberry root weevil Whiteflies	1½ pts. 1½-3 pts. 1½-3 pts. 1½-3 pts. 1½-3 pts. 1½-3 pts.	Do not apply within 3 days of harvest.
Sweet Corn	Japanese beetle	2 pts.	Do not apply within 5 days of harvest. Injury may occur in the whorl or to the silks.
Sweet Potatoes	Leafhoppers Morningglory leaf miner	1½-2 pts. 2½-3 pts.	Do not apply within 3 days of harvest.
Tomatoes	Aphids Drosophila Spider mites Armyworms Fruitworms (California only)	1 pt. 2½ pts. 1 pt. 2 ¾ qts.	Do not apply within 1 day of harvest. Do not apply within 3 days of harvest.
Turnip	Aphids Cabbage looper Imported cabbageworm	1-2 pts.	For control of caterpillars on summer and fall plantings in the South, begin when true leaves appear. On other plantings, and for control of other insects, begin when insects appear. Do not apply within 7 days of harvest if tops are to be used for feed or feed.