

Ontrack[®] WE-2

100-611

Herbicide

For weed control on railroad rights-of-way

A Pramitol* 25% water extendable solution developed expressly for use in railroad application equipment

Controls johnsongrass, bindweed, and other hard-to-kill weeds

Ontrack WE-2 contains 2 lbs. prometon per gal.

Active Ingredient:	
Prometon: 2,4-bis (isopropylamino)-6-methoxy-s-triazine	25%
Inert Ingredients:	75%
Total:	100%

Keep Out of Reach of Children.

Danger

See additional precautionary statements in right column of label.

EPA Est. 100-AL-1
EPA Reg. No. 100-611

Control No. **52650**

Gallons
U.S. Standard Measure

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of CIBA-GEIGY or the Seller. All such risks shall be assumed by the Buyer.

CIBA-GEIGY warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. **CIBA-GEIGY makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall CIBA-GEIGY or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product.** CIBA-GEIGY and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CIBA-GEIGY.

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

General Information

Ontrack WE-2 is a nonselective herbicide that can be applied in water or oil before or after plant growth begins. Although Ontrack WE-2 has considerable activity through foliar contact, much of its activity is through roots, therefore its effectiveness is dependent upon rainfall to move it into the root zone. Very dry soil conditions and lack of sufficient rainfall may result in poor weed control.

Use only in areas where complete control of all vegetation is desired. When applied to the soil, this product usually inhibits plant growth for a year or more. It should not be used on land to be cropped or near adjacent desirable trees, shrubs, or plants, or in greenhouses, as injury may occur.

Following many years of continuous use of this product and chemically related products, biotypes of some of the weeds listed on this label have been reported which cannot be effectively controlled by this and related herbicides. Where this is known or suspected, we recommend the use of this product in combination with other registered herbicides which are not triazines. Consult with your State Agricultural Extension Service for specific recommendations.

It is generally noncorrosive to equipment but may cause some degree of more rapid deterioration of hoses and fittings containing polyethylene.

Application Directions

Ontrack WE-2 can be applied pre- or post-planting up to 3 months after weed emergence. Application rates vary from 1.00 gallon of Ontrack WE-2 per acre, depending on climatic conditions, soil type, the weed present, and the stage of growth of the weeds in the field. Use 1.50 gallon per acre in areas where weeds are intended for use in heavy soils where weed growth is heavy and where rainfall is expected to be relatively high. The higher rates should also be used when temperatures during the growing season are high and the wind is strong.

5

For best results, apply Ontrack WE-2 at rates recommended below prior to weed emergence or when weeds are young and actively growing.

For control of annual and susceptible perennial weeds (such as downy brome grass, oat grass, goose grass, quack grass, puncture vine, goldenrod, and plantain): Broadcast 5-7 1/2 gals. Ontrack WE-2 in 50-100 gals. of water per acre. For small areas, apply 1-1 1/2 pts. Ontrack WE-2 per 1,000 sq. ft. in sufficient water to give thorough and uniform coverage.

For control of hard-to-kill perennial weeds and grasses (such as johnsongrass, bindweed, and wild carrot): Broadcast 20-30 gals. Ontrack WE-2 in 50-100 gals. of water per acre. For small areas, use 4-5 1/2 pts. Ontrack WE-2 per 1,000 sq. ft. in sufficient water to give thorough and uniform coverage.

For faster top kill of existing vegetation, apply Ontrack WE-2 in diesel oil, fuel oil, or weed oil. Use oils at rates of 100-200 gals. per acre. Tall, dense vegetation such as johnsongrass will generally require 150 or more gals. of oil per acre for thorough coverage.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Thoroughly clean equipment with suitable cleaner before using for other purposes. Consult federal, state, or local disposal authorities for approved alternative procedures.

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

Corrosive—causes eye damage. Do not get in eyes. Wear goggles or face shield and rubber gloves when handling. Avoid contact with skin or clothing. Harmful if swallowed, inhaled, or absorbed through the skin. Do not breathe vapors.

First Aid: In case of eye contact, wash with water for at least 15 minutes and seek medical attention. In case of skin contact, wash with plenty of soap and water. Get medical attention if skin irritation persists. If swallowed, do not induce vomiting. Drink milk, egg whites, or gelatin, if not available, drink plenty of water. If inhaled, remove victim to fresh air.

Note to Physician: There is no specific antidote. If ingested, do not induce emesis and take care to avoid aspiration of stomach contents during gastric lavage. Give slurry of activated carbon (20-30 gm). Give a saline laxative and supportive therapy.

Environmental Hazards

Do not contaminate water used for irrigation or domestic purposes.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazards

Do not use, pour, spill, or store near heat or open flame. Store at temperatures above 32 F.

Ontrack® and Pramitol® trademarks of CIBA-GEIGY for promotion.

Agricultural Division
CIBA-GEIGY Corporation
Greensboro, North Carolina 27409

CGA 31L1E

