

AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

EPA Reg. Number:

100-1051

Date of Issuance:

MAR 2 9 2010

NOTICE OF PESTICIDE:

Registration

x Reregistration (under FIFRA, as amended) Name of Pesticide Product:

Talon®-G Rodenticide Bait Pack Pellets With Bitrex®

Name and Address of Registrant (include ZIP Code):

Decision No. 320382

Syngenta Crop Protection, Inc. P.O. Box 18300

Greensboro, NC 27419

5-871537 676

Attention: Mr. Thomas Parshley

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Rodenticide Cluster Reregistration Eligibility Decision, EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Generic data requirements that have been identified in the RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you submit one (1) copy of your final printed labeling, with the changes below, before you release the product for shipment:

Signature of Approving Official:

Kable Bo Davis

Acting Product Manager (07)

Insecticide-Rodenticide Branch

Registration Division (7505P)

Date:

MAR 29 2010

Page 2 EPA Reg. No. 100-1051

1. On the Front Panel, change "Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins." to:

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

- 2. Wherever it occurs on your labeling, change "NOT FOR RESALE" to "INDIVIDUAL SALE PROHIBITED BY LAW".
- 3. Revise your "PRECAUTIONARY STATEMENTS" as follows:

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

FIRST AID HAVE LABEL WHEN OBTAINING TREATMENT ADVICE		
If Swallowed	 Call a poison control center, doctor, or HOT LINE NUMBER immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. 	

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal) Or Chemical Emergency Assistance (Spill, leak, Fir or Accident) Call

1-800-888-8372

NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K_1 intramuscularly or orally. Vitamin K_1 is antidotal at doses of 10-20mg (<u>not</u> mg/kg). Repeat as necessary based on monitoring of prothrombin times.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or HOT LINE NUMBER at once.

NOTE TO VETERINARIAN

Anticoagulant Brodifacoum: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K_1 at doses of 2-5 mg/kg. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

Environmental Hazards

This product is extremely toxic to mammals and birds. Dogs, cats and other predatory and scavenging mammals and birds might poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

4. Revise the "DIRECTIONS FOR USE" as follows:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

Important: Do not expose children, pets, or other nontarget animals to rodenticides. To reduce exposure:

- Store product ... prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS

For control of ... and similar manmade structures. **Do not apply further than 50 feet from buildings.** Do not use in sewers. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be

Do not sell this product in individual containers holding less than 16 pounds of bait.

applied in tamper-resistant bait stations. Do not broadcast bait. Do not use in

SELECTION OF TREATMENT AREAS

Determine areas ... as possible.

APPLICATIONS DIRECTIONS

Norway and Roof Rats

Apply ... cease.

House Mice

sewers.

Apply ... activity cease.

Follow-Up

Replace .. as needed..

5. Revise your "Pesticide Storage" as follows:

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

[Note: As stated in 40CFR156.140(a)(4), a batch code must be included on the label or package for container and containment for nonrefillables.]

6. Should you wish to add/retain a reference to the company's website on your label, please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E).

As stated under the Terms and Conditions of Sale and Distribution on page 35 of the Agency's revised May 28, 2008 "Risk Mitigation Decision for Ten Rodenticides":

- a. Product is prohibited for sale in stores oriented towards residential consumers: Grocery, Drug, Hardware and Home Improvement. It is acceptable for sale in stores oriented toward agricultural consumers: Farm, Agricultural, Tractor Stores.
- b. Product may not be sold in packaging that holds less than 16 pounds of bait.

50f 14

The acceptable Confidential Statement of Formula (CSF) for this product is dated August 14, 2001. All other versions are obsolete.

Existing Stocks Provisions

- The registrant may not distribute or sell existing stocks of this product after June 4, 2011 unless they conform to the terms and conditions of registration as amended today.
- Any person other than the registrant may sell and distribute existing stocks of this product with the previously approved label until such stocks are exhausted.
- Any person may use existing stocks of this product with the previously approved label until such stocks are exhausted.

With the above revisions, this product will be in full compliance with the Agency's revised May 28, 2008 "Risk Mitigation Decision for Ten Rodenticides".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), or E-Mail (peacock.dan@epa.gov).

Enclosures:

- 1. Stamped Label
- 2. Minimum Type Sizes for Final Printed Label

 $Dan\ Peacock,\ Flash\ Drive,\ 16gb,\ E:\ 4G\ Dan\ Doc\ Word\ Brodifacoum\ Re-Reg\ 100-1051\ Notice\ of\ Re-Reg,\ 100-1051,\ 3-24-2010. Final. doc$

(Master) (container for bait packs)

TALON®-G Rodenticide Bait Pack Pellets With Bitrex® For Control of Commensal Rats and House Mice

Second Generation Anticoagulant

Kills Warfarin-Resistant Norway Rats and House Mice Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient: Brodifacoum ACCEPTED MAR 2 9 2010 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-With COMMENTS tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyrama tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyrama tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyrama tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyrama tetrahydroxy-2H-1-benzopyrama 0.005% Other Ingredients: 99.995% Under the Federal Insecticide, Fungicide 100.000% Total: and Rodenticide Act, As amended, for the KEEP OUT OF REACH OF CHILDREN. pesticide Registered under EPA Reg. No: 100-1051 CAUTION

Distribution to and sales in "consumer" stores including grocery stores, drug stores, hardware stores, club stores is prohibited.

See additional precautionary statements and directions for use on label.

EPA Reg. No. 100-1051 EPA Est. XXXX

Product of xxxxx

Formulated in the USA

Product ID

SCP 1051A-M(draft)

16 pounds, 8 ounces (150 x 1.76 ounces/50 grams-bait pack) Net Weight 3/16" pellets

0000

000000

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

MAY BE HARMFUL OR FATAL IF SWALLOWED. KEEP AWAY FROM HUMANS, DOMESTIC ANIMALS AND PETS. WASH HANDS AFTER HANDLING BAIT.

IF BAIT IS EATEN BY NON-TARGET ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

·		
FIRST AID		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.		
If swallowed	 Call a poison control center, doctor, or HOT LINE NUMBER immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. 	
HOT LINE NUMBER		

For 24-Hour Medical Emergency Assistance (Human or Animal)
Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)
Call

1-800-888-8372

NOTE TO PHYSICIAN OR VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of vitamin K_1 are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, vitamin K_1 is antidotal at doses of 10-20 mg (**not** mg/kg). For animal cases, vitamin K_1 is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to 2 weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and wildlife. This product can pose a secondary contained hazards to birds of prey and mammals. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

....

80414

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. TO THE EXTENT PERMITTED BY APPLICABLE LAW, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

For control of Norway rats, roof rats, and house mice in and around homes, industrial, commercial, agricultural and public buildings, and similar manmade structures. This product may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. **Use Restrictions**

- Store product not in use in a location out of reach of children and pets.
- When used in residential structures this product must be applied in tamper resistant bait stations. All above ground, outdoor applications must be in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- Do not apply more than 50 feet from buildings
- Do not sell this product in individual containers containing less than 16 pounds of bait.
- When used in USDA inspected facilities, this product must be applied in tamperresistant bait stations.
- Do not use in sewers.
- Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.
- Do not broadcast bait.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

0 6 C C C

Page 5

100414

SELECTION OF TREATMENT AREAS

Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

APPLICATION DIRECTIONS

Norway and Roof Rats

Apply 2–8 bait packs (usually at intervals of 15–30 ft.) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

House Mice

Apply 1 pack of bait per placement. Space placements at intervals of 8–12 ft. Two packs may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

Rats and Mice

Replace contaminated or spoiled bait immediately. Collect and dispose of all dead rodents and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. Where a continuous source of infestation is present, maintain permanent bait stations and replenish with census or toxic bait as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage

Store only in original container in a dry place inaccessible to children and pets.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling (container and bait pack)

Nonrefillable container. Do not reuse or refill this container. When completely empty, offer for recycling if available, or dispose of empty container in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Talon® and the Syngenta logo are registered trademarks of a Syngenta Group Company.

Bitrex® is a registered trademark of Macfarlan Smith Ltd., Edinburgh, Scetland.

©2009 Syngenta

1/04/11

Page 6

For non-emergency (e.g. current product information) call Syngenta Crop Protection at 1-800-334-9481.

Manufactured for: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 27419-8300 SCP 1051A-M(draft mitigation)

 $TAL\ PAK\ 1051A-M (draft\ mitigation)\ clean-lg-11-30-09 \\ 000100-01051.20091202. mitigation.\ pdf$



120+14

(Master label) (50 gm bait pack)

TALON®-G

Rodenticide Bait Pack Mini-Pellets With Bitrex®

NOT FOR RESALE

For Control of Commensal Rats and House Mice

Second Generation Anticoagulant

Kills Warfarin-Resistant Norway Rats and House Mice Rodents may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

Active Ingredient:
Brodifacoum
3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one 0.005%
Other Ingredients: 99.995%
Total:

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use on container label.


Distribution to and sales in "consumer" stores including grocery stores, drug stores, hardware stores, club stores is prohibited.

EPA Reg. No. 100-1051 EPA Est. XXXXX

Product ID XXXXX

SCP 1051A-M (draft mitigation)

1.76 ounces (50 grams bait pack) Net Weight 3/16" pellets



Page 8

130414

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

May be harmful or fatal if swallowed. Keep away from humans, domestic animals and pets. Wash hands after handling bait.

IF BAIT IS EATEN BY NON-TARGET ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

FIRST AID			
Have the product c or doctor, or going	ontainer or label with you when calling a poison control center for treatment.		
If swallowed	 Call a poison control center, doctor, or HOT LINE NUMBER immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. 		
HOT LINE NUMBER			

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal)
Or Chemical Emergency Assistance (Spill, Leak, Fire or Accident)
Call


1-800-888-8372

NOTE TO PHYSICIAN OR VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of vitamin K_1 are indicated, as in poisoning from overdose of bishydroxy coumarin. For human cases, vitamin K_1 is antidotal at doses of 10-20 mg (**not** mg/kg). For animal cases, vitamin K_1 is antidotal at 2-5 mg/kg. Repeated doses may need to be given up to 2 weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

Environmental Hazards

This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.



Page 9

NOTICE: Read the entire **Directions for Use and Conditions of Sale and Limitation of Warranty and Liability** on the outer package before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read entire label on the outer package before using this product. It is illegal to sell these bait packs individually.

STORAGE AND DISPOSAL

Refer to label on the outer package for complete pesticide storage, pesticide disposal and container handling directions.

Talon® and the Syngenta logo are registered trademarks of a Syngenta Group Company.

Manufactured for: Syngenta Crop Protection, Inc. P.O. Box 18300 Greensboro, North Carolina 274019-8300

TAL 1051A-M(draft mitigation) clean-lg-11-30-09 000100-01051.20091202.mitigation.pdf



