

100-1102

9-10-2004

1/2

	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <hr/> Notification
--	---	--	---

**Application for Pesticide - Section I**

1. Company/Product Number 100-1102	2. EPA Product Manager Ms. Joanne Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Odram® 15-GM Rice Herbicide	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Syngenta Crop Protection, Inc. P. O. Box 18300 Greensboro, NC 27419  <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No. _____ Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION  SEP 10 2004
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)


This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Syngenta Crop Protection, Inc. is submitting Notification for Odram 15-GM Rice Herbicide to comply with Syngenta's request to cancel our Molinate registrations. A label expiration date has been added to the Odram 15-GM Rice Herbicide label and is highlighted on the attached label. We will incorporate this change into our next label printing.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per Container	If "Yes" Unit Packaging wgt.	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 500, 1200 lb.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Other <u>Pressure Sensitive</u> <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Pat Dinnen	Title Regulatory Specialist	Telephone No. (Include Area Code) 336-632-2494
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature  	3. Title Regulatory Specialist	
4. Typed Name Pat Dinnen	5. Date August 23, 2004	



3/12

<b>FIRST AID</b>	
<b>Contains a Thiocarbamate Herbicide</b>	
<b>If in eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice</li></ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>If inhaled</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li><li>• Call a poison control center or doctor for treatment advice</li></ul>
<b>NOTE TO PHYSICIAN</b>	
Contains a thiocarbamate herbicide (molinate) that inhibits cholinesterase. However, it is considered to be a weak cholinesterase inhibitor. Consider taking venous blood for determination of blood cholinesterase activity (use heparin tube). Administer atropine sulfate, either by intramuscular or intravenous injection, dependant on severity of poisoning. Since there is no therapeutic effect, the use of oxime preparations (e.g., 2-PAM) or other cholinesterase reactivators is contraindicated.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<b>HOT LINE NUMBER</b>	
For 24 Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call <b>1-800-888-8372</b>	

---

## PRECAUTIONARY STATEMENTS

---

### Hazards to Humans and Domestic Animals

#### CAUTION

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. Avoid inhalation of dust. Do not contaminate food or feed.

#### Personal Protective Equipment (PPE)

Applicators and pilots not involved in mixing or loading this product must wear:

- Coverall or long-sleeved shirt, long pants
- Shoes plus socks

Mixers, loaders, flaggers and others coming in contact with this product must wear:

- (a) A long-sleeved shirt and long pants under disposable coveralls made of a synthetic material capable of excluding particles 45 microns or larger in diameter, such as Kleenguard™ OR (b) A cotton coverall or chemical-resistant coverall over a full body cloth suit impregnated with activated charcoal OR (c) applies only to use in California: A chemical-resistant coverall (as specified in the current California Department of Pesticide Regulation Molinate Worker Safety Permit Conditions) over long-sleeved shirt and pants.
- Chemical-resistant gloves, such as barrier laminate or butyl rubber  $\geq 14$  mils or nitrile rubber  $\geq 14$  mils or viton  $\geq 14$  mils.
- Chemical-resistant footwear plus socks.
- A respirator with an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

The above personal protective equipment requirements for mixers and loaders may not be reduced even if a closed mixing and loading system is used. Handler PPE may not be reduced or modified as specified in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240(d)(4-6)] for closed systems.

#### User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

5/12

**Environmental Hazards**

This product is extremely toxic to fish. Do not contaminate water used for domestic purposes. Do not contaminate water when disposing of equipment wash waters. Do not apply directly to water except as stated on label.

IN CASE OF SPILL EMERGENCY, CALL 1-800-888-8372.

6/12

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and Buyer and User assume the risk of any such use. SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall SYNGENTA or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

7/12

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protection equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate or butyl rubber  $\geq 14$  mils or nitrile rubber  $\geq 14$  mils or viton  $\geq 14$  mils
- Shoes plus socks
- Protective eyewear

---

### STORAGE AND DISPOSAL

---

Do not contaminate water, food, feed, fertilizer or seeds by storage or disposal.

#### Pesticide Storage

Keep container closed when not in use.

#### Pesticide Disposal

Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control

Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### **Container Disposal**

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

---

## **GENERAL USE PRECAUTIONS - SOUTHERN REGION**

---

**READ ALL LABEL INSTRUCTIONS BEFORE USING.** Do not overdose. Ordram 15-GM should be used only for recommended purposes and at recommended rates. Ordram 15-GM may cause crop injury under extreme soil or climatic conditions or if directions are not followed. The mixture of any other herbicide in the same application with Ordram 15-GM may cause crop injury.

Do not apply more than 4 lbs. actual Ordram 15-GM per acre preplant or more than 5 lbs. actual Ordram 15-GM per application per acre postflood, postemergence. Do not apply more than 9 lbs. of actual Ordram 15-GM per acre per season.

Allow 30 days between preplant and postflood treatments. Allow 30 days between the last application and harvest. Do not feed rice straw if application is made within 40 days of harvest.

Equipment used in the application of Ordram 15-GM should be carefully calibrated before use and checked frequently during application to be sure it is working properly and delivering a uniform distribution pattern. Avoid overlaps that will increase Ordram 15-GM dosage above recommended limits because crop injury may occur.

Ordram 15-GM may be applied by aircraft or ground equipment. Aerial application should be made only when the wind velocity is low, 0–10 mph.

**SOUTHERN REGION** (Arkansas, Louisiana, Mississippi, Missouri [Boot-Heel Region Only] and Texas)

### **DIRECTIONS AND RECOMMENDATIONS FOR PREPLANT, PREFLOOD USE ON RICE (WATER-SEEDED RICE ONLY)**

For control of barnyardgrass (*Echinochloa* spp.), for suppression of annual sedges (*Cyperus* spp.), broadleaf signalgrass (*Brachiaria platyphylla*), crabgrass (*Digitaria* spp.), and sprangletop (*Leptochloa* spp.), and for reduced competition from red rice (*Oryza sativa*).

**Soil Preparation:** Use only on soils in good tilth. Prepare the soil for seeding according to good agricultural practices. All weed growth must be thoroughly worked into the soil before treatment.

**Application (Air or Ground Application):** When Ordram 15-GM is applied before flooding and planting, application may be made by either air or ground equipment.

**Soil Incorporation:** Applications of Ordram 15-GM must be immediately incorporated thoroughly and uniformly to a depth of 1–2 inches. Incorporation may be delayed up to 6 hours



9/18

when applied to a dry soil surface. Incorporation should be done by at least one discing (pulverizing disc) and harrowing. Do not set disc to cut deeper than 4 inches.

**Rate:** To control barnyardgrass and suppress crabgrass, apply 20–27 lbs. of Ordram 15-GM per acre. To suppress annual sedges, broadleaf signalgrass and sprangletop, and to reduce competition from red rice, apply 27 lbs. of Ordram 15-GM per acre. Reduced competition from red rice is improved with continuous floodwater management. An increased seeding rate may be desirable under water-seeded cultures.

FLOOD THE FIELD FOR SEEDING AND HOLD THE WATER FOUR TO SIX DAYS FOLLOWING SEEDING.

**DIRECTIONS AND RECOMMENDATIONS FOR POSTFLOOD, PREPLANT USE ON RICE (WATER-SEEDED RICE AT SEEDING)**

For control of barnyardgrass (*Echinochloa* spp.) and for reduced competition from red rice (*Oryza sativa*).

**Soil Preparation:** Use only on soils in good tilth. Prepare the soil for seeding according to good agricultural practices. All weed growth must be thoroughly worked into the soil before treatment. Ordram 15-G should be applied to murky (silty) water after working of soil.

**Application:** Apply Ordram 15-GM into the flood water by air application. Follow with seeding 2–3 days after the Ordram 15-GM application. Allow the flood water to remain stable from application until germination and rooting have occurred as in normal water-seeding procedures, usually 4–6 days following seeding.

**Rate:** To control barnyardgrass apply 20–27 lbs. of Ordram 15-GM per acre, and to reduce competition from red rice, apply 27 lbs. of Ordram 15-GM per acre. Reduced competition from red rice is improved with continuous flood water management.

**DIRECTIONS AND RECOMMENDATIONS FOR POSTFLOOD, POSTEMERGENCE USE ON RICE (WATER-SEEDED OR DRY-SEEDED RICE)**

For control of barnyardgrass (*Echinochloa* spp.) and dayflower (*Commelina communis*), and for suppression of annual sedges (*Cyperus* spp.), spikerush (*Eleocharis* spp.), brooks paspalum (*Paspalum accuminatum*) and sprangletop (*Leptochloa* spp.).

**Application:** Apply Ordram 15-GM into the flood water by air application only.

**Standard Treatment:** Rice must be established at the time of application. Barnyardgrass, dayflower, annual sedges, spikerush, and sprangletop must not be more than 5 inches high. Barnyardgrass, annual sedges, spikerush, and sprangletop must be at least  $\frac{2}{3}$  submerged. Dayflower must be completely submerged. Brooks paspalum runners should be completely submerged and not longer than 12 inches. Floods should be maintained at these depths until the barnyardgrass and/or dayflower are controlled or until the annual sedges, spikerush, brooks paspalum, and sprangletop are suppressed.

**Rate:** Apply 20 lbs. of Ordram 15-GM per acre.

10/12

**For Suppression of Large Grasses (Suppression-Stopping Normal Development):** Apply 20–27 lbs. of Ordram 15-GM per acre for barnyardgrass 5–12 inches in height. Apply 33 lbs. of Ordram 15-GM per acre for unusually heavy infestations of barnyardgrass under 12 inches in height and for barnyardgrass 12–24 inches in height. Apply 33 lbs. of Ordram 15-GM per acre for sprangletop 5–12 inches in height. Flood water must be maintained at a 4–6 inch depth. Avoid overlaps because crop injury may occur.

---

**GENERAL USE PRECAUTIONS - CALIFORNIA ONLY**

---

READ ALL LABEL INSTRUCTIONS BEFORE USING. Ordram 15-GM should be used only for recommended purposes and at recommended rates. Ordram 15-GM may cause crop injury under extreme soil or climatic conditions or if directions are not followed. Do not tank mix any other herbicide in the same application with Ordram 15-GM as injury may occur.

- Do not apply more than 4 lbs. of molinate a.i. per acre preplant or more than 5 lbs. a.i. per application per acre postflood, postemergence.
- Do not apply more than 9 lbs. of molinate a.i. per acre per season.
- Do not make more than 3 applications per season.
- Do not make more than one preplant application per season.
- Do not apply Ordram 15-GM within 30 days of harvest.

Equipment used in the application of Ordram 15-GM should be carefully calibrated before use and checked frequently during application to be sure it is working properly and delivering a uniform distribution pattern. Avoid overlaps that will increase Ordram 15-GM dosage above recommended limits because crop injury may occur.

Ordram 15-GM may be applied by aircraft or ground equipment. Aerial application should be made only when the wind velocity is low, 0–10 mph.

Damage may occur to certain long-grain rice varieties when Ordram 15-GM is used at the higher rates. Consult State Agricultural Extension Service or County Agricultural Advisors before applying Ordram 15-GM on long-grain varieties.

Release flood water strictly in accordance with applicable use permit conditions. Consult the State Department of Pesticide Regulation or your County Agricultural Commissioner for further information. If water release is necessary, draw the water down slowly.

**DIRECTIONS AND RECOMMENDATIONS FOR PREPLANT, PREFLOOD, SOIL INCORPORATED USE ON RICE (WATER-SEEDED RICE ONLY)**

For use on rice to control barnyardgrass (*Echinochloa crus-galli*) and Watergrasses (*Echinochloa* spp.)

**Soil Preparation:** Use only on soils in good tilth. Prepare the soil for seeding according to good agricultural practices. All weed growth must be thoroughly worked into the soil before treatment.

**Application:** Apply the specified rate of Ordram 15-GM by either air or ground equipment. Applications of Ordram 15-GM must be incorporated to a depth of 2–3 inches within 6 hours by mechanical incorporation. Incorporation should be done by at least two (2) discings or heavy

11/12

spike-tooth harrowings, or by use of a rice roller, or a combination of these incorporation implements. Do not set disc to cut deeper than 4 inches.

Flood the field for seeding. For optimum weed control, hold the flood water for a minimum of 4 days after the field is completely flooded or until the barnyardgrass/watergrass dies.

**Rate:** Apply 20–27 lbs. of Ordram 15-GM per acre. Use the higher rates for optimum weed control and for heavy infestations.

**DIRECTIONS AND RECOMMENDATIONS FOR POSTFLOOD, POSTEMERGENCE USE ON RICE (WATER-SEEDED OR DRY-SEEDED RICE)**

For use on rice to control barnyardgrass (*Echinochloa crus-galli*) and watergrasses (*Echinochloa* spp.). Rice should be in the seedling stage at the time of application. To avoid possible rice injury, do not apply Ordram 15-GM at high rates when rice is under stressed conditions or less than the two-leaf stage of growth.

**Application:** Apply the specified rate of Ordram 15-GM by air only. Barnyardgrass and watergrasses must be a minimum of 2 inches high but not higher than 5 inches, and it must be at least <sup>2</sup>/<sub>3</sub> submerged at time of application. The water level (not less than 2 inches) must be maintained until the barnyardgrass/watergrass dies. To avoid uneven distribution of Ordram 15-GM, the water flow through the field should be at a minimum at the time of application and for at least 2 hours after application.

**Rate:** Apply 20–33 lbs. of Ordram 15-GM per acre.

---

Ordram® and the Syngenta logo are trademarks of a Syngenta Group Company.

Kleenguard™ is a trademark of Kimberly-Clark Corporation.

©2004 Syngenta

For non-emergency (e.g., current product information), call  
Syngenta Crop Protection at 1-800-334-9481.

Syngenta Crop Protection, Inc.  
Greensboro, North Carolina 27409  
[www.syngenta-us.com](http://www.syngenta-us.com)

SCP 1102A-L1A 0903 (500 lb. bag, Product ID 74212)  
SCP 1102A-L2A 0903 (1200 lb. bag, Product ID 74213)

ORD 15GM 1102 FIRTAID CLEAN – pd – 8/28/03  
000100-01102.20030902.ORD.15GM.1102.FIRTAID.pdf  
ORD 15GM 1102A L1A-L2A 0903 – pd – 08/12/04

12/12

Syngenta Crop Protection, Inc.  
P.O. Box 18300  
Greensboro, NC 27419-8300  
www.syngenta.com



**FEDERAL EXPRESS**

August 23, 2004

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (H7504C)  
U.S. Environmental Protection Agency  
Room 266A, Crystal Mall 2  
1801 Bell Street  
Arlington, VA 22202

Attention: Ms. Sherada Hobgood

Dear Ms. Hobgood:

**SUBJECT: ORDRAM® 15-GM RICE HERBICIDE  
EPA REG. NO. 100-1102  
NOTIFICATION OF LABEL EXPIRATION**

Syngenta Crop Protection, Inc. is submitting Notification for Ordram 15-GM Rice Herbicide to comply with Syngenta's request to cancel our Molinate registrations. A label expiration date has been added to the Ordram 15-GM Rich Herbicide label and is highlighted on the attached label. We will incorporate this change into our next label printing.

To complete this notification, EPA Form 8570-1 is enclosed.

Sincerely,

Pat Dinnen  
Regulatory Specialist

Enclosures

cc: Ms. Joanne Miller, PM 23  
Dr. Jerry Wells