



APPLY THIS PRODUCT ONLY BY GRAVITY-FEED SPRAY APPARATUS (HAND-HELD SPRINKLING CAN), OR AT LOW-TO-MODERATE-PRESSURE, NOT TO EXCEED 100 PSI. APPLY DURING WARM WEATHER WHEN WEEDS ARE GROWING ACTIVELY.

ON TURF such as golf courses, apply at rate of 5 pints Brulin's 2, 4-D LIQUID WEED KILLER — 20% in an amount of water sufficient to wet all treated ground. Recommended dosage is 5 pints of this concentrate in 150 gallons of water per acre.

For taller weed growth as **along fence rows and vacant property**, stronger solution and greater volumes are necessary. Dissolve 6 $\frac{2}{3}$ pints Brulin's 2, 4-D LIQUID WEED KILLER — 20% in 200 gallons of water, and apply entire amount in one acre. Thoroughly wet all growth, but avoid solution run-off reaching adjacent properties. Deep-rooted perennial weeds of which field bindweed is an example, may require repeated applications as new growth appears, but discontinue use as soon as control is achieved.

EQUIPMENT AND CONTAINERS: Use separate spraying equipment kept only for spraying 2, 4-D, since it is difficult to remove residues of this product. If sprayer must be used for application of other materials, it must be cleaned immediately after use of 2, 4-D. Rinse all contact surfaces with hot water and detergent several times including hose and spray nozzle. This applies also to all mixing cans, drums, etc.

Emptied containers of this product also should be washed and rinsed as described above and not re-used for any agricultural chemical or edible products purposes for man or animals. If it is not possible to insure such safe disposal practice, containers should be crushed, perforated and/or buried.

Do not contaminate water by cleaning of equipment, or disposal of wastes



2, 4-D LIQUID WEED KILLER-20%

EPA Registration No. 106-20-AA

FOR INSTITUTIONAL AND COMMERCIAL LAWNS ONLY: PARKS, PLAYGROUNDS, GOLF COURSES.

Controls the following broad-leaved weeds: dandelion, goldenrod, hedge bindweed, kochia, burdock, bull thistle, mustards, pigweed, wild carrot, plantains, ragweeds, shepherd's purse, wild morning glory and wild radish without damage to most grasses.

Active Ingredient:

Dimethylamine Salt of 2, 4-D Dichlorophenoxyacetic acid* 24.7%

Inert Ingredients 75.3%

*2, 4-D Acid Equivalent 20%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Read carefully complete caution statements on side panels.

NET CONTENTS



U.S. GALLONS

Manufactured and Sold by:

BRULIN & COMPANY, INC.

Indianapolis, Indiana 46206 U.S.A.

Westwood, N.J. 07675

Richmond, Calif. 94804

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

CAUTION

KEEP OUT OF REACH OF CHILDREN

PERSONAL PROTECTION: Harmful if swallowed. Skin and eye irritant. Keep away from skin, eyes and clothing. Wear rubber or plastic gloves and protective goggles when handling. Do not inhale spray mist. If splashed on skin, wash immediately with soap and water. If spilled on clothing, remove and do not re-use until laundered.

ENVIRONMENTAL: Excessive amounts of 2, 4-D in the soil may temporarily inhibit plant growth or seed germination.

- DO NOT CONTAMINATE IRRIGATION OR DOMESTIC WATER SUPPLIES.
- DO NOT USE AT WATER'S EDGE OF LAKES, STREAMS OR PONDS.
- DO NOT APPLY ON OR IMMEDIATELY ADJACENT TO EDIBLE CROPS, FRUITS, VEGETABLES OR FLOWERS. Use caution when applying in vicinity of such plants, as even minute quantities may injure them. Avoid contamination of other agricultural chemicals with 2, 4-D.
- AVOID SPRAY DRIFT. Do not use fine-mist sprays. Do not spray on windy days.
- DO NOT USE ON LAWNS OR CREEPING GRASSES SUCH AS BENT AND ST. AUGUSTINE, except for spot weed killing. Do not use on newly seeded lawns. Most legumes including white clover are usually damaged and, under some conditions, killed.
- DO NOT GRAZE TREATED AREAS BY DAIRY ANIMALS WITHIN SEVEN DAYS AFTER TREATMENT.
- DO NOT STORE NEAR FERTILIZERS, SEEDS, INSECTICIDES OR FUNGICIDES.

EPA Est. No. 106-IN-1

EPA Est. No. 106-CA-1

EPA Est. No. 106-NJ-1

106-20

DIRECTIONS

APPLY THIS PRODUCT AS A COARSE SPRAY ONLY. APPLY BY GRAVITY-FEED SPRAY APPARATUS (HAND-HELD SPRINKLING CAN) OR AT LOW-TO-MODERATE-PRESSURE. NOT TO EXCEED 100 PSI. APPLY DURING WARM WEATHER WHEN WEEDS ARE GROWING ACTIVELY.

ON TURF such as golf courses, apply at rate of 5 pints Brulin's 2, 4-D LIQUID WEED KILLER-20% in an amount of water sufficient to wet all treated ground. Recommended dosage is 5 pints of this concentrate in 150 gallons of water per acre.

For taller weed growth as along fence rows and vacant property, stronger solution and greater volumes are necessary. Dissolve 6 1/2 pints Brulin's 2, 4-D LIQUID WEED KILLER-20% in 200 gallons of water, and apply entire amount in one acre. Thoroughly wet all growth, but avoid solution run-off reaching adjacent properties. Deep-rooted perennial weeds of which field bindweed is an example, may require repeated applications as new growth appears, but discontinue use as soon as control is achieved.

EQUIPMENT AND CONTAINERS Use separate spraying equipment kept only for spraying 2, 4-D since it is difficult to remove traces of this product. If sprayer must be used for application of other materials, it must be cleaned immediately after use of 2, 4-D. Rinse all contact surfaces with hot water and detergent several times including the spray nozzle. This applies also to all mixing tanks, etc.

Empty containers of this product are to be washed and rinsed as described above and not re-used for any agricultural purposes. If it is necessary for such side disposal, the containers should be crushed, perforated and buried.

Do not contaminate water by cleaning, or pouring or disposal of wastes.



2, 4-D LIQUID WEED KILLER-20%

EPA Registration No. 106-20-A7

FOR INSTITUTIONAL AND COMMERCIAL LAWNS ONLY: PARKS, PLAYGROUNDS, GOLF COURSES.

Controls the following broad-leaved weeds: dandelion, golden-roed, hedge bindweed, knotweed, buttercup, burdock, thistle, mustard, pigweed, wild carrot, plantain, ragweed, shepherd's purse, wild morning glory and wild radish without damage to most grasses.

Active Ingredient

Dichloroamine Salt of 2, 4-D Dichlorophenoxyacetic acid 24.7%

Inert Ingredients

75.3%

2, 4-D Acid Equivalent 20%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Read and fully comply with all statements on side panels.

Net Content U.S. GALLONS

BRULIN & COMPANY, INC.

10000 10th Street, Philadelphia, PA 19131
10000 10th Street, Philadelphia, PA 19131

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

CAUTION

KEEP OUT OF REACH OF CHILDREN

PERSONAL PROTECTION: Harmful if swallowed. Skin and eye irritant. Keep away from skin, eyes and clothing. Wear rubber or plastic gloves and protective goggles when handling. Do not inhale spray mist. If splashed on skin, wash immediately with soap and water. If spilled on clothing, remove and do not reuse until laundered.

ENVIRONMENTAL: Excessive amounts of 2, 4-D in the soil may temporarily inhibit plant growth or seed germination.

- DO NOT CONTAMINATE IRRIGATION OR DOMESTIC WATER SUPPLIES.
- DO NOT USE AT WATER'S EDGE OF LAKES, STREAMS OR PONDS.
- DO NOT APPLY ON OR IMMEDIATELY ADJACENT TO EDIBLE CROPS, FRUITS, VEGETABLES OR FLEEWERBS. Use caution when applying in vicinity of such plants, as even minute quantities may injure them. Avoid contamination of other agricultural chemicals with 2, 4-D.
- AVOID SPRAY DRIFT. Do not use fine-mist sprays. Do not spray on windy days.
- DO NOT USE ON LAWNS OR CREEPING GRASSES SUCH AS BENT AND ST. AUGUSTINE, except for spot weeding. Do not use on newly seeded lawns. Most legumes, including white clover, are usually damaged and, under some conditions, killed.
- DO NOT GRAZE TREATED AREAS BY DAIRY ANIMALS WITHIN SEVEN DAYS AFTER TREATMENT.
- DO NOT STORE NEAR FERTILIZERS, SEEDS, INSECTICIDES OR FUNGICIDES.

EPA Est. No. 106-IN-1

EPA Est. No. 106-CA-1

EPA Est. No. 106-NJ-1