<b>⊕EPA</b>	United States Environmental Protection Washington, DC 20460	,	Registration Amendme Other		
	Application	for Pesticide - Secti	on I		
1. Company/Product Numbe	•	2. FPA Product Manag	er	3. Proposed Classification	
106-78			Marion J. Johnson, Fr.  PM#  31		
4. Company/Product (Name) Broadspec 128					
5. Name and Address of Applicant (Include ZIP Code) Brulin & Company, Inc. 2920 Dr. Andrew J. Brown Avenue/P.O. Box 270 Indianapolis, IN 46206		6. Expedited Revie (b)(i), my product is to:	6. Expedited Review. In accordance with FIFRA Section 3(c)(3 (b)(i), my product is similar or identical in composition and labeling		
Check if this	s is a new address	Product Name			
		Section - II			
Amendment - Explain below.  Resubmission in response to Agency letter dated  X Notification - Explain below.		Agency lette	Final printed labels in response to Agency letter dated "Me Too" Application.  Other - Explain below.		
40 CFR 152.46, an ment of formula o wilfully make any	is consistent with the dono other changes have of this product. I under false statement to EPA. The terms of TR Notice 95 by he subject to enformed to Be Packaged In:	been made to the la stand that it is a . I further underst	beling or the violation of and that if	e confidential state 18 U.S.C. Sec. 100 this notification is	
Child Panistone Posses					
Child-Resistant Packaging	Unit Packaging	Water Soluble Packaging	2. Type of Co		
Yes* No	Unit Packaging Yes No	Water Soluble Packaging Yes No		ntainer Vietal Plastic	
Yes*	Yes	Yes		ntainer Metal	
Yes* No * Certification must	Yes No No No. per Unit Packaging wgt. container	Yes No If "Yes" Package wgt No. per container		ntainer Metal Plastic Glass Paper Other (Specify)	
* Certification must be submitted  3. Location of Net Contents	Yes No If "Yes" No. per Unit Packaging wgt. container	Yes No If "Yes" Package wgt No. per container	5. Location of Label On Label	ntainer Metal Plastic Glass Paper Other (Specify)	
* Certification must be submitted  3. Location of Net Contents	Yes No  If "Yes" Unit Packaging wgt. container  Information  4. Size(s) Retai	Yes No If "Yes" Package wgt Container	5. Location of Label On Labeling	ntainer Metal Plastic Glass Peper Other (Specify) Directions	
* Certification must be submitted  3. Location of Net Contents  Label (	Yes No If "Yes" Unit Packaging wgt. container  Information 4. Size(s) Retainer	Yes No If "Yes" Package wgt Container	5. Location of Label On Labeling	ntainer Metal Plastic Glass Peper Other (Specify) Directions	
* Certification must be submitted  3. Location of Net Contents  Label 0  6. Manner in Which Label is	Yes No If "Yes" Unit Packaging wgt. container  Information 4. Size(s) Retainer	Yes No If "Yes" Package wgt Container  Other In Section - IV	5. Location of Label On Labeling	ntainer  Metal  Plastic  Glass  - per  Other (Specify)  Directions  glaccompanying product	
* Certification must be submitted  3. Location of Net Contents  Label 0  6. Manner in Which Label is	Yes No  If "Yes" Unit Packaging wgt. container  Information Container  Affixed to Product  Affixed to Product  It it is a literal directly below for identification	Yes No If "Yes" Package wgt Container  Other In Section - IV	5. Location of Label On Labeling On Labeling	Intainer Metal Plastic Glass Peper Other (Specify)  Directions Jaccompanying product  ess this equication. July 1923-3211	
* Certification must be submitted  3. Location of Net Contents  Label Contents  6. Manner in Which Label is  1. Contact Point (Complete Name  Berma L. Zootman	Yes No If "Yes" Unit Packaging wgt. container  Information Container  Affixed to Product Lithogra Paper gl Stencile  Certification  Certification Information Container  Container  Container  Container  Container  Container  Container  Certification	Yes No  If "Yes" Package wgt Container  Other  Section - IV  of individual to be contacted, in  Compliance/Reg. Affilian	5. Location of Label On Labeling on Labeling on Manager T  decorate and comp	ntainer  Metal  Plastic  Glass per  Other (Specify)  Directions  Jaccompanying product  ess this addicator.  elephone No. (Include Area Companying Area Com	
* Certification must be submitted  3. Location of Net Contents  Label Contents  6. Manner in Which Label is  1. Contact Point (Complete Name Berma L. Zootman  I certify that the state I acknowledge that a	Ves No If "Yes" Unit Packaging wgt. Container  Information Container  Affixed to Product Lithogra Paper gl Stencile  Certification  Certification No. per Container  4. Size(s) Retain Container  Centainer  Certification  Certification  Certification  No. per Container  A Size(s) Retain Container  Centainer  Certification  Certification  Certification  Certification  Certification  No. per Container  A Size(s) Retain  Container  Lithogra Paper gl Stencile  Certification  Certificatio	Yes No  If "Yes" Package wgt Container  Other  Section - IV  of individual to be contacted, in  Compliance/Reg. Affilian	5. Location of Label On Labeling On Labeling  If necessary, to proc.  Manager  T  securate and company or imprisonment or	ntainer  Metal  Plastic  Glass per  Other (Specify)  Directions  accompanying product  ess this engliceton.  elephone No. (Include Area Cod 317 923-3211  6. Date Application	

### 2711

## **BROADSPEC 128**

## GERMICIDAL DETERGENT

STAPHYLOCIDAL PSEUDOMONACIDAL VIRUCIDAL\* FUNGICIDAL MILDEWCIDAL

#### **ACTIVE INGREDIENTS:**

Alkyl (C14, 50%; C12, 40%; C16, 10%)	
dimethyl benzyl ammonium chloride	2.630%
Octyl decyl dimethyl ammonium chloride	
Didecyl dimethyl ammonium chloride	
Dioctyl dimethyl ammonium chloride	1.005%
INERT INGREDIENTS:	92.950%
TOTAL	

DILUTION: 1 TO 128 . . . ONE OUNCE PER GALLON

# KEEP OUT OF REACH OF CHILDREN DANGER

See Side Panel for Statement of Practical Treatment and Additional Precautionary Statements

EPA Reg. No. 106-78

EPA Est. No. 106-IN-1

**NET CONTENTS 1 U.S. GALLON** 

Manufactured and Sold By:

BRULIN & COMPANY, INC.

HOME OFFICE/PLANT: P.O. Box 270 Indianapolis, IN 46206-0270 1-800-776-7149

INDIANAPOLIS IN TAMPA FL RICHMOND CA

78-D

BROADSPEC 128 is a "one-step" concentrated multi-purpose germicidal detergent effective in hard waters up to 400 ppm hard water (calculated as CaCO<sub>3</sub>) in the presence of 5% organic serum. The activity of BROADSPEC 128 has been evaluated by the current AOAC use dilution test and found to be effective against the following pathogenic organisms:

Pseudomonas aeruginosa Staphylococcus aureus phage type 80 Salmonella typhi Staphylococcus aereus phage type 428/52/81 Salmonella choleraesuis Streptococcus pyogenes Enterobacter cloacae Klebsiella pneumoniae Proteus mirabilis Shigella flexneri Brevibacterium ammoniagenes Staphylococcus aureus (MRSA) Multiply (Methicillin) Resistant Clinical Isolate \* HIV-1 (AIDS Virus)

- \* Adenovirus Type 2
  \* Herpes Simplex Type 1
- \* Influenza Type A/Mich.
  \* Vaccinia
  \* Adenovirus Type 4
- \* Herpes Simplex Type 2

  \* Rubella

- \* Avian Infectious Bronchitis \* Avian Influenza A/Mich.
- \* Canine Parvovirus
  \* Bovine Parvovirus
- \* Infectious Bovine Rhinotracheitis
- \* Canine Distemper \* Feline Leukemia
- \* Feline Picornavirus Streptococcus faecalis Staphylococcus aureus Shigella dysenteria

Staphylococcus aureus phage type 81

Staphylococcus epidermidis Enterobacter aerogenes Escherichia coli Serratia marcescens Proteus vulcaris

Shigella sonnei Salmonella schottmuelleri Trichophyton mentagrophytes

Candida albicana Aspergillus niger Poliovirus Type 1

\*Kills HIV-1 on PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1)(associated with AIDS).

#### STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash thoroughly with soap and water. In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** Corrosive. Causes eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing before reuse. Harmful if swallowed. Avoid contamination of food, water or feed.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE: Floors, walls, mirrors, glass, metal surfaces, conductive flooring, painted surfaces, exterior bowl surfaces, empty basins, noncritical medical devices, hand/nail care instruments, showers, and lavetory fixtures. For institutional and commercial use only such as hospitals and nursing homes, schools and colleges, medical and dental offices, barber/beauty shops, and veterinary clinics.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that 1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or 2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enters normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

£ 2

#### CLEANING AND DISINFECTING WASHABLE HARD NON-POROUS SURFACES:

Add one ounce of **BROADSPEC 128** to each gallon of water used. Always add **BROADSPEC 128** to premeasured water. Gently mix for a uniform solution. Apply solution by normal methods with brush, coarse spray devices, sponge, cloth, mop, or immersion. Thoroughly wet all surfaces to be cleaned. Treated surfaces should remain wet for 10 minutes. Remove gross soil mechanically before cleaning begins. Discard solution when it becomes dirty and replace with fresh solution. Rinsing is not necessary unless floors are to be waxed. BROADSPEC 128 is a complete product. Do not add other chemicals. Use only as directed.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

**PERSONAL PROTECTION**: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of BROADSPEC 128. This pre-cleaning may be accomplished with any cleaning solution including BROADSPEC 128.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

**CONTACT TIME**: Leave surfaces wet for 4 minutes. This contact time will not control other common types of viruses and bacteria.

#### STORAGE AND DISPOSAL

**PROHIBITIONS**: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL -**

**PLASTIC CONTAINER**: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed, by state and local authorities, by burning. If burned, stay out of smoke.

**GENERAL**: Consult federal, state or local disposal authorities for approved alternate procedures.

PELIGRO:

SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODÚCTO.

1 November 1995