Tool Provided



U. A FAG. 10. 114-61

- DIRECTIONS -

INSECTS CONTROLLED: Efficient control of aphids (green fly and black fly), most thrips, chrysanthemum and rose midge.

PRECAUTIONS: Do not fumigate tender plants. Never use on African Violets.

WARNING Poisonous by swallowing, inhalation or skin contact! Do not breathe fumes. Do not get in eyes, on skin or on clothing. In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes, for eyes, get medical attention. Remove and wash clothing before re-use. Wear a mask or respirator of a type suitable for Nicotine protection. (In the U.5 A, refer to the list of acceptable respirators published by the U.S. Department of Agriculture.)

ANTIDOTE AND FIRST AID. Call a Physician immediately! Give a tablespoonful of salt in a glass of warm water and repeat until vomit tivid is clear. Have victim lie down and keep warm. Give strong the or coffee. Give artificial respiration if breathing has stapped.

NOTICE. Selfer's guarantee thall be limited to the terms of the 'ab I and subject thereto the buyer assumes any lisk to persons or property arising out of the use or handing and accepts the product on the Aconditions, (Not application in Canada)

FOR USE ON GREENHOUSE CRNAMENTALS ONLY

SMOKE GENERATOR

ACTIVE INGREDIENTS:

Nicotine (Expressed as Alkaloid)............ 14.0% INERT INGREDIENTS: 86.0% 100.0%

TREATS 20,000 CUBIC FEET Net Weight - 12 oz.

DANGER: Keep out of reach of children.

See side panel for antidote statement and other warnings.



LANT RODUCTS ORPORATION

BLUE POINT, L.I., NEW YORK 11715

CANADIAN GUARANTEE STATEMENT GUARANTEE. "Effective for purposes claimed" No offine (fexpressed as Alki) of 28 gm (from ke

REG. NO 7224 P.C.P. ACT DISTRIBUTED IN CANADA BY: PLANT PROLUCTS COMPANY LIMITED. PORT CREEKT ONTARIO



-PROCEDURE-

Close all doors, windows and ventilators tightly. Plug all holes, cracks or openings in glass. Do not fumigate greenhouse if foliage of plants is wet. Maintain temperature of greenhouse between 70° to 80°F. Place each fumigator in the greenhouse walk upon a tin, brick or overturned flower pot keeping fumigators at least 2 feet away from plants. Puncture both triangular marks as indicated on side of can using tool provided. If vertical evolution of smoke is preferred puncture can on top lid instead of sides, Insert ignited lighter. Where the greenhouse being fumigated requires that generators be placed in more than one walk it is recommended that one person be assigned to light the furnigators in each walk, starting at the end farthest from the exit, so that the fumigation in each walk may start simultaneously, and the persons wit from the house simultaneously. The fumigators will commence to smoke immediately and the dose will continue to be effective to several hours. It is recommended that the ventilators of the house be kept closed all night wherever possible to secure maximum killing effect of this application. On tender crops that are in flower, a good precaution is to ventilate. the house after about $2\frac{1}{2}$ to 3 hours. Ventilate house thoroughly after fumigation before permitting work to be done there. Ventilate at least 2 hours. Re-formacto as reinfestation appears.

HPR. 1:3,1968

Customer PLANT PRODUCTS CORP. Eng. 8-0683 0: 4504 Size 307X409 C.E. 10.599X4687 B.P. 16-1-1A

Design NICOTINE - SMOKE GENERATOR

READ BEFORE SIGNING Customer agrees that (1) Continental Can Company, Inc. shall not be fiable for (a) any error in the attached unless this proof is returned to Continental with such error plainty noted in writing, (b) the failure of any part of the attached to comply with any local, state or Federal law or regulation, (c) any part of the attached which infringes the property right, of others acquired, without limitation mage, registration, copyright, lefters matent or etherwise and (d) production colors not being

exactly the same as the hand proved colors, if any, in the attached, although Centinental will deplicate the colors as clearly as possible. (2) Customer shall indemnify and hold Continental Armiess against the flability described in (1) above, i cruding attorizy fees and court corts or for consequential demages; and (3) the fiability of Continental &r uncorrected errors plainly noted in the attached thall not exceed the actual cost of the containers begins the noted error. CHANGES INCREASE COSTS AND DELAY PRODUCTION

Change as Detailed

as Submitted

Customer Signature

Date 3-7-68

114-61