

PLANTERS

3% Sevin* — 7% Copper Dust

ACTIVE INGREDIENTS:	BY WEIGHT
Carbaryl (1-naphthyl N-methylcarbamate) . . .	3.00%
Cuprous Oxide	5.83%
Cupric Oxide	3.50%
(Copper Expressed as Metallic . . . 7.0%)	
INERT INGREDIENTS	87.67%
TOTAL	100.00%

DIRECTIONS FOR USE

POTATOES: For foliage application only. To control Colorado Potato Beetle, Leafhopper, Flea Beetle, Early and Late Blight—Dust at the rate of 35 to 40 lbs. per acre, depending on size of plants and severity of insect and disease conditions. Apply dust thoroughly to upper and lower leaf surfaces. Repeat applications at 7-10 day intervals.

TOMATOES: To control Tomato Fruitworm, Flea Beetle, and Early and Late Blight—Dust at the rate of 30 to 35 lbs. per acre. Repeat applications, if necessary, at 7-10 day intervals. Can be applied the day of harvest.

CUCUMBERS AND SUMMER SQUASH: To control Striped and Spotted Cucumber Beetle, Squash Bug, Flea Beetle, Pickleworm, Melonworm, Downy Mildew, Anthracnose, Bacterial Wilt and Alternaria Leaf Spot—Dust at the rate of 30 to 35 lbs. per acre. Repeat applications, if necessary, at 7-10 day intervals. Can be applied the day of harvest.

PEPPERS AND EGGPLANT: To control Flea Beetle, Colorado Potato Beetle, Fall Armyworm, Leaf Spot and Blight—Dust at the rate of 30 to 35 lbs. per acre. Repeat applications, if necessary, at 7-10 day intervals. Can be applied the day of harvest.

CAUTION

HARMFUL IF INHALED OR SWALLOWED. Do Not Breathe Dust. Do Not Take Internally. Skin Contact With Any Insecticide May Be Harmful. Avoid Unnecessary Contact.

Wash Hands, Arms and Face Before Eating or Smoking. Take Shower or Bath After Work. Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, Cholinesterase inhibitor. Atropine is antidotal.

Avoid contamination of foodstuffs. Avoid contamination of feed, feeding troughs and watering receptacles. KEEP OUT OF REACH OF CHILDREN AND ANIMALS.

NOTICE

There is no express or implied warranty or representation as to results with this product or effects of its use or as to residues, whether or not in accordance with directions, suggestions, or statements made by the manufacturers of this formulation or of Sevin or in their behalf, on this label, in advertisements or otherwise. User must assume all risks of use and handling.

*Trade-Mark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate.

DANGER KEEP OUT OF REACH OF CHILDREN

USDA REG. No. 1868-102

NORFOLK, VA.



FAYETTEVILLE, N. C.

ALBANY, GA.