



145-1033

ACCEPTED

APR 2 1973

U.S. DEPARTMENT OF AGRICULTURE

PLANT INDUSTRY DIVISION

PEANUTS

SEVIN* - COPPER SULFUR DUST FOR PEANUTS

SUGGESTIONS FOR USE

FOR PEANUTS: Apply at the rate of 20-30 lbs. per acre to control Thrips, Leafhoppers, Cucumber Beetles, Bean Leaf Beetle, Velvet Bean Caterpillar, Corn Earworm, Armyworm and Leaf Spot Disease. For the Bunch or Runner types make first application during the first ten days of July. On Spanish type, spraying should be started about ten days earlier following with two or three applications at as nearly fourteen day intervals as weather conditions permit. Should an application be washed off within a few hours, the treatment should be repeated as soon as weather conditions will permit. Additional applications may be necessary if insects and disease conditions persist. Can be used up to day of harvest.

ACTIVE INGREDIENTS:	
Carbaryl (1-naphthyl N-methylcarbamate)	5.0%
Copper (in copper oxide form) expressed as metallic	4.0%
Sulfur	75.0%
INERT INGREDIENTS:	
	16.0%
TOTAL	100.0%

CAUTION KEEP OUT OF REACH OF CHILDREN.

*Trade-Mark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate.

Toxic to fish and wildlife. To protect fish and wildlife do not contaminate any body of water with this material by direct application, cleaning of equipment or disposal of wastes and containers; nor apply to any area not specified on label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from Agricultural Extension

in empty immediately.
burn. Stay away from

CAUTION

HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of dust. Do not take internally. **Skin Contact May Be Harmful.** Avoid contact. Avoid contact with skin. Wash hands, arms and face before eating. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily.

Note for Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. **AVOID CONTAMINATION OF FOOD, FEED, FEEDING TROUGHS AND WATERING RECEPTACLES. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.**