



SUGGESTIONS FOR USE

FOR PEANUTS: Apply at the rate of 20-30 lbs. per acre to control Thrips, Leafhoppers, Cucumber Beetles, Bean Leaf Beetle, Velvet Bean Caterpillar, Corn Earworm, Armyworm and Leaf Spot Disease. For the Bunch or Runner types make first application during the first ten days of July. On Spanish type, dusting should be started about ten days earlier following with two or three applications, at as nearly fourteen day intervals as weather conditions permit. Should an application be washed off within a few hours, the treatment should be repeated as soon as weather conditions will permit. Additional applications may be necessary if insects and disease conditions persist.

HARMFUL IF INHALED OR SWALLOWED. Do Not Breathe Dust. Do Not Take Internally. Wash Hands, Arms and Face Before Eating or Smoking. Take Shower or Bath After Work. Wear Regular Long Sleeved Work Clothing. Change to Clean Clothing Daily.

For protection of Honey Bees avoid use, if possible, during periods when Honey Bees are visiting the crop. When necessary to use during such periods, warn the Beekeepers well in advance to locate hives at a safe distance until one week after application.

NOTE FOR PHYSICIAN: Carbaryl is a moderate, reversible, Cholinesterase inhibitor. Atropine is antidotal.

Avoid contamination of foodstuffs. Avoid contamination of feed, feeding troughs and watering receptacles.

Farmer's Note
Poor Copy

5% SEVIN* SULFUR DUST

Toxic to fish and wildlife. To protect fish and wildlife do not contaminate any body of water with this material by direct application, cleaning of equipment or disposal of wastes and containers; nor apply to any area not specified on label.


This product is highly toxic to bees exposed to direct treatment or residues on crops. For more information may be obtained from your local Cooperative Agricultural Extension

should be disposed of by burning (if smoke). Bury ashes in non-contaminated soil away from water supply.

ACTIVE INGREDIENTS	BY WEIGHT
Carbaryl (1-naphthyl N-methylcarbamate)	5.00%
Sulfur	75.00%
INERT INGREDIENTS	20.00%
TOTAL	100.00%

CAUTION KEEP OUT OF REACH OF CHILDREN

*Trade-Mark of Union Carbide Corporation for the active ingredient 1-naphthyl N-methylcarbamate.



148-1034