

PLANTERS

**FLORIDA
SHADE DUST
10 ZINEB**

CONTAINS 6.5 ZINEB

DIRECTIONS FOR USE

For the control of Blue Mold apply at the following rates. **IN THE BED.** Apply 2 to 4 lbs. per 100 square yards when plants are the size of a dime and before Blue Mold appears. Dust every 3 days. **IN THE SHADE.** Apply weekly, or as needed, at 20 to 30 lbs. per acre, depending on size of plants.

"Florida Shade Dust" is formulated with "Lignoflex" a special Pecan Hull Flour Divalent approved for use on Shade Tobacco.

ACTIVE INGREDIENT:	
Zineb (Zinc Ethylene Bisdithiocarbamate)	6.50%
INERT INGREDIENTS:	93.50%
TOTAL:	100.00%

CAUTION KEEP OUT OF REACH OF CHILDREN

UNION REG. NO. 1868 211



ACCEPTED

AUG 23 1971

U.S. DEPARTMENT OF AGRICULTURE
PLANT INDUSTRY DIVISION
WASHINGTON, D.C. 20250

1868-211
11-2-10-71p

Do not re-use empty containers. Destroy of empty bags and waste pesticide by burning. Stay out of smoke and fumes. Bury ashes in non-crop lands away from water supply.

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assume the risk of any such use.