READ BEFORE BUYING

CASORON* GRANULES when applied to soil as directed, give selective control of annual weeds such as crabgrass, chickweed, spurge, knotweed, henbit, pigweed, lambsquarters, smartweed, pineapple weed, mustard, shepherd's purse, groundsel, foxtail, purslane, carpet weed, annual bluegrass and horsetail in established shrubs and trees.

WOODY ORNAMENTALS

| Arbor Vitae | Fir (Abies) | Mock Orange |
|-----------------|-----------------------|---------------|
| Ash | Flowering Quince | Photinia |
| Azalea* | Forsythia | (Nandina) |
| Barbery | Forsythia Gardenia | Pine |
| Boxelder | Golden Raintree | Pittosporum |
| Boxwood (Buxus) | Hackberry | Privet |
| Camillia | Heather | Pyracantha |
| Caragana | Holly | Rhododendron |
| Cedar | (except Japanese) | Roses |
| Cotoneaster | Honey Locust | Russian Olive |
| Crabapple | Honeysuckle | Spirea |
| Dogwood | lvy | Spruce |
| Elm | (Hedera Helix) | Viburnum |
| Elmwood Cypress | | Willow |
| (Chamaecyparis) | | Yew (Taxus) |
| Euonymus | Maple | , Oth Alands) |

^{*}Use only on Kurume Mollis, Hardy Hybrid types and hardy native species

PRECAUTIONS

Use only on the ornamental plants listed on this label. Do not apply to transplant or cutting beds or to newly set transplants or in greenhouses. Do not seed or transplant into treated areas. Do not use on extremely light sandy soils. DO NOT USE ON PLANTS, ANY PART OF WHICH IS USED FOR HUMAN OR ANIMAL CONSUMPTION. Keep container tightly closed while in storage.

WARNING

Harmful if swallowed. Do not breathe dust. Do not allow contact with eyes or skin. USE WITH CAUTION. Avoid contamination of feed and foodstuffs. DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.



ANOTHER

CONTROLS WEEDS & GRASSES IN

ROSES • EVERGREENS • SHRUBS

TREATS 270 SQUARE FEET

| ACTIVE INGREDIENTS: | |
|---|--------|
| *Dichlobenil (2,6 dichlorobenzonitrile) | 2.0% |
| INERT INGREDIENTS: | .98.0 |
| | 100 0% |

*U.S. Patent No. 3,027,248

CASORON® is a registered product of Thompson-Hayward Chemical Co., Subsidiary of Philips Electronics and Pharmaceutical Industries, Corp., Kansas City, Missouri.

WARNING:

KEEP OUT OF REACH OF CHILDREN SEE LEFT PANEL FOR OTHER WARNINGS

EPA Reg. No. 168-443

NET CONTENTS: 20 OUNCES

DIRECTIONS


BEFORE APPLICATION

- Remove existing weeds.
- 2 Thoroughly work and smooth area to be treated.
- 3. Carefully measure area to be treated and determine the number of square feet. If area is large, divide into smaller sections and treat sections individually.
- 4. Invert product container and mark the level of the CASORON GRANULES.

APPLICATION AND RATE

Shake CASORON GRANULES uniformly on soil at rate of 1 unit (0.75 ounce) for each 10 sq. ft. to be treated.

20 ounces treats 270 sq. ft. of area.



Rates higher than those indicated may cause plant injury.

More accurate and uniform application can be obtained by applying one-half of the required granules over the entire treatment area and repeating the application with the remaining granules.

CASORON GRANULES should not be used on sloping areas as run-off may result in injury to lawn or plants in adjacent areas

AFTER APPLICATION

Unless soil is wet, sprinkle lightly to moisten soil to depth of $^{1}4$ to $^{1}2$ inch DO NOT FLOOD. Avoid puddling and washing.

Avoid disturbing soil in treated areas as long as weedcontrol is being maintained.

NON WARRANTY Manufacturer or Seller makes no warranty express or implied concerning the use of this product other than for the purposes indicated on the labor Manufacturer or Seller and the

READ BEFORE BUYING

rabglass in weed spurge knotweed hendit pig weed, lambsquarters invartweed procedule weed mustard shepherd's purse, groundset foxtail purstance carpet weed annual bluegrass and horsetail in established shrubs and trees.

WOODY ORNAMENTALS

| Arbor Vitar | FriAbiesi | Mook Grange |
|----------------------|--|---|
| Ash | Filwering Quin - | Photinia |
| Azalea ^e | Forsythia | (Nandina) |
| Barbery | Gardenia | Pine |
| Boxelder | Golden Raintee | Pittosperum |
| Bexweed Burns | Harkberry | Privet |
| Camilla . | Heather | Pyracantha |
| Caragans | Musiky | Rhododena: .: |
| Cedar | enet into e | ₽ -ses |
| Citions to | Holle, Levust | Russian Unive |
| Ĉrabap, ∙ | Multiplu Ke | Spired |
| <u>ે.ફ</u> ્રે+ ડ્રે | * 7 | F 0.5 |
| [m | | * |
| £ ~ n | and the second s | ที่ 🕠 🔥 |
| | and the second | ** A . ** ** |
| <u>.</u> ", "". | V 🚓 🔻 | |

PRECAUTIONS

The control of the factor of the control of the con

WARNING

The state of the second of the state of the second of the



GRANULAR WEED & GRASS KILLER

CONTROLS WEEDS & GRASSES IN

ROSES • EVERGREENS • SHRUBS

TREATS 270 SQUARE FEET

| ACTIVE INGREDIENTS: | | |
|---|-------|--------|
| *Dichlobenil (2,6 dichlorobenzonitrile) | | 2.0% |
| INERT INGREDIENTS: | | 98.0 |
| | TOTAL | 100.0% |

*U.S. Patent No. 3,027,248
CASORON* is a registered product of Thompson-Hayward Chemical Co., Subsidiary of Philips Electronics and Pharmaceutical Industries, Corp., Kansas City, Missouri.

WARNING:

KEEP OUT OF REACH OF CHILDREN SEE LEFT PANEL FOR OTHER WARNINGS

EPA Reg No. 168-443

NET CONTENTS: 20 OUNCES

DIRECTIONS


BEFORE APPLICATION

- Section of the Marketine
- The fragith work was a second of the second of
- The number of square teers to be a great and a febour.
- Smaller sections and treat of the options of values,
- 4 Invertipenduct contains and the kitch which the CASORON GRANUL S

APPLICATION AND RATE

Shake CASORON GRANULES uniformly on soil at rate of a unit (0.75 nunce) for each 10 kg. ft. to be tregted

20 ounces treats, 270 sq. ft, of area



the second of the first of the second of the

More and the soft of the so

TO BOTH HAME IN THE STATE OF TH

AFTER APPLICATION

ver to the second of the secon

(x,y) and (x,y) , the (x,y) -depends on the proof of the (x,y) -depends on (x,y)