

ADR 2 1963

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 201-155

SHELL CHEMICAL COMPANY
A Division of Shell Oil Company
Agricultural Chemicals Division

New York 20, New York
May 18, 1966

**2% CICDRIN® INSECTICIDE
READY-TO-USE
ANIMAL SPRAY SOLUTION**

For the Control of Horn Flies, Stable Flies, Face Flies, House Flies,
and Lice by Direct Application on Dairy and Beef Cattle

ACTIVE INGREDIENTS	BY WEIGHT
Dimethyl Phosphate of Alpha-Methylbenzyl	2.00
3-Hydroxy-Cis-Crotonate*	
Pine Oil	2.00
Petroleum Hydrocarbons	95.5%
IMPERIAL INGREDIENTS	0.4%
Total	100.00

*CICDRIN® Insecticide

USDA Registration No. 201-155

CAUTION! Keep Out of the Reach of Children

SHELL CHEMICAL COMPANY
A Division of Shell Oil Company, New York, N.Y.
Agricultural Chemicals Division

Content: 1 Gallon

PRECAUTIONS IN USING

CAUTION!

AVOID Prolonged Inhalation of Mist and contact with skin. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or fastenings. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not reuse for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying in a remote isolated area. Disposal of residues in a very arid or desert area is desired, or dilute petroleum water soluble.

Agricultural Chemicals Division

May 13, 1966

2% CIODRIN INSECTICIDE
READY-TO-USE ANIMAL SPRAY SOLUTION

GENERAL DIRECTIONS

2% CIODRIN Insecticide animal spray solution is a specially prepared ready-to-use insecticide for use in conventional hand, power or automatic spray equipment.

For the control of certain insects attacking animals, apply in accordance with State and Federal recommendations. Do not apply regularly to calves under 6 months of age. Brahman Cattle should not be treated as they may show hypersensitivity to organic phosphates.

USE AND DIRECTIONS FOR APPLICATION

Cattle, Dairy and Beef - Flies (Horn Fly, Stable Fly, Face Fly, House Fly).

Apply a light application daily as a fine mist. Spray to thoroughly cover all parts of the animal, including the legs. Do not apply in excess of 2 fluid ounces per animal per day.

Cattle, Dairy and Beef - Hides

Make 1-2 applications of 2-3 1/2 ounces of 2.0% Solution at 14 day intervals as a fine mist spray. Spray to thoroughly cover all parts of the animal. If material is applied by fogging or misting equipment, the maximum spraying time per animal is 30 seconds.

NOTICE OF WARRANTY

Shell Chemical Company warrants (to the limited extent set forth in the product label and in this label) that the product consists of the materials identified but makes NO claim, warranty or guarantee of the MERCHANTABILITY, FITNESS, SATISFACTION (EXCEPT OF THE MATERIALS IDENTIFIED), and THAT IT IS SOLD AS IS, WHEREAS IT IS DRIED, CLEAN, AND STILL HAS A USEFUL LIFE, WITHOUT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED, OF DURABILITY, STRENGTH, OR QUALITY OF THIS PRODUCT. THE PURCHASER OR BUYER SHALL BE DEEMED TO HAVE ACCEPTED THESE CONDITIONS, WHICH MAY BE VARIED ONLY BY AGREEMENT IN WRITING, SIGNED BY AUTHORIZED REPRESENTATIVE OF THE MANUFACTURING COMPANY. Shell Chemical Company is the distributor of Shell 2% Insecticide and assumes no liability for damage or loss resulting from the use of this product.