

GENERAL DIRECTIONS-

3% CIODRIN Insecticide is a specially prepared ready-to-use livestock dusting powder suitable for use in conventional hand and power dusters and dust bags. No withdrawal is necessary when used on meat animals. 3% CIODRIN is approved for lactating dairy animals. Do not treat calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

USE DIRECTIONS-

DAIRY AND BEEF CATTLE: To control horn flies, apply 1-2 heaping tablespoonfuls (1-2 oz.) to the backline, poll, neck and upper portions of the sides. For lice, apply thoroughly by rubbing the dust into the hair. Repeat application not more than once in 14 days for hornflies and 3-4 weeks for lice. For aid in controlling face flies, apply dust lightly, but thoroughly, to the face and neck areas as required.

SWINE: To control lice, apply 1-2 oz. as thoroughly as possible with attention to the neck and around the ears. Repeat in 3-4 weeks if necessary.

DUST BAG-ANIMAL DUSTING STATION-

DAIRY AND BEEF CATTLE: For control of horn flies and as an aid in the control of lice and face flies, 3% CIODRIN Insecticide Dust may be applied daily when application is made with dust bags. To prepare dust bags for animal use, place 4-8 pounds of dust in double burlap bags. Suspend bags near mineral or salt blocks, in alleyways leading to and from animal buildings or dairy barns. Dust bags may also be suspended in livestock holding pens, feed lots and loafing sheds. Protect bags from weather by placing them under shelter.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, FYPRESS OR IMPLIED, concerning this product or its uses which extend beyond the use—the product under normal conditions in accord with the statements made on this label.

-PRECAUTIONS & 01-162

CAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation of dust and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking.

This product is toxic to fish, birds and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DESTROY USED CONTAINERS. Do not re-use for any purpose. Destroy container by burning or burying in an isolated area. If burned, keep out of smoke.

TRINTORNIC ICE
THORT OF A TOTAL

SOLID RED

SHELL CHEMICAL COMPANY—
A Division of Shell Oil Company—
AGRICULTURAL DIVISION—
ANIMAL HEALTH———
SAN RAMON, CALIFORNIA 94583—

ACCEPTED

MOENTHE FEDERAL INSECTICIDE

MOENTHE FEDERAL INSECTICIDE

ACCEPTED

MOENTHE FEDERAL INSECTICIDE

ACCEPTED

MOENTHE FEDERAL INSECTICIDE

ACCEPTED

MOENTHE FEDERAL INSECTICIDE

MOENT

-PRECAUTIONS & 0/-162

wder suitil is necesnimals. Do they may

1-2 oz.) to by rubbing and 3-4 o the face

neck and

of lice and made with ble burlap imal buildid lots and

FY, FITNESS FOR s product or its in accord with

CAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation of dust and contact with skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking.

This product is toxic to fish, birds and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DESTROY USED CONTAINERS. Do not re-use for any purpose. Destroy container by burning or burying in an isolated area. If burned, keep out of smoke.

TILINTURNATED TYUNT LIP 4 THIS TO TOLINK K. 3% CIODRIN®

DAIRY & LIVESTOCI DUST

Controls HORN FLIES-LICE

Laids in the

Control of FACE FLIES



SOLID RED



NET WEIGHT: 4 POUNDS-



3% CIODRIN

DAIRY & LIVESTOCK DUST

Controls HORN FLIES-LICE & aids in the Control of FACE FLIES

,	ACTIVE INGRED ENTS	BY WEIGHT
	Dimethy phosphate to promethy benzy 3 hydroxy os protonate t	30
	NERT INGRED'ENTS	070 J TOTAL 1000 S
	*CICDRINE In a to ab	
CAUTION		
	KEEP OUT OF REACH OF CHILDREN	
	SEE OTHER PRECAUTIONS IN LET'S DE PANEL	
		EPA Reg. No. 201-162 AA



NET WEIGHT 4 POUNDS SHELL



~PRECAUTIONS

)O 4-3-1

is the

)e 🐃 🕝

CAUTION KEEP OUT OF REACH OF CHILDREN, A. . . in a at in it tust in the teach second lase it. The twittink his reven flush with plenty of wilter thrieves. cut mude a little to no Kuap kany from open flame Wash the trust part 5 and 1 the other throng and te

and the first of the first of twice the Keep with it recommended to the second of the contract of the water in the contract of the contrac

PESTROY USED CONTAINERS TO PERFORM A PROPERTY