

SHELL CHEMICAL COMPANY
 A Division of Shell Oil Company
 Agricultural Chemicals Division

New York, New York 10020

ACCEPTED
 MAY 24 1968
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTRATION
 UNDER NO. 201-24 SUBJECT
 TO ATTACHED COMMENTS.

ALL FRONT PANEL
 AKTON(R) INSECTICIDE
 Emulsible Concentrate
 (Contains 2 lb AKTON per gallon)

For PCO Use Only

<u>ACTIVE INGREDIENTS</u>	<u>PERCENT BY WEIGHT</u>
O-(2-chloro-1-(2,5-dichlorophenyl) vinyl) O,O-diethyl phosphorothioate (MP 27°C)	24.4
Related Compounds	1.7
Petroleum Hydrocarbons	63.5
<u>INERT INGREDIENTS</u>	<u>10.4</u>
TOTAL	100.0

USDA Reg. No. _____

WARNING! KEEP OUT OF REACH OF CHILDREN

GENERAL DIRECTIONS

AKTON(R) INSECTICIDE EMULSIBLE CONCENTRATE is for the control of lawn chinch bugs and sod webworms. Apply AKTON Insecticide EMULSIBLE CONCENTRATE uniformly over the ornamental turf according to rates indicated in the table. Treatments should be made when insects first appear, repeat applications as chinch bugs or sod webworm populations warrant. Do not mist spray. Use a coarse spray to drench AKTON Insecticide into the turf.

<u>Treatment Area</u>	<u>Amount of AKTON Insecticide</u>	<u>E.C.</u>	<u>Recommended Water Dilution Rate</u>
1,000 square feet	1.5 - 3 fluid ounces		30 - 40 gallons
5,000 square feet	7.5 - 15 fluid ounces		150 - 200 gallons
43,560 square feet	.5 - 1 gallon		1300 - 1700 gallons

Under conditions of moderate to severe thatch and moderate to severe chinch bug infestation use 11.25 fluid ounces per 5,000 sq. ft. In those instances of suspected phosphate resistance in South Florida, as much as 15 ounces per 5,000 sq. ft. might be required. For additional information consistent with label directions and cautions, consult your State Agricultural Experiment Station and/or Extension Service.

CHILDREN AND PETS SHOULD NOT BE ALLOWED ON TREATED AREA UNTIL THE SPRAY HAS DRIED.

PRECAUTION IN USING

WARNING! KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Harmful if absorbed through the skin. Repeated contact with skin may increase hazard of handling. May be injurious to the eyes. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. If swallowed, induce vomiting immediately and get medical attention. Keep away from heat and open flames.

Do not combine AKTON Insecticide and Memmi Fungicide in the same spray tank.

This product is toxic to fish - keep out of any body of water. Do not contaminate fish bearing waters by cleansing of equipment or disposal of wastes.

NET CONTENTS _____

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements on this label.