



**RESTRICTED USE  
PESTICIDE**

For retail sale to and use only by  
Certified Applicators or persons under  
their direct supervision and only for  
those uses covered by the Certified  
Applicator's certification.

**ACCEPTED**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended by the pesticide  
control act of 1974

JUL 28 1978



**NUDRIN 2.4 INSECTICIDE  
WATER MISCIBLE**

(Contains 2.4 lb. active ingredient per gallon)  
(FLAMMABLE LIQUID, N.O.S.)

ACTIVE INGREDIENT	PERCENT BY WEIGHT
Methomyl S-methyl N-(methycar- bamoyloxy) thioacetimidate .....	30.6
INERT INGREDIENTS .....	69.4
	<b>TOTAL 100.0</b>

EPA Reg. No. 201-348

**KEEP OUT OF REACH OF CHILDREN**

**DANGER POISON**

SEE ANTIDOTE AND PRECAUTIONS STATEMENT.

**DANGER - POISONOUS IF SWALLOWED OR INHALED. EXTREMELY FLAMMABLE.**

Do not breathe vapor or spray mist  
Do not get in eyes, on skin, on clothing  
Keep away from fire, sparks, and heated surfaces  
Keep container closed  
Do not store at temperatures below 40 F for prolonged periods

In case of contact, wash skin with plenty of soap and  
water, for eyes, flush with water for 15 minutes and  
get medical attention; remove and wash contami-  
nated clothing before re-use

**SEE BACK PANEL FOR PRECAUTIONARY STATEMENT**

**Net Contents: 1 Gallon**

K.O. 11/10

### PRECAUTIONS IN USING

WHEN MIXING SPRAY, LOADING, APPLYING OR OTHERWISE HANDLING, WEAR PROTECTIVE CLOTHING, GOGGLES AND A MASK OR RESPIRATOR SUITABLE FOR PROTECTION AGAINST NUDRIN INSECTICIDE VAPORS OR SPRAY MIST SUCH AS WILLSON PRODUCTS "AGRI-TOX-2 R-15 FELT R-28 CARTRIDGE OR MINES SAFETY APPLIANCES TYPE H "COMFO" WEAR CLEAN CLOTHES DAILY WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR SMOKING DO NOT CONTAMINATE OR STORE NEAR FEED OR FOODSTUFFS

**IMPORTANT** Not for use or storage in or around the home. Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift. Do not re-use container, bury when empty. Do not contaminate water when cleaning equipment or disposing of wastes or container.

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

This product is toxic to bees and should not be applied when bees are actively visiting the area. Apply this product only as specified on this label.

### GENERAL DIRECTIONS

Shell NUDRIN 24 Insecticide is recommended for control of certain insects on cabbage, broccoli, cauliflower, Brussels sprout, head lettuce, celery, tomatoes, potatoes, peppers and commercial plantings of chrysanthemums.

Shell NUDRIN 24 Insecticide is a liquid to be mixed in water for application by conventional tractor-mounted spray equipment. Use only in commercial plantings and not use in home plantings.

Shell NUDRIN 24 Insecticide should be used in accordance with recommendations on this label or in separate published Shell recommendations available through local dealers.

### USE AND DIRECTIONS FOR APPLICATION

Spray Preparation - Fill spray tank with 100 gal. of water. Add Shell NUDRIN 24 Insecticide to the tank in the proportion of 1 lb. per 100 gal. of water. Mix thoroughly. Or, mix 1 lb. of Shell NUDRIN 24 Insecticide with 100 gal. of water.

Application - Apply at the recommended rate when insects first appear in areas where you intend to apply. Apply at 5- to 7-day intervals at the recommended rate. Apply the low rates only in plantings with a high level of infestation. For the best results, apply when the weather is favorable for the insecticide to remain on the plant.

For control of insects on home plantings, use the following rates:

1 lb. per 100 gal. of water for control of insects on home plantings.

1 lb. per 100 gal. of water for control of insects on home plantings.

Brussels Sprouts, Cabbage Looper, Imported Cabbage Worm - 1.5 to 3 pints per acre (14 days). Add a spreader-sticker at the rate of 2 to 4 fl. ozs. per 100 gal.

Celery, Cabbage Looper - 3 pints per acre (14 days)

Lettuce (Head), Cabbage Looper, Alfalfa Looper, Beet Armyworm - 1.5 to 3 pints per acre up to 1.5 pints (7 days), over 1.5 pints (10 days)

Tomatoes, Cabbage Looper, Beet Armyworm, Tomato Fruitworm, Aphids - 1.5 to 3 pints per acre, 1.5 pints (1 day), over 1.5 pints (2 days). Apply at 5- to 7-day intervals. For Tomato Fruitworm spray at first fruit set. For Cabbage Looper, Beet Armyworm and Aphids, spray when insects first appear on foliage.

Peppers, Green Peach Aphids - 1.5 pints per acre (10 days)

Potato, United States - Cabbage Looper - 1.5 pints per acre (14 days), Aphids - 1.5 to 3 pints per acre (14 days)

Chrysanthemums, Cabbage Looper, Corn Earworm - 1.5 pints per 100 gal. water at weekly intervals as needed to control plantings of chrysanthemums.

### ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

**INTERNAL** - If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving 1 ounce of syrup of ipecac and 2 glasses of water to an adult (or 1 ounce of syrup of ipecac and 1 glass of water to a child). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. If inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately.

**EXTERNAL** - In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention. Remove and wash contaminated clothing before reuse.

If warning symptoms appear, use warning symptoms below, keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital.

### NOTE TO PHYSICIAN

WARNING: SYMPTOMS OF NUDRIN insecticide poisoning include: dizziness, headache, nausea, vomiting, diarrhea, blurred vision, weakness, numbness, tingling, and loss of reflexes. If these symptoms appear, get medical attention immediately. If patient is not breathing, start artificial respiration immediately. If patient is not breathing, start artificial respiration immediately. If patient is not breathing, start artificial respiration immediately.

### NOTICE OF WARRANTY

Shell Chemical Company, Inc. warrants that the NUDRIN insecticide is of the quality and quantity stated on the label and that it is free from adulteration.

18-01-1857  
TC