Jobacco States Chemical Co.

MANUFACTURERS AND DISTRIBUTORS

INSECTICIDES, FUNGICIDES, AND WEED KILLERS

P. O. BOX 479

Lexington, Kentucky 40501

PHONE: 233-1446



15%

JUN 2 6 1967

UNDER THE FEDERAL INSECTICIDE ED UNDER NO. 22L- E

READY MIXED DUST

U.S. Patent Re. 22,750

for control of

BLUE MOLD

ON TOBACCO PLANT BEDS

Active Ingredient—

Ferbam (Ferric dimethyl dithiocarbamate) 10.5% Inert Ingredients 89.5%

* DuPont "FERMATE" (R) Fungicide

CAUTION: Keep Out Of Reach Of Children. See Other Cautions On Rear Panel.

> May cause irritation of nose, throat and skin. Avoid breathing dust.

> Avoid contact with eyes, skin or clothing. In case of contact flush with plenty of water. For eyes get medical attention.

TOBACCO STATES CHEMICAL CO.

LEXIN WAR TO SERVE

CAUTION: This product will kill fish Keep out of any body of water.

DIRECTION DO NOT DILUTE

Apply directly through the canvas if the plant bed is boarded up 4 to 6 inches off the ground. Make the first application when plants are about the size of a dime, or when Blue Mold is in the vicinity. Continue applications twice weekly until setting is completed.

Repeat any application washed off by rain within 24 hours.

Apply 15% Fermate Dust as it comes from the package. Use 1 to 112 lbs. to 900 sq. ft. of bed; increasing the amount to 3 to 3½ lbs. per 900 sq. ft. when plants are large. Use TOBACCO STATES 5% DDT Dust for the control of fleabeetles in plant beds.

USDA Reg. No. 226-13

. .. 7

Jobacco States Chemical Co.

MANUFACTURERS AND DISTRIBUTORS

INSECTICIDES, FUNGICIDES, AND WEED KILLERS

P. O. BOX 479

Lexington, Kentucky 40501

PHONE: 233-1446



15% FERMATE DUS

JUN 2 6 1967

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISUN REGISTERED UNDER NO. 22

READY MIXED DUST

U.S. Patent Re. 22,750

for control of

BLUE MOLD ON TOBACCO PLANT BEDS

Active Ingredient—

Ferbam (Ferric dimethyl dithiocarbamate) 10.5%

* DuPont "FERMATE" (R) Fungicide

CAUTION: Keep Out Of Reach Cf Children. See Other Cautions On Rear Panel.

> May cause irritation of nose, throat and skin. Avoid breathing dust.

> Avoid contact with eyes, skin or clothing. In case of contact flush with plenty of water. tor eyes get medical attention.

TOBACCO STATES CHEMICAL CO. LEXINGION. KENTUCKY

CAUTION: This product will lift tisk K ep out of any body of water

DIRECTION DO NOT DELUTE

Apply directly manipulative amount is the please bed as boarded up a to o me, which express Sign Casta Cappi cution when plants are about the size of a diase, or when the Model is in the vicinity. On the configuration to be a section aintil setting is completed.

Repeat any application asked of the range ways 24. hours.

Apply 15. Associate Distas at comes to be the pressing Asc I to I valles, to 900 sq. tt. of had in a same the second to 3 in 3 3 lbs, per 900 sq. it when plant are forced so TOPACO SIAMS S. DDI Include the control of the c in other raphant heds.

USDA Pag. No. 226 12