

[226-51]

Net Contents: ONE GALLON

DIRECTIONS

FOR CATTLE: To protect dairy animals from horn flies, stable flies, house flies, spray twice daily using 1 to 2 ounces per animal depending on the size of the animal. Cover the animal with spray with particular attention to back, flanks, and legs. Do not soak the skin or wet the hide. Such applications will kill stableflies, horn flies, and house flies present at the time of application on the animal and would afford several hours temporary protection from these flies.

FOR HORSES: Spray lightly or sponge horses, using 1 to 2 ounces per adult animal, proportionately less for smaller animals. Give special attention to shanks, legs and shoulders. Apply till hair is moistened, but do not soak hide.
FOR PIGS: Spray lightly where flies congregate. Repeat as needed.

FOR BARN, STABLES AND MILK ROOMS: When used as space spray, direct power sprayer toward upper portion of the enclosure until the area is filled with a fine mist. Doors and windows need not be closed during or after application. If coarse spray is used, apply directly on walls, stanchions, ceilings, window and door frames, wherever flies alight or congregate, until surfaces are moistened. Avoid direct contact with food or food utensils. Leave doors and windows open during application to permit flies to leave. After fly population is reduced, doors and windows may be closed. Spray outdoor surfaces also to discourage flies from entering there. Repeat as needed.

USDA Reg. No. 226-51

Tobacco States
BRAND

Contains PYRENONE*

LIVESTOCK SPRAY



ACTIVE INGREDIENTS 100%

Petroleum hydrocarbons, Technical piperonyl butoxide*, pyretherins

*Equivalent to (d-lycloxystyrene) (4-methoxy-piperonyl) ether, and related compounds.

*Reg. Trademark

CAUTION: Keep out of the reach of children.
PESTICIDE

LIVESTOCK SPRAY is special formulation containing PYRENONE. Pyrenone provides protection from certain flies in the pasture between milkings. This reduces the discomfort and annoyance caused by flies which often decreases milk production and weight gain.

Do not use or store near heat or open flame.

TOBACCO STATES CHEMICAL CO., INC.
Dwight, Kentucky

For use in
DAIRY BARNS
STABLES
PADDOCKS
PIG PENS
MILK ROOMS
KENNELS
BARN
POULTRY
HOUSES

Kills
HORN FLIES
HOUSE FLIES
STABLE FLIES

ON
DAIRY COWS
RANGE CATTLE

RECEIVED
APR 7 1967
SUBJECT
226-51

APR 7 1967
TO THE DIRECTOR OF AGRICULTURE
FROM THE DIRECTOR OF PESTICIDES
SUBJECT: 226-51
ATTACHED COMMENTS