

3 ONE GALLON

Tobacco States
BRAND

ENDRIN

Emulsion Concentrate (Contains 1.6 lbs. Endrin per gallon)

ACTIVE INGREDIENTS:

Endrin (Hexachloroepoxyoctahydro-endo, endo-dimethano-naphthalene)	19.5%
Aromatic Petroleum Derivative	77.5%

INERT INGREDIENTS:	3.00%
---------------------------	-------

DANGER



POISON

Keep Out Of Reach Of Children and Domestic Animals

DANGER: POISONOUS BY SKIN CONTACT, INHALATION OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. SPRAY MIST EXTREMELY HAZARDOUS. FIRE HAZARD.

Keep away from heat or open flame. Do not get in eyes, on skin, or on clothing. Do not breathe spray mists. Wash thoroughly with soap and water after handling and before eating or smoking. Clean up spillage. Do not use indoors without adequate mechanical exhaust ventilation. Use clean clothing daily and wear clean synthetic rubber gloves. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. Wash clothing before re-use.

SEE ANTIDOTE ON BACK PANEL

DIRECTIONS

SMALL GRAINS: (Barley, Oats, Rye, Wheat) - Armyworms, Army cutworms, Pale western cutworms, Chinch bug, Cut worm, Fall armyworm - Use 1 to 1 1/2 pts. per acre of actual endrin. Apply single application when insects first appear, using a minimum of 10 gallons of water per acre when applying with ground equipment, and a minimum of 5 gallons per acre for aerial application. It may be necessary to use 20 to 25 gallons of water per acre on heavy growth when insect count is high. For chinch bugs, apply either (1) as a barrier strip around the field or (2) broadcast. Do not apply within 45 days of harvest. Avoid drift of this product. Do not graze livestock on treated forage or feed threshing to livestock.

Mix Endrin Emulsible Concentrate thoroughly with water by agitation or by circulating the mixture through the spray pump and back into the tank.

NOTE: A precipitate may deposit in cold weather. In such case, warm gently and agitate until redissolved before using.

DANGER: Do not spray into or near fire or open flame. Do not smoke while spraying. Keep away from children and domestic animals. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Endrin protection. Treatment should not be made to areas while occupied by unprotected humans or beneficial animals; they should be kept out of such treated areas for at least one hour after treatment. Do not apply nor allow to drift where dairy animals or animals being finished for slaughter may be grazing. Use this product only for recommended purposes and at recommended dosages. Workers entering fields within 5 days after treatment should be protected. This product is toxic to bees and should not be applied when bees are actively visiting the area.

**CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING
ANTIDOTE**

Internal: If any of the insecticide is swallowed, give a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and by burying with wastes or by burning. (Keep out of smoke)

TOBACCO STATES CHEMICAL CO., INC. makes no warranty of merchantability, fitness for any purpose or otherwise, express or implied, concerning this product or its use, which extend beyond the statements on this label.

S 5-71

USDA Registration No. 226-70

PESTICIDE

TOBACCO STATES CHEMICAL CO., INC.
LEXINGTON, KENTUCKY

ACCEPTED WITH COMMENTS

RECEIVED