

NET CONTENTS ONE GALLON

Tobacco States

400 TSS

EMULSION

For Control Of
TOBACCO SUCKERS

| | |
|----------------------------|-----------|
| ACTIVE INGREDIENT: | By weight |
| Aromatic Petroleum Solvent | 97% |
| INERT INGREDIENTS: | 3% |

WARNING: Keep out of reach of children.
See other panel for additional cautions.

ACCEPTED

DEC 7, 1970

INSECTICIDE
EFFECTIVE ACT
FOR E.C. REGISTRATION REGISTER
ED UNDER NO. 226-199 SUBJECT
TO ALL THE COMMENTS

DIRECTIONS: Dilute with water.

For tobacco use one gallon 400 TSS with 3 to 6 gallon of water to control suckers. Use 6 gallon of water during hot dry weather. Apply to the stalk only, immediately after topping. Use just enough mixture to run down all sides of the stalk, reaching the bottom leaves, but not enough to run to the ground. Do not apply to the leaves. Do not apply to tobacco that has blown over as uneven control will result.

A small oil can or a compression type sprayer (with nozzle removed) are good devices for applying the mixture.

CAUTION: Do not allow mixture to come in contact with leaves as burning may result. Never apply when plants are damp or when weather is rainy or cloudy. In hot humid weather some stalk rot may occur if plants are too close together. Avoid over dosing and heavy irrigation at time of application.

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin or clothing. Do not reuse container. Destroy when empty.

USDA Reg. No. 226-199

S-11-70

PESTICIDE

TOBACCO STATES CHEMICAL CO., INC.
LEXINGTON, KENTUCKY