

NET CONTENTS ONE QUART

Tobacco States

Liquid LIME SULPHUR

FOR APPLE AND PEACH TREES

ACTIVE INGREDIENTS:

Calcium Polysulphides 30.0%

Calcium Thiosulphate 1.5%

INERT INGREDIENTS: 68.5%

Density: degrees Baume 32

CAUTION: Keep out of reach of children.

"See other precautions on the back side panel."

ACCEPTED

Mar 11, 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 226-205
NO ATTACHED COMMENTS

226-205

CAUTIONS:

"May cause skin irritation. Avoid contact with skin or eyes. In case of contact with skin or eyes flush immediately with plenty of water for at least 15 minutes.

DIRECTIONS

Dormant: Scale and leaf curl—Use 12 gals. this material in each 100 gals. of finished spray. (1 1/5 qt. per 2 gals. of water.)

For use on trees after budding has occurred but before the blossom is open to control scab and brown rot: Use 2 gals. of this material with each 100 gals. of finished spray. (1/2 pt. to 3 gals. of water.)

USDA Reg. No. 226-205

S 2-71

PESTICIDE

TOBACCO STATES CHEMICAL CO., INC.
LEXINGTON, KENTUCKY