

[226-223]

DIPEL 150 DUST

(*Bacillus thuringiensis*)

ACTIVE INGREDIENTS:

Bacillus thuringiensis, Berliner. Potency of 320 International Units per mg. or least 0.5 billion viable spores per Gram.*

INERT INGREDIENTS

*Equivalent to potency of 0.15 billion International Units per pound of this product.

CAUTION: KEEP OUT OF REACH OF CHILDREN. REASONABLE CARE SHOULD BE EXERCISED TO AVOID INHALATION OR CONTACT WITH OPEN WOUNDS. DO NOT RE-USE CONTAINER. DESTROY WHEN EMPTY.

Dipel is the registered trademark of Abbott Laboratories, North Chicago, Illinois.

DIRECTIONS FOR USE

DIPEL 150 dust is a biological insecticide intended for use against chewing larval caterpillars of certain lepidopterous species.

DIPEL 150 dust is recommended for use by ground or by air. Apply when pests are first noticed and repeat as necessary. Thorough plant coverage is necessary for control.

APPLICATION RATE

For the control of Cabbage Looper and Imported Cabbage Worm on Broccoli, Cabbage, Cauliflower, Collards, Kale, Mustard Greens, Turnip Greens, apply 25 to 40 lbs. per acre.

For the control of Cabbage Looper on Celery, Fennel, Melons, Potatoes, Spinach, Tomatoes, and Cucumbers (Southeastern U. S. only) apply 25 to 40 lbs. per acre.

For the control of Hornworms on Tobacco and Tomatoes, apply 12 to 25 lbs. per acre.

EPA Reg. No. 226-223

Handwritten notes in a box: "DIPEL 150 DUST", "226-223", "144 1103", "1974 4 19 1975", "144 1103".