

6-12 84

①

Left copy

Tobacco States BRAND


Six X SHOOTER TOBACCO SPRAY

FOR CONTROL OF

- APHID • FLEA BEETLE
- BUDWORM • HORNWORM
- GRASSHOPPER
- CABBAGE LOOPER (5mm)

ON TOBACCO

Active Ingredients	59.2%
Inert Ingredients	40.8%
Aromatic Petroleum Distillates	67.143%
TOTAL	100.0%



Item
Exchange
...
...
...
...
...
...
...
...

Item No. 2
...
You do not find it to be
legible on the original
draft.

KEEP OUT OF REACH OF CHILDREN

WARNING - AVISO

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF IN EYES - Flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists.

IF ON SKIN - Flush with plenty of water. Remove contaminated clothing. Wash affected areas with soap and water.

NOTE TO PHYSICIANS - This spray contains 0.05% of carbaryl, which may cause drowsiness and dizziness. If a patient is allergic to carbaryl, it should not be administered. In the event of a severe allergic reaction, epinephrine should be administered to the patient and respiration maintained.

(See Side Panels for Additional Precautionary Statements)

- Signed need A3

Re entry

EPA Reg. No. 24.24
EPA Est. 24-KY-1

UNLAWFUL TO REPRODUCE

(2)

PRECAUTIONARY STATEMENTS WARNING

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Hazardous if swallowed, inhaled or absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing.

During commercial or prolonged exposure in a spraying or loading operation, wear synthetic rubber gloves and a pesticide respirator as required by the **MSHA (Mine Safety and Health Administration)** and **NIOSH** →
National Institute for Occupational Safety and Health under the provisions of 29 CFR 1910.134.

*Revisers
deleted redundant
statements, added
corrected statements*

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife if fed in treated areas may be applied to fish ponds, streams, or other water bodies. Do not apply when weather conditions are such that drift may be created. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This pesticide is highly toxic to bees used in crop treatment or to bees remaining on the treated area. Do not apply when bees are actively visiting the crop, or crop or weeds blooming in the treated area. Application should be made to provide the maximum possible interval between applications to the crop or field of bee activity.

STORAGE AND DISPOSAL

1/1/80
<

STORAGE: Do not use or store near heat or open flame. Do not store below 20 F.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous.

Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

RE-ENTRY STATEMENT

DIRECTIONS FOR USE

See label for use on various crops and insects.

RE-ENTRY STATEMENT

"Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information."

3

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated area without protective clothing until spray has dried. Protective clothing means at least, Respirator, Rubber Gloves, Lightweight Protective Coveralls and Lightweight Boots. The following re-entry statement should be given orally and/or in writing to hand laborers, and in a language they speak and understand. "WARNING" This area was treated with the Pesticide Six-X Shooter Tobacco Spray, on "Date of application". Do not enter this field without protective clothing for 24 hours.

1st revision for PR 83-2 A-6 and A-7

"SIX X SHOOTER" Tobacco Spray is an emulsifiable insecticide formulation designed for use as a preventative spray for the control of six major insect pests on tobacco. This formulation can be used in any type sprayer. If mixture is allowed to stand, reapply before use.

TOBACCO — (beet) green peach aphid, flea beetle, (small) cabbage looper, hornworm, cutworms — use 1 to 2 qts. per acre. Grasshoppers — use 3 qts. per acre. Dosage rates given should be used in sufficient water to give adequate coverage depending on the type of nozzle and equipment being used and the size of the crop. Cover the entire plant very lightly with insecticide. Do not soak plants, as injury may occur. Do not apply in the heat of the day as some burning of plants could result. When using hand sprayers, hold the nozzle at least 12 inches above the plants. Do not direct the spray on the bud as injury may result. Check field every 3 to 5 days and repeat as needed depending on the severity of the infestation and local conditions. Do not apply within 14 days of harvest.

For plants up to knee high use approximately 15 gals. of water per acre. On taller plants use 30 gals. of water per acre. For best control of nematode insects use a preventative program of spraying early in the season when plants are small. Undersides of leaves must be sprayed for best results. Check field frequently for reinfestations.

For Aerial Application use the recommended amount of spray with 2 to 5 gals. of water per acre.

Workers entering treated areas within 24 hours after application should wear protective clothing.

See the following statement of WARRANTY OF MERCHANTABILITY, which is hereby incorporated by reference into this statement of use and label.

BEST DOCUMENT AVAILABLE

TOBACCO STATES CHEMICAL CO., INC.
LEXINGTON, KENTUCKY

BEST DOCUMENT AVAILABLE



DRP

29 JUN 1984
(6/27/84)

300 / 123992
17 / 4

Mr. Michael Meredith
Tobacco States Chemical Co., Inc.
P.O. Box 12530
Lexington, KY 40583

Dear Mr. Meredith:

Subject: Amendment - Update Label
Tobacco States Six-X Shooter Tobacco Spray
EPA Registration No. 226-246
Your Application Dated June 13, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Remove the pistol graphic from the ingredients statement. Be certain not to obscure precautions of directions in choosing a new placement for this graphic.
2. In the diazinon formula name capitalize the "D" of Diethyl, make the underline between "O" and the opening parenthesis a hyphen, and reverse the order of the 4 and 6 (the correct number order is 2,6, and then 4).
3. Relocate the piperonyl butoxide equivalency statement down to be a footnote (with double asterisks), directly under the ingredients statement.
4. Revise the Note to Physician to read

Note to Physician - Diazinon is an organophosphorous cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine by injection is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine. Thiodan produces central nervous system excitation which responds to the barbituric acid derivatives. Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

5. Change "Hazardous if swallowed, inhaled or absorbed through skin" to "May be fatal if swallowed, inhaled or absorbed through skin." Note: do not reproduce our quotation marks on your final label.

6. Replace "Keep out of any body of water" to "Do not apply directly to water or wetlands."

SEARCHED							
SERIALIZED							
INDEXED							
FILED							

7. Reorder and revise the RE-ENTRY STATEMENT so that it reads as follows:

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until spray has dried. Protective clothing means at least, Respirator, Rubber Gloves, Lightweight Protective Coveralls and Lightweight Boots.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written and/or oral warnings should include: "Warning. This area was treated with the pesticide (name of pesticide) on (date of application). Do not enter without appropriate protective clothing for 24 hours."

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure
RD/IRB:LaRocca:DCR-04487:WANG-0021N:eg:Raven:479-2013:6/26/84

BEST DOCUMENT AVAILABLE