

DIAZINON GRANULES

Lawn and Garden Insect Control

TREATS UP TO 10,000 SQUARE FEET

N. B. An
 100%
 100%

NOTES: The manufacturer should be consulted for detailed information regarding application rates and other instructions. For more information, see the label on the product container.

SPREADER SETTINGS NO.

For 1000 sq. ft.

Brand Name and Model	Rate of Deposit (lb./sq. ft.)	Sp. Adjustment (lb./sq. ft.)	Weight of Product (lb./sq. ft.)
Timex (Timex No. 1059-G)	6%	3 1/2	7 1/2
General Suburban Lawn Spreader No. 1572-D	6%	7	7
Cyclone Model B1 (Estate)	4%	5	4 1/2
Worthington Model 105	6%	7 1/2	6 1/2
Orion Drive Spreader Model 2000	4%	5 1/2	5
Orion Broadcast Spreader Model 4000	4%	7	6
J.C. Penney Model 6005	7%	8	7 1/2
J.C. Penney Model 5000	5%	7	6
Matt Model 35	4%	5	4 1/2
Scott Corporation Model 671 (1958)	6%	7	6 1/2

*All models of Timex, Worthington, Orion, J.C. Penney, Scott Corporation, and other models of spreaders are suitable for use with Diazinon granules.

For application with other types of spreaders, consult the manufacturer's instructions. For heavy use, such as on golf courses, the rate should be increased to 3-lb. per 1000 sq. ft. for 4 1/2-lb. per 100 sq. ft. of area.

Apply Diazinon granules to lawns, lawns, and around each nest entrance. Apply to each nest entrance if active.

Apply Diazinon granules to lawns, lawns, and around each nest entrance. Apply to each nest entrance if active.

Apply Diazinon granules to lawns, lawns, and around each nest entrance. Apply to each nest entrance if active.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

IN GARDENS 5% DIAZINON KILLS: Armyworm, Carpet Moth Larva, Corn Flea, Colorado Potato Beetle, Flea Beetle, Ground Squirrel, Housefly, Mosquito, Noctuid Moth, Paper Wasp, Sawfly, Springtails, and other insects. Apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches. For surface application, apply 4 lb. per 1000 sq. ft. to the soil to a depth of 2 to 3 inches.

PROTECTION OF CHILDREN

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

PREVENTION OF CHILDREN: Keep children off treated areas until granules have been washed away by rain or water. Do not eat or drink from treated areas.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY OTHER PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, concerning the product, in use, which is intended by the statements of this label.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY OTHER PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, concerning the product, in use, which is intended by the statements of this label.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY OTHER PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, concerning the product, in use, which is intended by the statements of this label.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY OTHER PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, concerning the product, in use, which is intended by the statements of this label.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY OTHER PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, concerning the product, in use, which is intended by the statements of this label.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY OTHER PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, concerning the product, in use, which is intended by the statements of this label.

Tobacco States Chemical Co., Inc. MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY OTHER PURPOSE, OR OTHERWISE EXPRESSED OR IMPLIED, concerning the product, in use, which is intended by the statements of this label.

BEST DOCUMENT AVAILABLE

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (98-327) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	NOV 4 1982
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	NAME OF PESTICIDE PRODUCT	
	NAME AND ADDRESS OF REGISTRANT (include ZIP code)	
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or its use if it has been used by others.</p>		
<p>161 / 76155</p> <p>18 / 1</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE
DRP 10/29/82		

EPA Form 8370-6 (Rev. 3-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

BEST DOCUMENT AVAILABLE