

228-237

5/13/2009

1087



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAY 13 2009

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NuFarm Americas, Inc.
150 Harvester Drive, Suite 200
Burr Ridge, IL 60527


Subject: 2,4-D RED Label Amendment
Triamine Premium 3333 Liquid Weed and Feed
EPA Reg. No. 228-237

The label referred to above is in compliance with the 2,4-D RED and is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.
2. Make the following changes to the product labeling:
 - a. Revise the third Hazards to Humans and Domestic Animals sentence to read "Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves made of any waterproof material."
 - b. Revise the first Environmental Hazards sentence to read "This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants."
 - c. Revise the heading from "Use Precautions" to "Use Precautions and Restrictions" and make the following changes to the section:
 - i. Move the entire section directly below the first paragraph under Directions for Use.
 - ii. Move the text "Do not apply this product in a way that will contact... Limited to 2 applications per year." so that it is directly below the heading.
 - iii. Add the restriction "Do not make a second application within 30 days of the first application." after "Limited to 2 applications per year."
 - iv. Add the restriction "Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water to the point of runoff, or apply when raining or when rain is expected that day."
 - v. Add the restriction "Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result."

- vi. Add the restriction "Do not apply as a fine mist because of potential injury to desirable plants."
 - vii. Revise the optional text "Avoid fine mists." to "Do not apply as a fine mist."
 - viii. Revise the text to read "Do not exceed ~~recommended~~ **listed** application rates because damage to turf may occur."
- d. It is recommended that the heading "When to Apply" be added above the text "Spray anytime during the growing season when weeds are actively growing..."
 - e. On page 3, revise the text to read "Some hard-to-control broadleaf weeds may require a second treatment in ~~3 to~~ 4 weeks."
 - f. Revise the sentence under Special Note to read "The entire contents of this bottle must be used to make the proper ~~recommended~~ application rate."
 - g. On page 4 under Environmental Benefits, correct the typo from "oygen" to "oxygen".
 - h. Revise the Storage and Disposal statement to read "Do not contaminate water, food, or feed by storage ~~or~~ **and** disposal."
 - i. Revise the heading from "Pesticide Disposal" to "Pesticide and Container Disposal", and the text to read the following:
"Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain."
3. Please Note: Final product reregistration cannot be considered until after all active ingredients in this product are eligible for reregistration.

A stamped copy of your labeling is enclosed for your records. You must submit one (1) copy of the final printed label before you release the product for shipment. Products shipped after 12 months from the date of this Letter or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

 Joanne Miller
 Product Manager 23
 Herbicide Branch
 Registration Division (7505P)

3 of 7

TRIAMINE® PREMIUM 3333 LIQUID WEED AND FEED

READY-TO-USE

FOR USE WITH A HOSE-END SPRAYER ON ORNAMENTAL TURF (GRASS) LAWNS

NO MIXING

Just Connect Hose, Turn On Water, and Spray

TREATS (COVERS) 3,333 TO 5,000 SQUARE FEET

(Read directions for different grasses.)

CONTAINS 2,4-D, MECOPROP-p, DICHLOROPROP-p AND A X-X-X FERTILIZER

GET THE OPTICAL ADVANTAGE®

ACTIVE INGREDIENTS:

Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid*	1.143%
Dimethylamine Salt of (+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid**‡	0.574%
Dimethylamine Salt of (+)-R-2-(2,4-Dichlorophenoxy)propionic Acid***‡	0.566%

OTHER INGREDIENTS:	97.717%
TOTAL:	100.000%

Equivalent to:

*2,4-Dichlorophenoxyacetic Acid	0.950%, 0.090 lb(s)/gal.
**(+)-R-2-(2-Methyl-4-Chlorophenoxy)propionic Acid	0.475%, 0.045 lb(s)/gal.
***(+)-R-2-(2,4-Dichlorophenoxy)propionic Acid	0.475%, 0.045 lb(s)/gal.

‡CONTAINS THE SINGLE ISOMER FORMS OF MECOPROP-p AND DICHLOROPROP-p.

GUARANTEED ANALYSIS:

Total Nitrogen (N)	X%
X% Urea Nitrogen	
Fertilizer guaranteed by (Name of Fertilizer registrant).	

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE SIDE AND BACK PANELS FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840

EPA REG. NO. 228-237
EPA EST. NO. 228-IL-1

MANUFACTURED BY
NUFARM AMERICAS INC.
150 HARVESTER DRIVE
BURR RIDGE, IL 60527



NET CONTENTS 64 FL. OZ.

ACCEPTED
with COMMENTS
in EPA Letter Dated

NET WEIGHT 4.68 LBS.

000228-00237.20080619.EPA.24d.Pending

MAY 13 2009

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

228-237

4087

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION - PRECAUCION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried. Limited to 2 applications per year.

Spray anytime during the growing season when weeds are actively growing (except as noted for S - Southern or Warm Season Grasses).

3,333 square feet	Coverage for (N - Northern or Cool Season Grasses) such as Bluegrass, Fescue, and Rye grasses.
5,000 square feet	Coverage for (S - Southern or Warm Season Grasses) Bahia, common Bermuda, St. Augustine, Centipede, Zoysia and Bentgrasses. Some temporary injury may occur with these grasses. In spring, do not apply until grass has reached full green-up. In fall, exercise care when grass growth is going into dormancy. When applying to Bentgrass, height of grass should be 1.5 inches or more. Note: Some hybrids of Bermuda grass may be sensitive to this product. Contact your local Extension Service weed control specialist.

Designed to control broadleaf weeds and give your lawn a quick boost of important nutrients. Controls dicot weeds during their active growth period. Guaranteed not to burn your lawn when used as directed. High analysis fertilizer featuring a patented nitrogen formula.

USE PRECAUTIONS

IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings. Do not spray exposed roots of desirable plants. Do not spray on Dichondra, Lippia, nor on grasses where desirable Clovers are present. Do not apply to newly seeded grasses until they have been mowed 3 times. Do not cut grass 1 to 2 days before and after application. Do not reseed or plant stolons for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Watering will wash off weed killing material. Do not apply if rainfall is expected within 48 hours. (Optional statements for adjustable sprayers - Avoid fine mists. Use a lawn type sprayer with a coarse spray as wind drift is less likely.) Spray entire lawn, wetting weeds and lawn grasses. Do not exceed recommended rates because damage to turf may occur. Spray when air is calm to avoid spray drift that might injure desirable ornamental plants. Do not apply when temperature exceeds 85°F. Shake well before using.

WEEDS CONTROLLED

Alder	Dogfennel	Orange hawkweed	Stinkweed
Artichoke	Elderberry	Oxalis	Stitchwort
Aster	English daisy	Parsnip	Sumac
Austrian fieldcress	Flea bane (daisy)	Pennycress	Sunflower
Beggartick	Flixweed	Pennywort	Sweet clover
Biden	Florida pusley	Peppergrass	Tarweed
Bindweed	Frenchweed	Pepperweed	Thistle
Bitterweed	Galinsoga	Pigweed	Toadflax
Bitter wintercress	Goatsbeard	Plantain	Tumbleweed
Black medic	Goldenrod	Poison hemlock	Velvet leaf
Blessed thistle	Ground ivy	Poison ivy	Veronica
Blue lettuce	Gumweed	Poison oak	Vervain
Box elder	Hawkweed	Pokeweed	Vetch
Broomweed	Healall	Poorjoe	Virginia buttonweed
Buckhorn	Heartleaf drymary	Povertyweed	Virginia creeper
Bull thistle	Hemp	Prickly lettuce	Wild aster
Burdock	Henbit	Primrose	Wild carrot
Bur ragweed	Hoary cress	Puncture vine	Wild garlic
Buttercup	Honeysuckle	Purslane	Wild geranium
Canada thistle	Horsetail	Ragweed	Wild lettuce
Carpetweed	Indiana mallow	Red clover	Wild onion
Catnip	Ironweed	Red sorrel	Wild radish
Chickweed	Jewelweed	Rush	Wild rape
Chicory	Jimsonweed	Russian thistle	Wild strawberry
Clover	Kochia	St. Johnswort	Wild sweet potato
Cockle	Knotweed	Sheep sorrel	Willow
Cocklebur	Lambsquarter	Shepherdspurse	Witchweed
Coffeebean	Locoweed	Smartweed	Woodsorrel
Coffeeweed	Lupine	Sneezeweed	Wormseed
Common sowthistle	Mallow	Southern wild rose	Yarrow
Creeping jenny	Marshelder	Sowthistle	Yellow rocket
Croton	Mexicanweed	Spanishneedle	and (many) other
Curly indigo	Morningglory	Spatterdock	broadleaf weeds.
Dandelion	Musk thistle	Speedwell	
Dock	Mustard	Spurge	
Dogbane	Nettle	Spurweed	

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 3 to 4 weeks.

(HOSE-END SPRAYER INSTRUCTIONS)

HOW TO APPLY: Use any 32 fluid ounce hose-end sprayer that is designed for use on lawns and makes a minimum of 15 gallons of finished spray. Such sprayers are Ortho's Orthomatic Lawn Sprayer, Ortho's and Black Leaf's Lawn Sprayers (dilution ratio of 60 to 1). The following are adjustable/dial sprayers:

MANUFACTURER	SETTING
Super K-Gro	20
Melnor #94 & #95	11
Melnor #96 & #97	13
Gilmour #362	4
Gilmour #486	12

SPECIAL NOTE: Some adjustable sprayers do not hold 32 fluid ounces. The above settings are based on using 64 fluid ounces per 3,333 square feet on N-Northern or Cool Season grasses or 5,000 square feet for application on S-Southern or Warm Season grasses. The entire contents of this bottle must be used to make the proper recommended application rate.

Determine area to be sprayed. Apply at a rate of 64 fluid ounces (1/2 gallon) per 3,333 square feet on N-Northern or Cool Season grasses or 5,000 square feet for application on S-Southern or Warm Season grasses. Fill sprayer jar with appropriate amount of this product. Do not dilute this product with water when filling sprayer jar. The water will automatically mix with this product during spraying. Attach sprayer to garden hose. While holding sprayer at waist level, point in direction away from face and body. Walk back and forth at a steady pace. Overlap slightly for uniform coverage.

(DISPOSABLE SPRAYER AND BOTTLE INSTRUCTIONS)

HOW TO APPLY: Connect spray nozzle to hose. Remove bottle cap and screw bottle into nozzle. While holding sprayer at waist level, point in direction away from face and body. Turn on water at the tap. Place finger over hole on right side of nozzle (or turn on/off lever to the "ON" position) and this product will mix automatically at the proper ratio. Walk back and forth at steady pace. Overlap slightly for uniform coverage.

COVERAGE MEASURING GUIDE

(Marks on left side panel of bottle indicate square feet covered - not to scale.)

COOL SEASON (N)

- 833 square feet
- 1,666 square feet
- 2,500 square feet
- 3,333 square feet

WARM SEASON (S)

- 1,000 square feet
- 2,000 square feet
- 3,000 square feet
- 5,000 square feet

(The following paragraph is mandatory in Kentucky when the nitrogen analysis does not provide 1 pound nitrogen per 1,000 square feet; otherwise, this information is optional.)

A lawn typically will utilize 1 to 4 pounds of nitrogen per 1,000 square feet per growing season. When used as directed, this product will supplement your regular fertilizer program by providing **(No. of pounds)* pounds of nitrogen per 1,000 square feet (optional P₂O₅ and K₂O levels) and herbicide to control listed weeds. Please consult your local extension office for questions regarding a regular fertilizer program.

*Based on Inert fertilizer claimed.

Environmental Benefits

(Grasscycling Logo)

Besides increasing property values, did you know a well-maintained lawn provides the following benefits to your home and environment:

Grass clippings and yard waste are approximately 20% of the volume in our nation's landfills. To do your part to reduce this amount, leave grass clippings on your lawn. Increased mowing height and frequency will produce smaller grass clippings that will decompose more readily so nutrients go back into your lawn.

- √ A 50' x 50' lawn produces enough oxygen for a family of 4 every day
- √ Reduces Glare & Reduces Noise
- √ Traps Dust, Smoke Particles & Other Pollutants
- √ Purifies Water & Modifies Temperature
- √ Improves Soil Condition & Controls Erosion

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

(RV061908R)

Triamine and The Optical Advantage are a registered trademarks of Nufarm Americas Inc.

The following will not be part of the actual label copy.

*Note: Guaranteed (fertilizer) analysis and weight will vary among various commercial fertilizer manufacturers.