


EXEMPTION OF COPY ON LABEL PRINTING.



READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.

REFILLABLE DUSTER. REFILL BOTTLE AND USE TO REFILL.

DIRECTIONS

DO NOT SPRAY ON PLANTS OR FLOWERS DURING HOT WEATHER OR WHEN TEMPERATURE IS ABOVE 90° F. Apply slowly to plants especially upper and lower leaf surfaces. Do not spray during excessively high temperatures above 90° F. Plant damage may occur.

DO NOT SPRAY ON PLANTS AT AN ANGLE GREATER THAN A 45 DEGREE ANGLE AND DO NOT SPRAY ON PLANTS HOLDING THE END POINT CONTAINER DIRECTLY DOWNWARD.

EFFECTS ON ROSES AND OTHER FLOWERS (Such as Chrysanthemums and Iris, Garden Cating, Flea Beetle, White Fly, Lacewing, Drosophila Beetle, Aphids, Red Spider Mite, Tarnished Plant Bug, Leaf Roller, Fuller's Rose Beetle, Thrips, Garden Fleahopper; etc.) Apply with a fine mist or a soft spray. Repeat as necessary.

DISEASES ON ROSES AND OTHER FLOWERS (Such as Chrysanthemums and Iris). Powdery Mildew, Leaf Spot, Black Spot, Charcoal Rot, and other plant diseases. Do not spray on plants during hot weather or when temperatures are above 90° F. Do not spray on plants during extremely hot weather (above 90° F) when growth and development of plants are slow due to heat or high humidity.

CARE AND USE Do not spray on flowers, fruit, vegetables, trees, shrubs, lawns, grass, ornamentals, and other plants. Avoid spraying on leaves, stems, flowers, and fruits during hot weather. Avoid spraying on plants during extremely hot weather (above 90° F) when growth and development of plants are slow due to heat or high humidity.

Keep out of reach of children. Do not spray on pets. Do not spray on birds. Do not spray on fish. Do not spray on treatment of sewage sludge. Productive information may be obtained from your County Agricultural Extension Service.

NOTICE: This product is highly toxic, flammable, and use not in accordance with directions.

 **CHEVRON CHEMICAL COMPANY**
CHEVRON DIVISION, San Francisco, California
CHEVRON CHEMICAL COMPANY, INC., Atlanta, Georgia
CHEVRON CHEMICAL COMPANY, INC., Chicago, Illinois
CHEVRON CHEMICAL COMPANY, INC., Houston, Texas
CHEVRON CHEMICAL COMPANY, INC., Los Angeles, California
CHEVRON CHEMICAL COMPANY, INC., New York, New York
CHEVRON CHEMICAL COMPANY, INC., Philadelphia, Pennsylvania
CHEVRON CHEMICAL COMPANY, INC., St. Louis, Missouri

'ACCEPTED'

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000

100-200-1000</

FACSIMILE OF COPY ON LTYPE PRINTING.

ACCEPTED



READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS.
KEEP PESTICIDE IN ORIGINAL CONTAINER.

Refillable Duster. Remove bottom closure to refill
DIRECTIONS

Chest flowers in early morning or late evening when temperature
is low and air is still. Apply to all exposed parts especially upper and lower leaf surfaces. Do not treat during excessively high temperatures (above 90° F) as damage may occur.

To apply, hold container at approximately 45 degree angle and squeeze. To avoid excessive dusting, do not point container straight downward.

INSECTS ON ROSES AND OTHER FLOWERS (Such as Chrysanthemums and Iris): Certain Caterpillars, Flea Beetle, White Fly, Lacebug, Diabrotica Beetle, Aphids, Red Spider Mite, Tarnished Plant Bug, Leaf Roller, Fuller's Rose Beetle, Thrips, Garden Fleahopper. Treat thoroughly when damage or insects first appear. Repeat as necessary.



DISEASES ON ROSES AND OTHER FLOWERS (Such as Chrysanthemums and Iris): Powdery Mildew, Leaf Spot, Black Spot. Start regular preventive program of treatment as soon as foliage appears. Under normal conditions, apply every 7 to 10 days during growing season. Treat at least weekly during periods of moderate infection and twice weekly during periods of rapid new growth and/or infection caused by continuous summer rains or high humidity.

CAUTION: Harmful if swallowed. Induce vomiting if swallowed. May Be Absorbed Through Skin! Avoid breathing of dust. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use within 2 weeks of an oil spray treatment.

Keep out of any body of water. Fish may be killed. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Before attempting all directions for safety and use not in conflict with directions.

 **CHEVRON CHEMICAL COMPANY**
ORTHO DIVISION San Francisco Calif 94124
RICHMOND, CALIF Atlanta, Georgia Des Plaines, Illinois
Fresno, Calif. HEDA Reg. No. 124,154 Product No. 152 Made in U.S.A.



100% DIAZINON - 5% W.H.O.

CONTAINS DIAZINON 5% W.H.O.

CONTROLS INSECTS AND DISEASES

AND OTHER FLOWERS (Such as Chrysanthemum Caterpillars, Flea Beetle, White Fly, Lacewing, Aphids, Red Spider Mite, Tarnished Plant Bug's Pupa, Beetle, Thrips, Cotton Fleahopper, etc.)

AND OTHER FLOWERS (Such as Chrysanthemum, Aster, Leaf Spot, Black Spot, Start treatment in early Spring, apply at least once every 10 days during hot weather, spray on foliage weekly, and avoid spraying on flower growth, and use by cutting off damaged flower buds)


If spraying flowers, do not spray through stems, as it may damage flower buds. If spraying, spray on foliage, avoid spraying on flower buds, and do not spray on flower growth.

Do not spray on flower buds, and do not spray on flower growth or flower buds. If spraying, spray on foliage, avoid spraying on flower buds, and do not spray on flower growth.

Do not spray on flower buds, and do not spray on flower growth or flower buds. If spraying, spray on foliage, avoid spraying on flower buds, and do not spray on flower growth.

RON CHEMICAL COMPANY

Division of R. O. N. Company
1000 North Main Street, Toledo, Ohio



Control insects and diseases

With this mixture

Water and Kerosene

With this mixture

Water and Kerosene